 Strong bonds. Trusted solutions.	Page: 1
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Amertrol™ 1100 ODT-F
BOILER WATER TREATMENT
™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet Solenis LLC 500 Hercules Road Wilmington, Delaware 19808 United States of America (USA) RegulatoryRequestsNA@solenis.com	Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative
---	--

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin corrosion : Category 1

Serious eye damage : Category 1

GHS label elements


Hazard pictograms :



Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT

	Page: 2
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

induce vomiting.
 P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
 P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components


Chemical name	CAS-No.	Classification	Concentration (%)
INORGANIC SALT	Trade Secret	Eye Irrit. 2A; H319	≥ 5 - < 10
AMINE	Trade Secret	Flam. Liq. 3; H226 Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Corr. 1B; H314 Eye Dam. 1; H318 STOT SE 3; H335	≥ 1.5 - < 5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
 Consult a physician.
 Show this safety data sheet to the doctor in attendance.
 Do not leave the victim unattended.

If inhaled : Move to fresh air.
 If breathed in, move person into fresh air.
 Keep patient warm and at rest.
 If unconscious, place in recovery position and seek medical advice.


		Page: 3
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0

If symptoms persist, call a physician.

- | | |
|---|--|
| In case of skin contact | : If on skin, rinse well with water.
Wash contaminated clothing before re-use. |
| In case of eye contact | : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye. |
| If swallowed | : Get medical attention immediately.
Do NOT induce vomiting.
Rinse mouth with water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Cough
Difficulty in breathing
Sulphur dioxide may be released if this material comes into contact with acids, water and/or ice. In contact with moisture, sulfur dioxide forms sulfuric acid which is corrosive to skin and mucous membranes.
Causes serious eye damage.
Causes severe burns. |
| Notes to physician | : No hazards which require special first aid measures. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|--------------------------------------|--|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Oxides of phosphorus
potassium oxide |

	Page: 4
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

sodium monoxide
 sodium sulphide residue
 sulfur dioxide
 toxic fumes
 Carbon monoxide
 Carbon dioxide (CO₂)
 Ammonia
 Nitrogen oxides (NO_x)


- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust.
Do not use sodium nitrite or other nitrosating agents in formulations containing this product. Suspected cancer-causing nitrosamines could be formed.
When diluting, always add the product to water. Never add water to the product.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national

 Strong bonds. Trusted solutions.	Page: 5
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
AMINE	Trade Secret	TWA	2 ppm	ACGIH
		TWA	10 ppm 50 mg/m3	NIOSH REL
		TWA	10 ppm 50 mg/m3	OSHA Z-1
		TWA	10 ppm 50 mg/m3	OSHA P0

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.


Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Safety glasses

Skin and body protection : Wear as appropriate:
Impervious clothing
Chemical resistant apron
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Discard gloves that show tears, pinholes, or signs of wear.
Wear resistant gloves (consult your safety equipment

	Page: 6
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.
 When using do not eat or drink.
 Ensure that eyewash stations and safety showers are close to the workstation location.
 When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless, light yellow

Odour : No data available

Odour Threshold : No data available

pH : 13.0

Melting point/freezing point : No data available

Boiling point/boiling range : 212 °F / 100 °C

Flash point : Not applicable

Evaporation rate : similar to water

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : similar to water

Relative vapour density : similar to water


Relative density : 1.16 (77 °F / 25 °C)

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

		Page: 7
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.


Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : excessive heat
Exposure to moisture

Incompatible materials : None known.
Acids
aluminum
halogenated hydrocarbons
nitrates
organic solvent
peroxides
Strong oxidizing agents
water
Aqueous solutions of this product corrode steel.
This product should not be used in conjunction with trimethylol propane or trimethylol propane-derived products. There is a possibility that bicyclic phosphates or phosphites can be produced as a result of the thermal decomposition of this product in combination with trimethylol propane, trimethylol propane-derived products or their corresponding trimethylol propane alkane homologs. Bicyclic phosphates and phosphites are a class of materials with acute neurotoxic properties which produce characteristic convulsive seizures in test animals.

Hazardous decomposition products : Oxides of phosphorus
potassium oxide
Sodium oxides
sodium sulfide residue
toxic fumes
Carbon monoxide
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)

		Page: 8
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Remarks: Excessive heat or contact with acids, water and/or ice, releases sulfur dioxide gas which may be harmful or deadly if inhaled.

Components:

INORGANIC SALT:

Acute oral toxicity : LD L0 (Rat): 4,640 mg/kg

Acute dermal toxicity : LD 50 (Rabbit): > 4,640 mg/kg

AMINE:

Acute oral toxicity : LD 50 (Rat): 1,320 mg/kg ca.

Acute inhalation toxicity : LC 50 (Rat): ca. 4.6 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD 50 (Guinea pig): ca. 885 mg/kg

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Causes severe skin burns and eye damage.

Components:

INORGANIC SALT:


Result : Mildly irritating to skin

AMINE:

Species : Rabbit
Result : Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Causes serious eye damage.

 Strong bonds. Trusted solutions.	Page: 9
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

Product:

Remarks : May cause irreversible eye damage.
Solutions may be severely irritating or cause burns.

Components:

INORGANIC SALT:

Result : Irritating to eyes

AMINE:

Species : Rabbit
Result : Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

AMINE:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.


Components:

AMINE:

Genotoxicity in vitro : Test Type: Ames test
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test system: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse
Method: OECD Test Guideline 474
Result: negative

		Page: 10
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

Components:

AMINE:

Target Organs : Respiratory system
 Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information


Product:

Remarks : No data available

Components:

AMINE:

Remarks : Central nervous system

		Page: 11
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

Components:

AMINE:


- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 147 mg/l
 Exposure time: 96 h
 Test Type: static test
 Method: DIN 38412
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 83.6 mg/l
 Exposure time: 48 h
 Test Type: static test
 Method: Directive 67/548/EEC, Annex V, C.2.
- Toxicity to algae/aquatic plants : NOEC (Desmodesmus subspicatus (green algae)): 5 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: DIN 38412
- EC50 (Desmodesmus subspicatus (green algae)): 44 mg/l
 End point: Growth inhibition
 Exposure time: 72 h
 Test Type: static test
 Method: DIN 38412
- Toxicity to microorganisms : EC20 (activated sludge): > 1,000 mg/l
 Exposure time: 30 min
 Method: OECD Test Guideline 209

Persistence and degradability

Components:

AMINE:

- Biodegradability : Result: Readily biodegradable.
 Biodegradation: 95 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301A
 GLP: yes

	Page: 12
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

Bioaccumulative potential

Components:

AMINE:

Bioaccumulation : Bioconcentration factor (BCF): 0.85

Partition coefficient: n-octanol/water : log Pow: 0.21 (73 °F / 23 °C)
Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.


SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN number : UN 1719
Proper shipping name : Caustic alkali liquid, n.o.s. (POTASSIUM HYDROXIDE)
Class : 8
Packing group : III
Packing instruction (cargo aircraft) : 856
Packing instruction (passenger aircraft) : 852

IMDG-Code

	Page: 13
SAFETY DATA SHEET	Revision Date: 02/24/2020
	Print Date: 02/16/2021
	SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557	Version: 1.0

UN number : UN 1719
 Proper shipping name : CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM HYDROXIDE)
 Class : 8
 Packing group : III
 EmS Code : F-A, S-B
 Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation
 Serious eye damage or eye irritation


SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL
 AICS : On the inventory, or in compliance with the inventory
 ENCS : Not in compliance with the inventory
 KECI : On the inventory, or in compliance with the inventory

		Page: 14
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 02/24/2020

Full text of H-Statements

H226 : Flammable liquid and vapour.

H302 : Harmful if swallowed.

H311 : Toxic in contact with skin.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage.

H319 : Causes serious eye irritation.

H331 : Toxic if inhaled.

H335 : May cause respiratory irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Flam. Liq. : Flammable liquids

Skin Corr. : Skin corrosion

STOT SE : Specific target organ toxicity - single exposure

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000


OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average

OSHA Z-1 / TWA : 8-hour time weighted average

		Page: 15
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet


Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

		Page: 16
SAFETY DATA SHEET		Revision Date: 02/24/2020
		Print Date: 02/16/2021
		SDS Number: 000000270896
Amertrol™ 1100 ODT-F BOILER WATER TREATMENT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 877557		Version: 1.0