

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Suma Multi Conc D2 Conc

Revision: 2022-12-01 **Version:** 02.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Multi Conc D2 Conc

UFI: 5YS1-S0KV-900J-YYDU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:

Kitchen surface cleaner.

Hard surface cleaner.

For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_1 AISE_SWED_PW_8b_1 AISE_SWED_PW_10_1 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1B (H314) Acute Tox. 4 (H302) STOT SE 3 (H335) Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains alkyl alcohol ethoxylate (Trideceth 8), 2-aminoethanol (Ethanolamine)

Hazard statements:

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H335 - May cause respiratory irritation.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		20-30
isotridecanol, ethoxylated	[4]	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
2-aminoethanol	205-483-3	141-43-5	01-2119486455-28	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) STOT SE 3 (H335) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	287-335-8	85480-55-3	[1]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		3-10
1-methoxy-2-propanol	203-539-1	107-98-2	01-2119457435-35	Flam. Liq. 3 (H226) STOT SE 3 (H336)		1-3
propan-2-ol	200-661-7	67-63-0	01-2119457558-25	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		1-3

Specific concentration limits

isotridecanol, ethoxylated:

• Eye Dam. 1 (H318) >= 10% > Eye Irrit. 2 (H319) >= 1%

2-aminoethanol:

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: Symptoms of intoxication may even occur after several hours. It is recommended to continue

medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or

Inhalation: physician if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with

plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get

medical advice or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion:

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: May cause respiratory irritation.

Skin contact: Causes severe burns.

Causes severe or permanent damage. Eye contact:

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

[•] STOT SE 3 (H335) >= 5%

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Do not breathe spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
2-aminoethanol	1 ppm	3 ppm
	2.5 mg/m ³	7.6 mg/m ³
1-methoxy-2-propanol	100 ppm	150 ppm
	375 mg/m ³	568 mg/m ³
propan-2-ol	200 ppm	400 ppm

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure
DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
isotridecanol, ethoxylated	-	-	-	-
2-aminoethanol	-	-	-	1.5
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available	No data available	No data available	No data available
1-methoxy-2-propanol	-	-	-	33
propan-2-ol	-	-	-	26

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
isotridecanol, ethoxylated	-	-	-	-
2-aminoethanol	No data available	-	No data available	3
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available	No data available	No data available	No data available
1-methoxy-2-propanol	No data available	-	No data available	183
propan-2-ol	-	-	-	888

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
isotridecanol, ethoxylated	-	-	-	-
2-aminoethanol	No data available	-	No data available	1.5
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available	No data available	No data available	No data available
1-methoxy-2-propanol	No data available	-	No data available	78
propan-2-ol	-	-	-	319

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
isotridecanol, ethoxylated	-	-	-	-
2-aminoethanol	-	-	0.51	1
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available	No data available	No data available	No data available
1-methoxy-2-propanol	553.5	183	-	369
propan-2-ol	-	-	-	500

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
isotridecanol, ethoxylated	-	-	-	-
2-aminoethanol	-	-	0.28	0.18
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available	No data available	No data available	No data available
1-methoxy-2-propanol	-	-	-	43.9
propan-2-ol	-	-	-	89

Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
isotridecanol, ethoxylated	-	-	-	-
2-aminoethanol	0.07	0.007	0.028	100
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available	No data available	No data available	No data available
1-methoxy-2-propanol	10	1	100	100
propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
alkyl alcohol ethoxylate	-	-	-	-
isotridecanol, ethoxylated	-	-	-	-
2-aminoethanol	0.375	0.0357	1.29	-
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available	No data available	No data available	No data available
1-methoxy-2-propanol	52.3	5.2	4.59	-
propan-2-ol	552	552	28	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	p				
	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a
Automatic transfer and dilution	AISE SWED PW 8b 1	PW	PROC 8b	60	FRC8b

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

mickness. ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen. **Body protection:**Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle

filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical

measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.7

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection:

Hand protection:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid
Colour: Clear , Dark , Blue
Odour: Product specific
Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 200	Method not given	
isotridecanol, ethoxylated	No data available		
2-aminoethanol	169-171	Method not given	1013
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available		
1-methoxy-2-propanol	117-125	Method not given	1013
propan-2-ol	82	Method not given	1013

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C

Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

closed cup Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
isotridecanol, ethoxylated	[-]	[-]
2-aminoethanol	3.4	27
1-methoxy-2-propanol	1.48	13.7
propan-2-ol	2	13

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 11 (neat) ISO 4316 **Dilution pH:** ≈ 10 (1.5 %) ISO 4316

Kinematic viscosity: ≈ 70 mPa.s (20 °C)
Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Soluble	Method not given	20
isotridecanol, ethoxylated	Soluble	Method not given	20
2-aminoethanol	1000	Method not given	20
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available		
1-methoxy-2-propanol	2000 Soluble	Method not given	20
propan-2-ol	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
isotridecanol, ethoxylated	< 10		20
2-aminoethanol	50	Method not given	20

benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available		
1-methoxy-2-propanol	1170	Method not given	20
propan-2-ol	4200	Method not given	20

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

Relative density: ≈ 1.05 (20 °C)

Relative vapour density: No data available.
Particle characteristics: No data available.

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1400 ATE - Dermal (mg/kg): >2000 ATE - Inhalatory, vapours (mg/l): >20

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	OECD 423 (EU B.1 tris)		2200
isotridecanol, ethoxylated	LD 50	> 300-2000	Rat	Weight of evidence		6100
2-aminoethanol	LD 50	1089	Rat	OECD 401 (EU B.1)		14000
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available				9200
1-methoxy-2-propanol	LD 50	> 5000	Rat	OECD 401 (EU B.1)		140000
propan-2-ol	LD 50	5840	Rat	OECD 401 (EU B.1)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE
		(ma/ka)			time (h)	(ma/ka)

alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given	Not established
isotridecanol, ethoxylated	LD 50	> 2000	Rabbit	Weight of evidence	Not established
2-aminoethanol	LD 50	2504	Rabbit	OECD 402 (EU B.3)	14000
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available			Not established
1-methoxy-2-propanol	LD 50	> 15800	Rabbit	OECD 402 (EU B.3)	Not established
propan-2-ol	LD 50	> 2000	Rabbit	Method not given	Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
isotridecanol, ethoxylated		No data available			
2-aminoethanol	LC 50	> 1.4 No mortality observed	Rat	Method not given	4
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available			
1-methoxy-2-propanol	LC L₀	> 25.5	Rat	OECD 403 (EU B.2)	4
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
isotridecanol, ethoxylated	Not established	Not established	Not established	Not established
2-aminoethanol	Not established	Not established	140	Not established
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	Not established	Not established	Not established	Not established
1-methoxy-2-propanol	Not established	Not established	Not established	Not established
propan-2-ol	Not established	Not established	Not established	Not established

Irritation and corrosivity
Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
isotridecanol, ethoxylated	Not irritant	Rabbit	OECD 404 (EU B.4)	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available			
1-methoxy-2-propanol	Not irritant	Rat	OECD 404 (EU B.4)	
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
isotridecanol, ethoxylated	Severe damage	Rabbit	OECD 405 (EU B.5)	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available			
1-methoxy-2-propanol	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
isotridecanol, ethoxylated	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available			
1-methoxy-2-propanol	No data available			
propan-2-ol	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
isotridecanol, ethoxylated	Not sensitising	Guinea pig	Method not given	

2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available			
1-methoxy-2-propanol	Not sensitising	Guinea pig	Method not given	
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
isotridecanol, ethoxylated	No data available			
2-aminoethanol	No data available			
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available			
1-methoxy-2-propanol	No data available			
propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
isotridecanol, ethoxylated	No evidence for mutagenicity	3 -	No evidence for mutagenicity, negative	Method not given Weight of evidence
2-aminoethanol		OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available		No data available	
1-methoxy-2-propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
isotridecanol, ethoxylated	No evidence for carcinogenicity, weight-of-evidence
	No evidence for carcinogenicity, weight-of-evidence
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available
1-methoxy-2-propanol	No evidence for carcinogenicity, negative test results
propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
isotridecanol, ethoxylated	NOAEL	Maternal toxicity	> 250	Rat	Weight of evidence		Not toxic for reproduction
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine			No data available				
1-methoxy-2-propanol			No data available				No evidence for reproductive toxicity
propan-2-ol			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated		No data available				
2-aminoethanol	NOAEL	300	Rat		75	

benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available		
1-methoxy-2-propanol	No data available		
propan-2-ol	No data available		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data				
		available				
isotridecanol, ethoxylated		No data				
		available				
2-aminoethanol		No data				
		available				
benzenesulphonic acid, mono-C10-13-alkyl derivs.,		No data				
compds. with ethanolamine		available				
1-methoxy-2-propanol		No data				
		available				
propan-2-ol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
alkyl alcohol ethoxylate		No data			time (days)	anecteu
aikyi alcohol ethoxylate		available				
isotridecanol, ethoxylated		No data				
		available				
2-aminoethanol		No data				
		available				
benzenesulphonic acid, mono-C10-13-alkyl derivs.,		No data				
compds. with ethanolamine		available				
1-methoxy-2-propanol		No data				
		available				
propan-2-ol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
isotridecanol, ethoxylated	Oral	NOAEL	50	Rat	Weight of evidence	24 month(s)	Effects on body weight and food/water consumption Effects on organ weights	
2-aminoethanol			No data available					
penzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine			No data available					
1-methoxy-2-propanol			No data available					
propan-2-ol			No data available					

STOT-single exposure

a rain gradulta	
Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
isotridecanol, ethoxylated	Not applicable
2-aminoethanol	Respiratory tract
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available
1-methoxy-2-propanol	No data available
propan-2-ol	Central nervous system

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
isotridecanol, ethoxylated	Not applicable
2-aminoethanol	No data available
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available
1-methoxy-2-propanol	Kidneys
propan-2-ol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC 50	1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
isotridecanol, ethoxylated	LC 50	> 10 - 100	Cyprinus carpio	OECD 203 (EU C.1) Weight of evidence	96
2-aminoethanol	LC 50	349	Cyprinus carpio	OECD 203, semi-static	96
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available			
1-methoxy-2-propanol	LC 50	> 1000	Oncorhynchus mykiss	Method not given	96
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
isotridecanol, ethoxylated	EC 50	> 10 - 100	Daphnia magna Straus	OECD 202, static	48
2-aminoethanol	EC 50	27.04	Daphnia magna Straus	OECD 202, static	48
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available			
1-methoxy-2-propanol	EC 50	21100 - 25900	Daphnia magna Straus	Method not given	48
propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
isotridecanol, ethoxylated	EC 50	> 10 - 100	Desmodesmus subspicatus	OECD 201, static Weight of evidence	72
2-aminoethanol	EC 50	2.8	Selenastrum capricornutum	OECD 201 (EU C.3)	72
penzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available			
1-methoxy-2-propanol	EC 50	> 1000	Pseudokirchner iella subcapitata	Method not given	168
propan-2-ol	EC 50	> 100	Scenedesmus guadricauda	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	
		(mg/l)			time (days)	

alkyl alcohol ethoxylate	No data available		
isotridecanol, ethoxylated	No data available		
2-aminoethanol	No data available		
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available		
1-methoxy-2-propanol	No data available		
propan-2-ol	No data available		

Impact on sewage plants - toxicity to bacteria

impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
isotridecanol, ethoxylated	EC 10	> 10000	Bacteria	DIN 38412 / Part 8	17 hour(s)
2-aminoethanol	EC 50	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available			
1-methoxy-2-propanol	EC 50	1000	Activated sludge	Method not given	3 hour(s)
propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated		No data available				
2-aminoethanol	NOEC	1.2	Oryzias latipes	OECD 210	30 day(s)	
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available				
1-methoxy-2-propanol		No data available				
propan-2-ol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated	EC 10	2.6	Daphnia magna	OECD 211, semi-static	21 day(s)	Effects on reproduction
2-aminoethanol	NOEC	0.85	Daphnia magna	OECD 202	21 day(s)	
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available				
1-methoxy-2-propanol		No data available				
propan-2-ol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available				
isotridecanol, ethoxylated		No data available				
2-aminoethanol		No data available				
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine		No data available				
1-methoxy-2-propanol		No data available				
propan-2-ol		No data available				

Terrestrial toxicity

	including earthworm:	

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	220	Eisenia fetida			
isotridecanol, ethoxylated	NOEC	220	Eisenia fetida			
2-aminoethanol		No data available				
propan-2-ol		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate	NOEC	10	Lepidium sativum	OECD 208		
isotridecanol, ethoxylated	NOEC	10	Lepidium sativum	OECD 208		
propan-2-ol		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
isotridecanol, ethoxylated		No data			, , , , ,	
		available				
2-aminoethanol		No data				
		available				
propan-2-ol		No data				
		available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
isotridecanol, ethoxylated		No data				
		available				
2-aminoethanol		No data				
		available				
propan-2-ol		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
isotridecanol, ethoxylated		No data available				
2-aminoethanol		No data available				
propan-2-ol		No data available				

12.2 Persistence and degradability
Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
isotridecanol, ethoxylated	No data available			
1-methoxy-2-propanol	< 1 day(s)	Method not given	Rapidly photodegradable	
propan-2-ol	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
isotridecanol, ethoxylated	No data available			
propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
ingredicings)	i ypc	I man mic time	Mictiloa	Lvaidation	I Kelliai K

isotridecanol, ethoxylated	No data availab	9	
propan-2-ol	No data availab)	

BiodegradationReady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
isotridecanol, ethoxylated		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	Activated sludge, aerobe			OECD 301D	Not readily biodegradable.
1-methoxy-2-propanol			96 % in 28 day(s)	OECD 301E	Readily biodegradable
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
isotridecanol, ethoxylated					No data available
propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
isotridecanol, ethoxylated					No data available
propan-2-ol					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected	
isotridecanol, ethoxylated	No data available		No bioaccumulation expected	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available			
1-methoxy-2-propanol	0.37	Method not given	Low potential for bioaccumulation	
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
isotridecanol, ethoxylated	No data available			No bioaccumulation expected	
2-aminoethanol	No data available				
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available				
1-methoxy-2-propanol	3.2		Method not given	Low potential for bioaccumulation	
propan-2-ol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
isotridecanol, ethoxylated	No data available				Immobile in soil or sediment
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected
benzenesulphonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine	No data available				
1-methoxy-2-propanol	No data available				High potential for mobility in soil
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 29* - detergents containing dangerous substances.

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 2491

14.2 UN proper shipping name:

Ethanolamine solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III 14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

Classification code: C7 Tunnel restriction code: (E) Hazard identification number: 80

IMO/IMDG

EmS: F-A. S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
 Regulation (EC) No. 648/2004 Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- · Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

• International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

>= 30 % non-ionic surfactants anionic surfactants 5 - 15 % perfumes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a quarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1001935 Version: 02.1 Revision: 2022-12-01

Reason for revision:

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 1, 3, 4, 6, 7, 8, 9, 10, 11, 12, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- · H314 Causes severe skin burns and eye damage.
- · H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
 PROC Process categories
- REACH number REACH registration number, without supplier specific part
- · vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet