

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Suma Break up D3.5

Revision: 2022-12-01

Version: 02.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Break up D3.5

UFI: 00U1-U0VM-Y00H-W2DM

1.2 Relevant identified uses of the substance or mixture and uses advised against Kitchen surface cleaner. Product use:

Uses advised against:

For professional use only Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_4_2 AISE_SWED_PW_8b_1 AISE_SWED_PW_10_1 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands Tel: 01 8081808 (9am - 5pm Mon-Fri)

Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible). National Poisons Information Centre Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week) Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315) Eve Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains disodium metasilicate (Sodium Metasilicate), (Sodium Dodecylbenzenesulfonate), cocoamidopropyl betaine hydrogenated (Cocamidopropyl Betaine), alkyl alcohol ethoxylate (C9-11 Pareth-5-10)

Hazard statements:

H315 - Causes skin irritation. H318 - Causes serious eye damage.

Precautionary statements:

P280 - Wear eye or face protection. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
disodium metasilicate	215-687-4	1344-09-8	[1]	Skin Corr. 1B (H314) STOT SE 3 (H335) Eye Dam. 1 (H318) Met. Corr. 1 (H290)		3-10
sodium alkylbenzenesulphonate	290-656-6	90194-45-9	[1]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		1-3
sodium cumenesulphonate	239-854-6	15763-76-5	01-2119489411-37	Eye Irrit. 2 (H319)		1-3
cocoamidopropyl betaine hydrogenated	931-333-8 931-513-6 931-296-8	-	01-2119489410-39 01-2119513359-38 01-2119488533-30	Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		1-3
alkyl alcohol ethoxylate	[4]	68439-46-3	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		1-3
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		0.1-1

Specific concentration limits

cocoamidopropyl betaine hydrogenated:

• Eye Dam. 1 (H318) >= 10% > Eye Irrit. 2 (H319) >= 4%

sodium hydroxide:

• Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5%

• Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.
 [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measure	es estado est
Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and	effects, both acute and delayed
Inhalation.	No known effects or symptoms in normal use

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection. Repeated or prolonged contact:. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air	limit	values,	if	available:	

Ingredient(s)	Long term value(s)	Short term value(s)
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
disodium metasilicate	-	-	-	0.74
sodium alkylbenzenesulphonate	-	-	-	0.425
sodium cumenesulphonate	-	-	-	3.8
cocoamidopropyl betaine hydrogenated	-	-	-	7.5
alkyl alcohol ethoxylate	-	-	-	-
sodium hydroxide	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
disodium metasilicate	No data available	-	No data available	1.49
sodium alkylbenzenesulphonate	No data available	-	No data available	-
sodium cumenesulphonate	-	-	-	136.25

cocoamidopropyl betaine hydrogenated	No data available	-	No data available	12.5
alkyl alcohol ethoxylate	-	-	-	-
sodium hydroxide	2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
disodium metasilicate	No data available	-	No data available	0.74
sodium alkylbenzenesulphonate	No data available	-	No data available	-
sodium cumenesulphonate	-	-	-	68.1
cocoamidopropyl betaine hydrogenated	No data available	-	No data available	7.5
alkyl alcohol ethoxylate	-	-	-	-
sodium hydroxide	2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
disodium metasilicate	-	-	-	6.22
sodium alkylbenzenesulphonate	-	-	-	-
sodium cumenesulphonate	-	-	-	26.9
cocoamidopropyl betaine hydrogenated	-	-	-	44
alkyl alcohol ethoxylate	-	-	-	-
sodium hydroxide	-	-	1	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
disodium metasilicate	-	-	-	1.55
sodium alkylbenzenesulphonate	-	-	-	-
sodium cumenesulphonate	-	-	-	6.6
cocoamidopropyl betaine hydrogenated	-	-	-	13.04
alkyl alcohol ethoxylate	-	-	-	-
sodium hydroxide	-	-	1	-

Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
disodium metasilicate	7.5	1	7.5	1000
sodium alkylbenzenesulphonate	-	-	-	-
sodium cumenesulphonate	0.23	0.023	2.3	100
cocoamidopropyl betaine hydrogenated	0.0135	0.00135	-	3000
alkyl alcohol ethoxylate	-	-	-	-
sodium hydroxide	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
disodium metasilicate	-	-	-	-
sodium alkylbenzenesulphonate	-	-	-	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
cocoamidopropyl betaine hydrogenated	1	0.1	0.8	-
alkyl alcohol ethoxylate	-	-	-	-
sodium hydroxide	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:	If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.
Appropriate organisational controls:	Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

SWED - Sector-specific	LCS	PROC	Duration	ERC
------------------------	-----	------	----------	-----

	worker exposure			(min)	
	description				
Automatic application in a dedicated system	AISE_SWED_PW_4_2	PW	PROC 4	480	ERC8a
Automatic transfer and dilution	AISE_SWED_PW_8b_1	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection:	Safety glasses or goggles (EN 166).
Hand protection:	Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.
	Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material
	thickness: ≥ 0.7 mm
	Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls:	Provide a good standard of general ventilation.
Appropriate organisational controls:	No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment	
Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	Trigger spray bottle application: No special requirements under normal use conditions. Apply
	technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Pale , Yellow Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
disodium metasilicate	No data available		
sodium alkylbenzenesulphonate	No data available		
sodium cumenesulphonate	No data available		
cocoamidopropyl betaine hydrogenated	100	Method not given	
alkyl alcohol ethoxylate	> 232.2	Method not given	
sodium hydroxide	> 990	Method not given	

Flammability (solid, gas): Not applicable to liquids

Method / remark

Flammability (liquid): Not flammable. Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: >= 11.5 (neat)	ISO 4316
Kinematic viscosity: Not determined	
Solubility in / Miscibility with water: Fully miscible	
Substance data solubility in water	

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
disodium metasilicate	350	Method not given	20
sodium alkylbenzenesulphonate	No data available		
sodium cumenesulphonate	493 Soluble	Method not given	20
cocoamidopropyl betaine hydrogenated	> .? Soluble	Method not given	20
alkyl alcohol ethoxylate	100 Soluble	Method not given	
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Method / remark OECD 109 (EU A.3)

Weight of evidence

Not applicable to liquids.

Not relevant to classification of this product

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
disodium metasilicate	No data available		
sodium alkylbenzenesulphonate	No data available		
sodium cumenesulphonate	No data available		
cocoamidopropyl betaine hydrogenated	.?	Method not given	20
alkyl alcohol ethoxylate	< 10	Method not given	37.8
sodium hydroxide	< 1330	Method not given	20

Relative density: ≈ 1.10 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classesExplosive properties:Not explosive.Oxidising properties:Not oxidising.Corrosion to metals:Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity

Result: Not corrosive to skin Species: Not applicable

Substance data, where relevant and available, are listed below:.

Acute toxicity cute oral to

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
disodium metasilicate	LD 50	770 - 820	Mouse	Method not given		Not established
sodium alkylbenzenesulphonate	LD 50	> 1470	Rat	OECD 401 (EU B.1)		23000
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given		Not established
cocoamidopropyl betaine hydrogenated	LD 50	2335	Rat	Method not given		Not established
alkyl alcohol ethoxylate	LD 50	1400	Rat	Weight of evidence		33000
sodium hydroxide		No data available				Not established

Method: Episkin

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
disodium metasilicate		No data available				Not established
sodium alkylbenzenesulphonate		No data available				Not established
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given		Not established
cocoamidopropyl betaine hydrogenated	LD 50	> 5000	Rat	OECD 402 (EU B.3)		Not established
alkyl alcohol ethoxylate	LD 50	2000 - 5000	Rat	Weight of evidence		Not established
sodium hydroxide	LD 50	1350	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate		No data available			
sodium alkylbenzenesulphonate		No data available			
sodium cumenesulphonate	LC 50	> 5 (mist) No mortality observed	Rat	Read across	3.87
cocoamidopropyl betaine hydrogenated	LC 50	> 5 (mist)	Rat	Method not given	4
alkyl alcohol ethoxylate		No data available			
sodium hydroxide		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
disodium metasilicate	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
cocoamidopropyl betaine hydrogenated	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	Corrosive		Method not given	
sodium alkylbenzenesulphonate	No data available			
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
cocoamidopropyl betaine hydrogenated	Mild irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant		Weight of evidence	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	Corrosive		Method not given	
sodium alkylbenzenesulphonate	No data available			
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
cocoamidopropyl betaine hydrogenated	Severe damage	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence OECD 437	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	No data available			
sodium alkylbenzenesulphonate	No data available			
sodium cumenesulphonate	No data available			
cocoamidopropyl betaine hydrogenated	No data available			
alkyl alcohol ethoxylate	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact Ingredient(s) disodium metasilicate Method Exposure time (h) Result Species No data available sodium alkylbenzenesulphonate No data available Not sensitising sodium cumenesulphonate Guinea pig OECD 406 (EU B.6) / GPMT cocoamidopropyl betaine hydrogenated Not sensitising Guinea pig OECD 406 (EU B.6) / GPMT Not sensitising alkyl alcohol ethoxylate Weight of evidence Not sensitising sodium hydroxide Human repeated patch test

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	No data available			
sodium alkylbenzenesulphonate	No data available			
sodium cumenesulphonate	No data available			
cocoamidopropyl betaine hydrogenated	No data available			
alkyl alcohol ethoxylate	No data available			
sodium hydroxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s) Result (in-vitro)		Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
disodium metasilicate	No data available		No data available	
sodium alkylbenzenesulphonate	No data available		No data available	
sodium cumenesulphonate	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EI B.12)
cocoamidopropyl betaine hydrogenated	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476		OECD 474 (E B.12)
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results	OECD 473	No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	1 1	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Carcinogenicity

Ingredient(s)

Effect

disodium metasilicate	No data available
sodium alkylbenzenesulphonate	No data available
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
cocoamidopropyl betaine hydrogenated	No evidence for carcinogenicity, weight-of-evidence
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
disodium metasilicate			No data available				
sodium alkylbenzenesulphonat e			No data available				
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards
cocoamidopropyl betaine hydrogenated	NOEL	Developmental toxicity	300	Rat	OECD 414 (EU B.31), oral		
alkyl alcohol ethoxylate	NOAEL		> 250	Rat	Not known		No effects on fertility No developmental toxicity
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not given		
sodium alkylbenzenesulphonate		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed
cocoamidopropyl betaine hydrogenated	NOAEL	300	Rat	OECD 408 (EU B.26)	90	
alkyl alcohol ethoxylate	NOAEL	80 - 400		OECD 408 (EU B.26)		
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate		No data available				
sodium alkylbenzenesulphonate		No data available				
sodium cumenesulphonate		No data available				
cocoamidopropyl betaine hydrogenated		No data available				
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU B.28)	90	
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate		No data available				
sodium alkylbenzenesulphonate		No data available				
sodium cumenesulphonate		No data available				
cocoamidopropyl betaine hydrogenated		No data available				
alkyl alcohol ethoxylate		No data available				
sodium hydroxide		No data available				

Chronic toxicity								
Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark

	route	(mg/kg bw/d)		time	organs affected	
disodium metasilicate		No data				
		available				
sodium		No data				
alkylbenzenesulphonat		available				
е						
sodium		No data				
cumenesulphonate		available				
cocoamidopropyl		No data				
betaine hydrogenated		available				
alkyl alcohol ethoxylate		No data				
		available				
sodium hydroxide		No data				
		available				

STOT-single exposure

Ingredient(s)	Affected organ(s)
disodium metasilicate	No data available
sodium alkylbenzenesulphonate	No data available
sodium cumenesulphonate	Not applicable
cocoamidopropyl betaine hydrogenated	No data available
alkyl alcohol ethoxylate	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
disodium metasilicate	No data available
sodium alkylbenzenesulphonate	No data available
sodium cumenesulphonate	Not applicable
cocoamidopropyl betaine hydrogenated	No data available
alkyl alcohol ethoxylate	No data available
sodium hydroxide	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	LC 50	210	Brachydanio rerio	Method not given	96
sodium alkylbenzenesulphonate	LC 50	No data available			
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96
cocoamidopropyl betaine hydrogenated	LC 50	1.11	Fish	OECD 203, semi-static	96
alkyl alcohol ethoxylate	LC 50	5 - 7	Fish	92/69/EEC, C1, semi-static	96
sodium hydroxide	LC 50	35	Various species	Method not given	96

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)

disodium metasilicate	EC 50	1700	Daphnia	Method not given	48
sodium alkylbenzenesulphonate	EC 50	1.62	Daphnia magna Straus		48
sodium cumenesulphonate	EC 50	> 1000	Daphnia magna Straus	OECD 202 (EU C.2)	48
cocoamidopropyl betaine hydrogenated	EC 50	1.9	Daphnia	OECD 202, static	48
alkyl alcohol ethoxylate	EC 50	5.3	Daphnia	92/69/EEC	48
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	EC 50	207	Chlorella pyrenoidosa	Method not given	72
sodium alkylbenzenesulphonate	EC 50	29	Selenastrum capricornutum		96
sodium cumenesulphonate	E b C 50	> 230	Not specified	EPA OPPTS 850.5400	96
cocoamidopropyl betaine hydrogenated	Er C 50	2.4	Not specified	Method not given	72
alkyl alcohol ethoxylate	EC 50	1.4 - 47	Not specified	92/69/EEC	72
sodium hydroxide	EC 50	22	Photobacteriu m phosphoreum	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
disodium metasilicate		No data available			
sodium alkylbenzenesulphonate		No data available			
sodium cumenesulphonate		No data available			
cocoamidopropyl betaine hydrogenated	ErC 50	0.74	Skeletonema costatum Phaeodactylum tricornutum	ISO 10253	72
alkyl alcohol ethoxylate		No data available			
sodium hydroxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
disodium metasilicate	EC 50	> 100	Activated sludge	Method not given	3 hour(s)
sodium alkylbenzenesulphonate		No data available			
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)
cocoamidopropyl betaine hydrogenated	EC 50	3000	Bacteria	ISO 13641 (2003), anaerobic	16 hour(s)
alkyl alcohol ethoxylate	EC 50	> 140	Bacteria	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)
sodium hydroxide		No data available			

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
disodium metasilicate		No data available				
sodium alkylbenzenesulphonate		No data available				
sodium cumenesulphonate		No data available				
cocoamidopropyl betaine hydrogenated	NOEC	0.135	Oncorhynchus mykiss	OECD 210	37 day(s)	
alkyl alcohol ethoxylate	EC 10	8.983	Not specified	Method not given	21 day(s)	
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed

		(mg/l)			time	
disodium metasilicate		No data				
		available				
sodium alkylbenzenesulphonate		No data				
		available				
sodium cumenesulphonate		No data				
		available				
cocoamidopropyl betaine hydrogenated	NOEC	0.3	Daphnia	OECD 211	21 day(s)	
			magna			
alkyl alcohol ethoxylate	EC 10	2.579	Daphnia sp.	Method not	21 day(s)	
				given		
sodium hydroxide		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available				
sodium alkylbenzenesulphonate		No data available				
sodium cumenesulphonate		No data available				
cocoamidopropyl betaine hydrogenated		No data available				
alkyl alcohol ethoxylate		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
cocoamidopropyl betaine hydrogenated	NOEC	≥ 846	Eisenia fetida		14	
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	84.6	Brassica alba Lepidium sativum Triticum aestivum	OECD 208	17	
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

12.2 Persistence and degradability

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

Biodegradation

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
disodium metasilicate					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate				OECD 301B	Readily biodegradable
sodium cumenesulphonate		CO ₂ production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
cocoamidopropyl betaine hydrogenated	Activated sludge, aerobe	CO ₂ production	91.6 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl alcohol ethoxylate				OECD 301B	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
cocoamidopropyl betaine hydrogenated			76% in 28 day(s)	OECD 306	Readily biodegradable
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log l	(wo)			
Ingredient(s)	Value	Method	Evaluation	Remark
disodium metasilicate	No data available			
sodium alkylbenzenesulphonate	No data available			
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
cocoamidopropyl betaine hydrogenated	4.2	Method not given	Low potential for bioaccumulation	
alkyl alcohol ethoxylate	3.11 - 4.19	Method not given	High potential for bioaccumulation	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
disodium metasilicate	No data available				
sodium alkylbenzenesulphonat e	No data available				
sodium cumenesulphonate	No data available				
cocoamidopropyl betaine hydrogenated	71		QSAR	Low potential for bioaccumulation	
alkyl alcohol ethoxylate	< 500		Method not given	High potential for bioaccumulation	
sodium hydroxide	No data available				

12.4 Mobility in soil Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
disodium metasilicate	No data available				
sodium alkylbenzenesulphonate	No data available				
sodium cumenesulphonate	No data available				

cocoamidopropyl betaine hydrogenated	2.0-5.1	QSAR	Potential for mobility in soil, soluble in water
alkyl alcohol ethoxylate	No data available		Potential for mobility in soil, soluble in water
sodium hydroxide	No data available		Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 20 01 29* - detergents containing dangerous substances.

Empty packaging Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

• Regulation (EC) No. 1907/2006 - REACH

- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation

• substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004	
phosphates	5 - 15 %
anionic surfactants, amphoteric surfactants, non-ionic surfactants	< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1001957

Version: 02.0

Revision: 2022-12-01

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 8, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eve damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- · H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic • PNEC - Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet