

## Clax Magic Rust 70D2

Revision: 2024-08-02

Version: 02.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Clax Magic Rust 70D2

UFI: QTG2-A0WQ-3008-OPE7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Prespotter / Stain remover.  
For professional use only.

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_10\_1  
AISE\_SWED\_PW\_11\_1  
AISE\_SWED\_PW\_19\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri)

Email: dublin.orders@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Serious eye damage, Category 1 (H318)

Corrosive to metals, Category 1 (H290)

#### 2.2 Label elements



**Signal word:** Danger.

Contains bis[(2-hydroxyethyl)ammonium] oxalate, oxalic acid (Oxalic Acid)

#### Hazard statements:

H290 - May be corrosive to metals.

H318 - Causes serious eye damage.

#### Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

## Clax Magic Rust 70D2

## 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
bis[(2-hydroxyethyl)ammonium] oxalate	220-535-5	2799-19-1	[1]	Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Dermal, Category 4 (H312) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		3-10
oxalic acid	205-634-3	144-62-7	[1]	Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Dermal, Category 4 (H312) Serious eye damage, Category 1 (H318)		3-10

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

**Inhalation:**

No known effects or symptoms in normal use.

**Skin contact:**

No known effects or symptoms in normal use.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

No known effects or symptoms in normal use.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

## Clax Magic Rust 70D2

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

## SECTION 8: Exposure controls/personal protection

**8.1 Control parameters**

**Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
oxalic acid	1 mg/m <sup>3</sup>	3 mg/m <sup>3</sup>

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

**Additional exposure limits under the conditions of use, if available:**

**DNEL/DMEL and PNEC values**

**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	-	No data available	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	No data available	-	No data available	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	-	-	-	-

**Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available

## Clax Magic Rust 70D2

oxalic acid	0.1622	-	1.622	1550
-------------	--------	---	-------	------

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
bis[(2-hydroxyethyl)ammonium] oxalate	No data available	No data available	No data available	No data available
oxalic acid	-	-	-	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** Provide a good standard of general ventilation.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Trigger spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

## Personal protective equipment

**Eye / face protection:** Safety glasses or goggles (EN 16321 / EN 166).  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

## Method / remark

**Physical state:** Liquid  
**Colour:** Clear , Pale , Yellow  
**Odour:** Product specific  
**Odour threshold:** Not applicable  
**Melting point/freezing point (°C):** Not determined N.A.  
**Initial boiling point and boiling range (°C):** Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		
oxalic acid	No data available		

## Method / remark

**Flammability (solid, gas):** Not applicable to liquids  
**Flammability (liquid):** Not flammable.  
**Flash point (°C):** Not applicable.  
**Sustained combustion:** Not applicable.  
 ( UN Manual of Tests and Criteria, section 32, L.2 )  
**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

## Method / remark

**Autoignition temperature:** Not determined N.A.

## Clax Magic Rust 70D2

**Decomposition temperature:** Not applicable.

**pH:** = < 2 (neat)

ISO 4316

**Kinematic viscosity:** Not determined

**Solubility in / Miscibility with water:** Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		
oxalic acid	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Vapour pressure:** Not determined

**Method / remark**

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		
oxalic acid	No data available		

**Relative density:** ≈ 1.04 (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** No data available.

**Method / remark**

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

## 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Corrosive

N.A.

N.A.

UN Manual of Tests and Criteria, section 37

### 9.2.2 Other safety characteristics

**Acid reserve:** ≈ -3.8 (g NaOH / 100g; pH=4)

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

May be corrosive to metals. Keep away from products containing chlorine-based bleaching agents or sulphites.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

## Clax Magic Rust 70D2

**Acute toxicity**

## Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				Not established
oxalic acid	LD <sub>50</sub>	375	Rat	Method not given		375

## Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				Not established
oxalic acid	LD <sub>50</sub>	20000	Rabbit	Method not given		20000

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid		No data available			

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
bis[(2-hydroxyethyl)ammonium] oxalate	Not established	Not established	Not established	Not established
oxalic acid	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

**Sensitisation**

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available		No data available	
oxalic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

## Carcinogenicity

Ingredient(s)	Effect
bis[(2-hydroxyethyl)ammonium] oxalate	No data available
oxalic acid	No data available

## Clax Magic Rust 70D2

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
bis[(2-hydroxyethyl)ammonium] oxalate			No data available				
oxalic acid			No data available				

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid	LOAEL	150	Rat	Method not given		

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
bis[(2-hydroxyethyl)ammonium] oxalate			No data available					
oxalic acid			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available
oxalic acid	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
bis[(2-hydroxyethyl)ammonium] oxalate	No data available
oxalic acid	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

## Clax Magic Rust 70D2

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid	LC <sub>50</sub>	160	<i>Carassius auratus</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid	EC <sub>50</sub>	162.2	<i>Daphnia magna Straus</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid	IC <sub>50</sub>	80		Method not given	192

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
bis[(2-hydroxyethyl)ammonium] oxalate		No data available			
oxalic acid	EC <sub>50</sub>	1550		Method not given	16 hour(s)

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
bis[(2-hydroxyethyl)ammonium] oxalate		No data available				
oxalic acid		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
---------------	----------	-----------------------	---------	--------	----------------------	------------------



## Clax Magic Rust 70D2

oxalic acid	EC <sub>50</sub>	1			
-------------	------------------	---	--	--	--

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

## 12.2 Persistence and degradability

### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
bis[(2-hydroxyethyl)ammonium] oxalate					Readily biodegradable
oxalic acid			89 % in 20 day(s)	Method not given	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
bis[(2-hydroxyethyl)ammonium] oxalate	No data available			
oxalic acid	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
bis[(2-hydroxyethyl)ammonium] oxalate	No data available				
oxalic acid	No data available				

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
bis[(2-hydroxyethyl)ammonium] oxalate	No data available				
oxalic acid	No data available				

## 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

## 12.7 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

#### Empty packaging

#### Recommendation:

Dispose of observing national or local regulations.

#### Suitable cleaning agents:

Water, if necessary with cleaning agent.

## SECTION 14: Transport information



**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number or ID number:** 3265

**14.2 UN proper shipping name:**

Corrosive liquid, acidic, organic, n.o.s. ( oxalic acid )

**14.3 Transport hazard class(es):**

Transport hazard class (and subsidiary risks): 8

**14.4 Packing group:** III

**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

**14.6 Special precautions for user:** None known.

**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers.

**Other relevant information:**

**ADR**

Classification code: C3

Tunnel restriction code: (E)

Hazard identification number: 80

**IMO/IMDG**

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

Not applicable

**Seveso - Classification:** Not classified

### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

## SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1002387

**Version:** 02.0

**Revision:** 2024-08-02

**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 8, 14, 16

**Clax Magic Rust 70D2****Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H318 - Causes serious eye damage.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**