# **Safety Data Sheet**





# **R7 Cream Cleaner**

**Revision:** 2024-05-31 **Version:** 01.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: R7 Cream Cleaner

UFI: 124H-61TS-Y00T-WY9Q

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Restroom/bathroom cleaner. For professional use only.

Uses advised against: Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_19\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Not classified as hazardous

# 2.2 Label elements

# Hazard statements:

EUH210 - Safety data sheet available on request.

#### 2.3 Other hazards

No other hazards known.

# **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sulphonic acids, C14-17-sec-alkane,	307-055-2	97489-15-1		Acute toxicity - Oral, Category 4 (H302)		1-3
sodium salts				Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		
alkyl alcohol ethoxylate	[4]	160875-66-1	[4]	Eye irritation, Category 2 (H319)		1-3
pyridine-2-thiol 1-oxide, sodium salt	223-296-5	3811-73-2		EUH070 Acute toxicity - Dermal, Category 3 (H311) Acute toxicity - Inhalation, Category 3 (H331) Specific target organ toxicity - Repeated exposure, Category 1 (H372) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Eye irritation, Category 2 (H319) Skin sensitisation, Category 1 (H317) Acute aquatic toxicity, Category 1 M=100 (H400) Chronic aquatic toxicity, Category 2 (H411)		0.01-0.1

#### Specific concentration limits

sulphonic acids, C14-17-sec-alkane, sodium salts:

• Serious eye damage, Category 1 (H318) >= 15% > Eye irritation, Category 2 (H319) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

**Ingestion:** Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:** Consider personal protective equipment as indicated in subsection 8.2.

#### 4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

# 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

# SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

# 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

# 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

# Measures to prevent fire and explosions:

No special precautions required.

# Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless adviced by Diversey.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

# Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

# **DNEL/DMEL** and **PNEC** values

**Human exposure** 

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	7.1
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm <sup>2</sup> skin	-	2.8 mg/cm <sup>2</sup> skin	5
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm <sup>2</sup> skin	-	2.8 mg/cm <sup>2</sup> skin	3.57
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	35
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	12.4
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

# **Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sulphonic acids, C14-17-sec-alkane, sodium salts	0.04	0.004	0.06	600
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sulphonic acids, C14-17-sec-alkane, sodium salts	9.4	0.94	9.4	-

alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

# SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined N.A.

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sulphonic acids, C14-17-sec-alkane, sodium salts	> 100	Method not given	
alkyl alcohol ethoxylate	No data available		
pyridine-2-thiol 1-oxide, sodium salt	Product decomposes before boiling	OECD 103 (EU A.2)	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable. Flash point (°C): > 93 °C

Flash point (°C): > 93 °C closed cup

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark N.A

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

**pH**: ≈ 10 (neat) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sulphonic acids, C14-17-sec-alkane, sodium salts	500	Method not given	25

alkyl alcohol ethoxylate	No data available		
pyridine-2-thiol 1-oxide, sodium salt	Soluble	OECD 105 (EU A.6)	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: See substance data.

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sulphonic acids, C14-17-sec-alkane, sodium salts	3000	Method not given	25
alkyl alcohol ethoxylate	< 10	Method not given	20
pyridine-2-thiol 1-oxide, sodium salt	0.000046	OECD 104 (EU A.4)	25

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Particle characteristics: No data available.

Relative vapour density: -.

9.2 Other information

Relative density: ≈ 1.26 (20 °C)

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

N.A N.A.

9.2.2 Other safety characteristics

No other relevant information available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

# 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

# 10.4 Conditions to avoid

None known under normal storage and use conditions.

# 10.5 Incompatible materials

None known under normal use conditions.

# 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# SECTION 11: Toxicological information

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data:

# Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

# Eye irritation and corrosivity

Result: Not corrosive or irritant Species: Not applicable. Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

# **Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE Oral
		(mg/kg)			time (h)	(mg/kg)
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 500-2000	Rat	OECD 401 (EU B.1)		500
alkyl alcohol ethoxylate	LD 50	> 2000-5000	Rat	OECD 423 (EU B.1 tris)		Not established

pyridine-2-thiol 1-oxide, sodium salt	LD 50	500	OECD 423 (EU B.1 tris)	Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 2000	Mouse	Weight of evidence		Not established
alkyl alcohol ethoxylate	LD 50	> 5000	Rat	OECD 402 (EU B.3)		Not established
pyridine-2-thiol 1-oxide, sodium salt	LD 50	788	Rabbit	EPA OPP 81-2	24	788

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			
alkyl alcohol ethoxylate		No data available			
pyridine-2-thiol 1-oxide, sodium salt	LC 50	0.5 - 1 (mist)	Rat	OECD 403 (EU B.2)	4

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sulphonic acids, C14-17-sec-alkane, sodium salts	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
pyridine-2-thiol 1-oxide, sodium salt	Not established	0.5	Not established	Not established

# Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	
			Read across	
alkyl alcohol ethoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
pyridine-2-thiol 1-oxide, sodium salt	Irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	Severe damage		OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
pyridine-2-thiol 1-oxide, sodium salt	Irritant	Rabbit	EPA OPP 81-4	24 hour(s)

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
alkyl alcohol ethoxylate	No data available			
pyridine-2-thiol 1-oxide, sodium salt	No data available			

Sensitisation Sensitisation by skin contact

Sensitisation by skill contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
·			GPMT Read across	
alkyl alcohol ethoxylate	Not sensitising		Weight of evidence	
pyridine-2-thiol 1-oxide, sodium salt	Sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
alkyl alcohol ethoxylate	No data available			
pyridine-2-thiol 1-oxide, sodium salt	No data available			

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sulphonic acids, C14-17-sec-alkane, sodium	No evidence for mutagenicity, negative	Method not	No evidence for mutagenicity, negative	Method not
salts	test results	given	test results	given
alkyl alcohol ethoxylate	No data available		No data available	
pyridine-2-thiol 1-oxide, sodium salt	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sulphonic acids, C14-17-sec-alkane, sodium sal	Its No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No data available
pyridine-2-thiol 1-oxide, sodium salt	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sulphonic acids, C14-17-sec-alkane, sodium salts			No data available				No evidence for reproductive toxicity
alkyl alcohol ethoxylate			No data available				
pyridine-2-thiol 1-oxide, sodium salt			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sulphonic acids, C14-17-sec-alkane, sodium salts	NOAEL	200	Rat	Method not		
				given		
alkyl alcohol ethoxylate		No data				
		available				
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available				

Sub-chronic inhalation toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
, , , , , , , , , , , , , , , , , , ,	·	(mg/kg bw/d)			time (days)	affected
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available			[	1

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sulphonic acids, C14-17-sec-alkane, sodium salts	Oral	NOAEL	> 4000	Rat	Method not given		·	
alkyl alcohol ethoxylate			No data available					
pyridine-2-thiol 1-oxide, sodium salt			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
alkyl alcohol ethoxylate	No data available
pyridine-2-thiol 1-oxide, sodium salt	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
alkyl alcohol ethoxylate	No data available
pyridine-2-thiol 1-oxide, sodium salt	Neuromuscular system

# **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

# 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

# Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts	LC 50	1 - 10	Brachydanio rerio	OECD 203, static	96
alkyl alcohol ethoxylate		No data available			
pyridine-2-thiol 1-oxide, sodium salt	LC 50	0.00767	Brachydanio rerio	OECD 203, flow-through	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	9.81	Daphnia	OECD 202 (EU C.2)	48
			magna Straus		
alkyl alcohol ethoxylate	EC 50	> 1 - 10	Daphnia	OECD 202, static	48
			magna Straus		
pyridine-2-thiol 1-oxide, sodium salt	EC 50	0.150	Daphnia	OECD 202, static	48
			magna Straus		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
<b>g</b> (-/		(mg/l)	Ориссия		time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	> 61	Pseudokirchner	OECD 201 (EU C.3)	72
			iella		
			subcapitata		
alkyl alcohol ethoxylate	EC 50	> 10 - 100	Desmodesmus	Method not given	72
			subspicatus		
pyridine-2-thiol 1-oxide, sodium salt	EC 50	0.22	Desmodesmus	OECD 201, static	72
•			subspicatus		

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			
alkyl alcohol ethoxylate		No data available			
pyridine-2-thiol 1-oxide, sodium salt		No data available			

plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	600	Pseudomonas putida	DIN 38412 / Part 8	16 hour(s)
alkyl alcohol ethoxylate	EC 20	180	Activated sludge	OECD 209	3 hour(s)
pyridine-2-thiol 1-oxide, sodium salt		No data available			

**Aquatic long-term toxicity** 

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.85	Oncorhynchus mykiss	OECD 204	28 day(s)	
alkyl alcohol ethoxylate	NOEC	> 1	Not specified	Method not given		
pyridine-2-thiol 1-oxide, sodium salt		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.36	Daphnia	OECD 202	22 day(s)	
			magna			
alkyl alcohol ethoxylate		No data				
		available				
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				
alkyl alcohol ethoxylate		No data available				
pyridine-2-thiol 1-oxide, sodium salt		No data available				

# **Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Torrestrial textory Con invertebrates, including carativerne; in available:								
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed		
		(mg/kg dw			time (days)			
		soil)						
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	470	Eisenia fetida	OECD 222	56			

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

# 12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

# Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical	DT 50	Method	Evaluation
		method			
sulphonic acids, C14-17-sec-alkane, sodium salts	Activated sludge, aerobe	DOC reduction	89 % in 28 day(s)	OECD 301E	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
pyridine-2-thiol 1-oxide, sodium salt	Activated sludge, aerobe	CO <sub>2</sub> production	79% in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

# 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sulphonic acids, C14-17-sec-alkane,	No data available		No bioaccumulation expected	

sodium salts				
alkyl alcohol ethoxylate	No data available	Method not given	No bioaccumulation expected	
pyridine-2-thiol 1-oxide, sodium salt	< -1.09	OECD 107	Low potential for bioaccumulation	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sulphonic acids,	No data available				
C14-17-sec-alkane,					
sodium salts					
alkyl alcohol ethoxylate	No data available				
pyridine-2-thiol 1-oxide,	No data available	·		_	
sodium salt					

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				
alkyl alcohol ethoxylate	No data available				Potential for adsorption to soil
pyridine-2-thiol 1-oxide, sodium salt	No data available				

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

# **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. 20 01 30 - detergents other than those mentioned in 20 01 29.

European Waste Catalogue:

**Empty packaging** 

Recommendation:

Dispose of observing national or local regulations.

**Suitable cleaning agents:** Water, if necessary with cleaning agent.

# SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulations:

- · Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (FII) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

• International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants

< 5 %

perfumes, Sodium Pyrithione, Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

**SDS code:** MS1005308 Version: 01.1 Revision: 2024-05-31

#### Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 9, 16

# Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

### Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
   ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories • EUH - CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
  NOAEL No observed adverse effect level
- NOEL No observed effect level
- · OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
   REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
   H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
  H331 Toxic if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH070 Toxic by eye contact.

**End of Safety Data Sheet**