

Safety Data Sheet

According to Regulation (EC) No 1907/2006

R7 Cream Cleaner

Revision: 2025-05-15 Version: 01.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: R7 Cream Cleaner

UFI: 124H-61TS-Y00T-WY9Q

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Restroom/bathroom cleaner.

For professional use only.
Uses other than those identified are not recommended. Uses advised against:

SWED - Sector-specific worker exposure description : AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Hazard statements:

EUH210 - Safety data sheet available on request.

2.3 Other hazards

Do not rinse packaging before disposal.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sulphonic acids, C14-17-sec-alkane, sodium salts	307-055-2	97489-15-1	4-20	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		1-3
alkyl alcohol ethoxylate	[4]	160875-66-1	[4]	Eye irritation, Category 2 (H319)		1-3
pyridine-2-thiol 1-oxide, sodium salt	223-296-5	3811-73-2		EUH070 Acute toxicity - Dermal, Category 3 (H311) Acute toxicity - Inhalation, Category 3 (H331) Specific target organ toxicity - Repeated exposure, Category 1 (H372) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Eye irritation, Category 2 (H319) Skin sensitisation, Category 1 (H317) Acute aquatic toxicity, Category 1 M=100 (H400) Chronic aquatic toxicity, Category 2 (H411)		0.01-0.1

Specific concentration limits

sulphonic acids, C14-17-sec-alkane, sodium salts:

• Serious eye damage, Category 1 (H318) >= 15% > Eye irritation, Category 2 (H319) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

osure - Consumer (ma/ka bw)

İ	Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
	sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	7.1
ſ	alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
ı	pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL dermal exposure - Worker

BITEL BINEL definial expectate Worker				
Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	5
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

DNLL/DNLL definal exposure - Consumer				
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	3.57
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	35
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	12.4
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sulphonic acids, C14-17-sec-alkane, sodium salts	0.04	0.004	0.06	600
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sulphonic acids, C14-17-sec-alkane, sodium salts	9.4	0.94	9.4	-
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
pyridine-2-thiol 1-oxide, sodium salt	-	-	-	=

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure	LCS	PROC	Duration (min)	ERC
	description			, ,	
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Safety glasses are not normally required. However, their use is recommended in those cases where Eye / face protection:

splashes may occur when handling the product (EN 16321).

No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. **Body protection:** Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined N.A.

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sulphonic acids, C14-17-sec-alkane, sodium salts	> 100	Method not given	
alkyl alcohol ethoxylate	No data available		
pyridine-2-thiol 1-oxide, sodium salt	Product decomposes before boiling	OECD 103 (EU A.2)	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 93 °C closed cup

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

N.A

pH: ≈ 10 (neat) Kinematic viscosity: Not determined

ISO 4316

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sulphonic acids, C14-17-sec-alkane, sodium salts	500	Method not given	25
alkyl alcohol ethoxylate	No data available		
pyridine-2-thiol 1-oxide, sodium salt	Soluble	OECD 105 (EU A.6)	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: See substance data. See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sulphonic acids, C14-17-sec-alkane, sodium salts	3000	Method not given	25
alkyl alcohol ethoxylate	< 10	Method not given	20
pyridine-2-thiol 1-oxide, sodium salt	0.000046	OECD 104 (EU A.4)	25

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Relative density: ≈ 1.26 (20 °C) Relative vapour density: -

Particle characteristics: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

N.A N.A.

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Not corrosive or irritant Species: Not applicable. Method: Weight of evidence

<u>Substance data</u>, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 500-2000	Rat	OECD 401 (EU B.1)		500
alkyl alcohol ethoxylate	LD 50	> 2000-5000	Rat	OECD 423 (EU B.1 tris)		Not established
pyridine-2-thiol 1-oxide, sodium salt	LD 50	500		OECD 423 (EU B.1 tris)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sulphonic acids, C14-17-sec-alkane, sodium salts	LD 50	> 2000	Mouse	Weight of evidence		Not established
alkyl alcohol ethoxylate	LD 50	> 5000	Rat	OECD 402 (EU B.3)		Not established
pyridine-2-thiol 1-oxide, sodium salt	LD 50	788	Rabbit	EPA OPP 81-2	24	788

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			
alkyl alcohol ethoxylate		No data available			
pyridine-2-thiol 1-oxide, sodium salt	LC 50	0.5 - 1 (mist)	Rat	OECD 403 (EU B.2)	4

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sulphonic acids, C14-17-sec-alkane, sodium salts	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
pyridine-2-thiol 1-oxide, sodium salt	Not established	0.5	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	
·			Read across	
alkyl alcohol ethoxylate	Mild irritant	Rabbit	OECD 404 (EU B.4)	
pyridine-2-thiol 1-oxide, sodium salt	Irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	Severe damage		OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Irritant	Rabbit	OECD 405 (EU B.5)	
pyridine-2-thiol 1-oxide, sodium salt	Irritant	Rabbit	EPA OPP 81-4	24 hour(s)

Respiratory tract irritation and corrosivity

respiratory tract irritation and corresivity				•
Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
alkyl alcohol ethoxylate	No data available			
pyridine-2-thiol 1-oxide, sodium salt	No data available			

SensitisationSensitisation by skin contact

Result	Species	Method	Exposure time (h)
Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
		GPMT Read across	
Not sensitising		Weight of evidence	
Sensitising	Guinea pig	OECD 406 (EU B.6) /	
	Not sensitising Not sensitising	Not sensitising Guinea pig Not sensitising	Not sensitising Guinea pig OECD 406 (EU B.6) / GPMT Read across Not sensitising Weight of evidence

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			
alkyl alcohol ethoxylate	No data available			
pyridine-2-thiol 1-oxide, sodium salt	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sulphonic acids, C14-17-sec-alkane, sodium	No evidence for mutagenicity, negative	Method not	No evidence for mutagenicity, negative	Method not
salts	test results	given	test results	given
alkyl alcohol ethoxylate	No data available		No data available	
pyridine-2-thiol 1-oxide, sodium salt	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No data available
pyridine-2-thiol 1-oxide, sodium salt	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
sulphonic acids,			No data				No evidence for reproductive
C14-17-sec-alkane,			available				toxicity
sodium salts							-
alkyl alcohol ethoxylate			No data				
			available				
pyridine-2-thiol 1-oxide,			No data				
sodium salt			available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphonic acids, C14-17-sec-alkane, sodium salts	NOAEL	200	Rat	Method not given		
alkyl alcohol ethoxylate		No data available				
pyridine-2-thiol 1-oxide, sodium salt		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				
		available				
alkyl alcohol ethoxylate		No data				
,		available				
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphonic acids, C14-17-sec-alkane, sodium salts		No data				
		available				
alkyl alcohol ethoxylate		No data				
		available				
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
sulphonic acids,	Oral	NOAEL	> 4000	Rat	Method not			
C14-17-sec-alkane,					given			
sodium salts					_			
alkyl alcohol ethoxylate			No data					
			available					
pyridine-2-thiol 1-oxide,			No data					
sodium salt			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
alkyl alcohol ethoxylate	No data available
pyridine-2-thiol 1-oxide, sodium salt	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available
alkyl alcohol ethoxylate	No data available
pyridine-2-thiol 1-oxide, sodium salt	Neuromuscular system

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts	LC 50	1 - 10	Brachydanio rerio	OECD 203, static	96
alkyl alcohol ethoxylate		No data available			
pyridine-2-thiol 1-oxide, sodium salt	LC 50	0.00767	Brachydanio rerio	OECD 203, flow-through	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	9.81	Daphnia magna Straus	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC 50	> 1 - 10	Daphnia magna Straus	OECD 202, static	48
pyridine-2-thiol 1-oxide, sodium salt	EC 50	0.150	Daphnia magna Straus	OECD 202, static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphonic acids, C14-17-sec-alkane, sodium salts	EC 50	> 61	Pseudokirchner iella	OECD 201 (EU C.3)	72
			subcapitata		
alkyl alcohol ethoxylate	EC 50	> 10 - 100	Desmodesmus subspicatus	Method not given	72
pyridine-2-thiol 1-oxide, sodium salt	EC 50	0.22	Desmodesmus subspicatus	OECD 201, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			
alkyl alcohol ethoxylate		No data available			
pyridine-2-thiol 1-oxide, sodium salt		No data available			

Impact on sewage plants - toxicity to hacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	600	Pseudomonas putida	DIN 38412 / Part 8	16 hour(s)
alkyl alcohol ethoxylate	EC 20	180	Activated sludge	OECD 209	3 hour(s)
pyridine-2-thiol 1-oxide, sodium salt		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(ma/l)			time	

sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.85	Oncorhynchus	OECD 204	28 day(s)	
			mykiss			
alkyl alcohol ethoxylate	NOEC	> 1	Not specified	Method not given		
				given		
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.36	Daphnia	OECD 202	22 day(s)	
			magna			
alkyl alcohol ethoxylate		No data				
		available				
pyridine-2-thiol 1-oxide, sodium salt		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				
alkyl alcohol ethoxylate		No data available				
pyridine-2-thiol 1-oxide, sodium salt		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	470	Eisenia fetida	OECD 222	56	

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sulphonic acids, C14-17-sec-alkane, sodium salts	Activated sludge, aerobe	DOC reduction	89 % in 28 day(s)	OECD 301E	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
pyridine-2-thiol 1-oxide, sodium salt	Activated sludge, aerobe	CO ₂ production	79% in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sulphonic acids, C14-17-sec-alkane,	No data available		No bioaccumulation expected	
sodium salts				
alkyl alcohol ethoxylate	No data available	Method not given	No bioaccumulation expected	

pyridine-2-thiol 1-oxide, sodium salt	< -1.09	OECD 107	Low potential for bioaccumulation	
pyridine-z-tillor r-oxide, sodidin sait	< -1.03	OLCD 107	Low potential for bloaccumulation	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sulphonic acids,	No data available				
C14-17-sec-alkane,					
sodium salts					
alkyl alcohol ethoxylate	No data available				
pyridine-2-thiol 1-oxide,	No data available				
sodium salt					

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				
alkyl alcohol ethoxylate	No data available				Potential for adsorption to soil
pyridine-2-thiol 1-oxide, sodium salt	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

European Waste Catalogue:

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. 20 01 30 - detergents other than those mentioned in 20 01 29.

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Water, if necessary with cleaning agent. Suitable cleaning agents:

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation
- · Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants, non-ionic surfactants perfumes, Sodium Pyrithione, Benzisothiazolinone < 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005308 Version: 01.2 Revision: 2025-05-15

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage LD50 Lethal Dose, 50% / Median Lethal dose
- · NOAEL No observed adverse effect level
- NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- · H331 Toxic if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH070 Toxic by eye contact.

End of Safety Data Sheet