

Safety Data Sheet

According to Regulation (EC) No 1907/2006

TASKI Tapi Stain Remover 2

Revision: 2025-02-25 Version: 01.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: TASKI Tapi Stain Remover 2

UFI: YTFH-G13E-800P-KN4S

1.2 Relevant identified uses of the substance or mixture and uses advised against

Carpet / Upholstery cleaner. Product use: For professional use only.

Uses other than those identified are not recommended. Uses advised against:

 $\begin{array}{l} \textbf{SWED - Sector-specific worker exposure description:} \\ \textbf{AISE_SWED_PW_4_1} \\ \textbf{AISE_SWED_PW_11_1} \end{array}$

AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Hazard statements:

EUH210 - Safety data sheet available on request.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

	Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
				number			percent
	sulphuric acid, mono-C12-14-alkyl	287-809-4	85586-07-8	01-211948946	Acute toxicity - Oral, Category 4 (H302)		1-3
	esters, sodium salts			3-28	Skin irritation, Category 2 (H315)		
					Serious eye damage, Category 1 (H318)		
Į					Chronic aquatic toxicity, Category 3 (H412)		

Specific concentration limits

sulphuric acid, mono-C12-14-alkyl esters, sodium salts:

• Serious eye damage, Category 1 (H318) >= 20% > Eye irritation, Category 2 (H319) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

Skin contact:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey. Do not breathe spray.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

ONEL DMEL oral exposure - Consumer (mg/kg bw)

DNEL/DIVIEL drait exposure - Consumer (mg/kg bw)						
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic		
	effects	effects	effects	effects		
	enecis	l ellecte l	enecis	enects		

DNEL/DMEL dermal exposure - Worker

DIVEL/DIVILE definal exposure - Worker				
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
• (,	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	4060

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	2440

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

DNEE/DWEE IIIIalatory exposure - worker (highti-)						
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects		
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	285		

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	•	85

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	0.131	0.013	0.036	1.35

Environmental exposure - PNEC, continued

Environmental exposure - FNEC, continued						
Ingredient(s)	Sediment, freshwater	Sediment, marine	Soil (mg/kg)	Air (mg/m³)		
	(mg/kg)	(mg/kg)				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	4.61	0.461	0.846	-		

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: Provide a good standard of general ventilation.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Trigger spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321).

Hand protection:No special requirements under normal use conditions.
Body protection:
No special requirements under normal use conditions.

Trigger spray bottle application: No special requirements under normal use conditions. Apply Respiratory protection:

technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific

Odour threshold: Not applicable

Not relevant to classification of this product Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sulphuric acid, mono-C12-14-all	syl esters, sodium salts	> 100	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable. Flash point (°C): Not determined Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

ISO 4316

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 8 (neat)

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark See substance data

Vapour pressure: Not determined

Substance data, vapour pressure			
Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available		

Relative density: ≈ 1.00 (20 °C) Relative vapour density:

Particle characteristics: No data available.

Method / remark OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity

Result: Not corrosive or irritant Species: Not applicable Method: Weight of evidence

Eye irritation and corrosivity

Result: Not corrosive or irritant Species: Not applicable. Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 1800	Rat	Method not given		1800

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

	Ingredient(s)	Result	Species	Method	Exposure time
ſ	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
sulphuric acid, mono-C12-14-alkyl esters,	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence for mutagenicity, negative	OECD 474 (EU
sodium salts	test results	B.12/13) OECD	test results	B.12)
		476 (Mouse		
		lymphoma)		

Carcinogenicity

Carcinogenicity						
	Ingredient(s)	Effect				
	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No evidence for carcinogenicity, negative test results				

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sulphuric acid, mono-C12-14-alkyl	NOEL	Teratogenic effects Developmental toxicity	250	Rat	OECD 414 (EU B.31),		
esters, sodium salts					oral		

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOAEL	488		OECD 408 (EU B.26)	90	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

Sub-chronic inhalation toxicity

oub childric initialation toxicity						
Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
		, ,			time (days)	ancotca
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sulphuric acid,			No data					
mono-C12-14-alkyl			available					
esters, sodium salts								

STOT-single exposure

Ingredient(s)	Affected organ(s)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptomsEffects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting propertiesEndocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LC 50	3.6	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

	Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Ī	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 50	4.7	Daphnia	84/449/EEC, C2	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Er C 50	> 20	Not specified	88/302/EEC, Part C,	72
				static	

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data			
		available			

Impact on sewage plants - toxicity to bacteria

impact on comage plante textory to bactoria					
Ingredient(s)	Endpoint	Value	Inoculum	Method	Exposure
		(mg/l)			time
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 10	1084	Bacteria	DIN 38412 / Part 8	16 hour(s)

Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	1.357	Pimephales promelas	OECD 210	34 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	0.508	Daphnia sp.	Method not	7 day(s)	
				given		

Aguatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingred	ient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid, mono-C12-1	4-alkyl esters, sodium salts		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Activated sludge, aerobe	Oxygen depletion	> 90% in 28 day(s)	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sulphuric acid, mono-C12-14-alkyl	< -2.42	Method not given	No bioaccumulation expected	
esters, sodium salts				

Bioconcentration factor (BCF)

Dio	Biocontecntration ractor (Bot)								
	Ingredient(s)	Value	Species	Method	Evaluation	Remark			
	sulphuric acid,	No data available							
r	mono-C12-14-alkyl								
l e	sters, sodium salts								

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting propertiesEndocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. 20 01 30 - detergents other than those mentioned in 20 01 29.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Water, if necessary with cleaning agent. Suitable cleaning agents:

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods
- 14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

made available to them, at their direct request or at the request of a detergent manufacturer.

• International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

anionic surfactants perfumes, Hexyl Cinnamal, Benzisothiazolinone < 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005470 Version: 01.1 Revision: 2025-02-25

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 13, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
 DNEL Derived No Effect Limit
 EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.

- H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet