

## Clax Oxy 40C1

Revision: 2024-08-07

Version: 13.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Clax Oxy 40C1

UFI: YPX3-10WA-9003-Y75Y

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Laundry aid.  
Prespotter / Stain remover.  
For professional use only.

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8b\_2  
AISE\_SWED\_PW\_1\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri)

Email: dublin.orders@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Serious eye damage, Category 1 (H318)

#### 2.2 Label elements



**Signal word:** Danger.

Contains sodium percarbonate (Sodium Carbonate Peroxide)

#### Hazard statements:

H318 - Causes serious eye damage.

#### Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

## Clax Oxy 40C1

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium percarbonate	239-707-6	15630-89-4	01-211945726 8-30	Oxidising solids, Category 2 (H272) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)		30-50
sodium carbonate	207-838-8	497-19-8	01-211948549 8-19	Eye irritation, Category 2 (H319)		30-50

**Specific concentration limits**

sodium percarbonate:

- Serious eye damage, Category 1 (H318) >= 25% > Eye irritation, Category 2 (H319) >= 7.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

**Eye contact:**

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

**Self-protection of first aider:**

Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed****Inhalation:**

No known effects or symptoms in normal use.

**Skin contact:**

No known effects or symptoms in normal use.

**Eye contact:**

Causes severe or permanent damage.

**Ingestion:**

No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Flood with water. Do not use carbon dioxide, extinguishing powder or foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

Keep away from heat.

## Clax Oxy 40C1

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a dry place. Store in a closed container. Keep only in original packaging. Keep away from heat and direct sunlight. Keep at temperature not exceeding 40 °C.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium percarbonate	-	-	-	-
sodium carbonate	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium percarbonate	12.8 mg/cm <sup>2</sup> skin	-	12.8 mg/cm <sup>2</sup> skin	-
sodium carbonate	-	-	No data available	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium percarbonate	6.4 mg/cm <sup>2</sup> skin	-	6.4 mg/cm <sup>2</sup> skin	-
sodium carbonate	No data available	-	No data available	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium percarbonate	-	-	5	-
sodium carbonate	-	-	10	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium percarbonate	-	-	-	-
sodium carbonate	10	-	-	-

**Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium percarbonate	0.035	0.035	0.035	16.24
sodium carbonate	-	-	-	-

Environmental exposure - PNEC, continued

## Clax Oxy 40C1

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
sodium percarbonate	-	-	-	-
sodium carbonate	-	-	-	-

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**REACH use scenarios considered for the undiluted product:**

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

**Personal protective equipment**

**Eye / face protection:** Safety glasses or goggles (EN 16321 / EN 166).  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

**Recommended maximum concentration (% w/w):** 1

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical state:</b> Solid	
<b>Appearance:</b> Powder	
<b>Colour:</b> White	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium percarbonate	Product decomposes before boiling		
sodium carbonate	1600	Method not given	1013

## Clax Oxy 40C1

--	--	--	--

## Method / remark

**Flammability (solid, gas):** Not determined

**Flammability (liquid):** Not applicable.

**Flash point (°C):** Not applicable.

**Sustained combustion:** Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

## Method / remark

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**pH:** Not applicable

**Dilution pH:** ≈ 10 (1 %)

**Kinematic viscosity:** Not determined

**Solubility in / Miscibility with water:** Soluble

ISO 4316

Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium percarbonate	140	Method not given	20
sodium carbonate	210-215	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

## Method / remark

**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium percarbonate	Negligible		
sodium carbonate	Negligible		

## Method / remark

**Relative density:** ≈ 1.10 (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** Not determined.

OECD 109 (EU A.3)

Not applicable to solids

Not relevant to classification of this product.

## 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising. After prolonged exposure above 40 °C the product could decompose and release excessive heat.

**Corrosion to metals:** Not applicable to solids or gases

Not oxidising, based on substance properties

Not applicable to solids or gases

### 9.2.2 Other safety characteristics

No other relevant information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

After prolonged exposure above 40 °C the product could decompose and release excessive heat.

### 10.5 Incompatible materials

None known under normal use conditions.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## Clax Oxy 40C1

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): &gt;2000

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium percarbonate	LD <sub>50</sub>	1034	Rat	Method not given		1034
sodium carbonate	LD <sub>50</sub>	2800	Rat	OECD 401 (EU B.1)		2800

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium percarbonate	LD <sub>50</sub>	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium percarbonate		No data available			
sodium carbonate	LC <sub>50</sub>	> 2.3 (dust)		Weight of evidence	2

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium percarbonate	Not established	Not established	Not established	Not established
sodium carbonate	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium percarbonate	Not irritant	Rabbit	Method not given	
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
sodium carbonate	No data available			

**Sensitisation**

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium percarbonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium carbonate	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium percarbonate	No data available			
sodium carbonate	No data available			

## Clax Oxy 40C1

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium percarbonate	No data available		No data available	
sodium carbonate	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
sodium percarbonate	No data available
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium percarbonate			No data available				
sodium carbonate			No data available				

**Repeated dose toxicity**

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium percarbonate		No data available				
sodium carbonate		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium percarbonate		No data available				
sodium carbonate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium percarbonate		No data available				
sodium carbonate		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium percarbonate			No data available					
sodium carbonate			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium percarbonate	No data available
sodium carbonate	Not applicable

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium percarbonate	No data available
sodium carbonate	Not applicable

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards**

## Clax Oxy 40C1

**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information****12.1 Toxicity**No data is available on the mixture.Substance data, where relevant and available, are listed below:**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium percarbonate	LC <sub>50</sub>	70.7	<i>Pimephales promelas</i>	Method not given	96
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium percarbonate	EC <sub>50</sub>	4.9	<i>Daphnia pulex</i>	Method not given	48
sodium carbonate	EC <sub>50</sub>	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium percarbonate	EC <sub>50</sub>	2.5	<i>Chlorella vulgaris</i>	Read across	
sodium carbonate	EC <sub>50</sub>	> 800	<i>Selenastrum capricornutum</i>		72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium percarbonate		No data available			
sodium carbonate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium percarbonate	EC <sub>50</sub>	466	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
sodium carbonate		No data available			

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium percarbonate	NOEC	7.4	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
sodium carbonate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium percarbonate	NOEC	2	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
sodium carbonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------



## Clax Oxy 40C1

		(mg/kg dw sediment)			time (days)	
sodium percarbonate		No data available				
sodium carbonate		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium percarbonate	NA	Method not given		
sodium carbonate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium percarbonate					Not applicable (inorganic substance)
sodium carbonate					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

## Clax Oxy 40C1

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium percarbonate	No data available			
sodium carbonate	No data available		No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium percarbonate	No data available				
sodium carbonate	No data available			No bioaccumulation expected	

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
sodium percarbonate	No data available				High potential for mobility in soil
sodium carbonate	No data available				Potential for mobility in soil, soluble in water

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

### 12.7 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

**Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

16 03 03\* - inorganic wastes containing dangerous substances.

**Empty packaging**

**Recommendation:**

Dispose of observing national or local regulations.

## SECTION 14: Transport information

### Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

**14.1 UN number or ID number:** Non-dangerous goods

**14.2 UN proper shipping name:** Non-dangerous goods

**14.3 Transport hazard class(es):** Non-dangerous goods

**14.4 Packing group:** Non-dangerous goods

**14.5 Environmental hazards:** Non-dangerous goods

**14.6 Special precautions for user:** Non-dangerous goods

Diversey does not recommend to transport this product by means of sea container.

Diversey does not recommend to transport this product by air.

**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

## Clax Oxy 40C1

**EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code
- Regulation (EU) 2019/1148 - Explosive Precursors

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

oxygen-based bleaching agents

>= 30 %

**Seveso - Classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MSDS1580

**Version:** 13.0

**Revision:** 2024-08-07

**Reason for revision:**

This data sheet contains changes from the previous version in section(s): 1, 3, 4, 6, 7, 8, 11, 12, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H272 - May intensify fire; oxidiser.
- H302 - Harmful if swallowed.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.

**End of Safety Data Sheet**