

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Room Care R4

Revision: 2025-05-15 Version: 06.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Room Care R4

UFI: 4C45-50MU-200E-E00H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Furniture polish.

For professional use only.

Uses other than those identified are not recommended. Uses advised against:

SWED - Sector-specific worker exposure description : AISE_SWED_PW_10_1 AISE_SWED_PW_11_1

AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri) Email: dublin.orders@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Chronic aquatic toxicity, Category 3 (H412)

2.2 Label elements

Contains 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone), 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements:

H412 - Harmful to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

Do not rinse packaging before disposal.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--|-----------|------------|----------------------|---|-------|----------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | 923-037-2 | - | 1-29 | Flammable liquids, Category 3 (H226) Aspiration toxicity, Category 1 (H304) EUH066 Chronic aquatic toxicity, Category 2 (H411) | | 3-10 |
| white mineral oil (petroleum) | 232-455-8 | 8042-47-5 | 01-211948707 8-27 | Aspiration toxicity, Category 1 (H304) | | 3-10 |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | 500-213-3 | 68439-50-9 | 4-16 | Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 3 (H412) | | 0.1-1 |
| 1,2-benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5 | | Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 4 (H302) | | 0.01-0.1 |

| | | | | Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) | |
|------------------------------|-----------|-----------|-----|--|--------|
| 2-methyl-2H-isothiazol-3-one | 220-239-6 | 2682-20-4 | [6] | Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 3 (H301) Acute toxicity - Dermal, Category 3 (H311) Skin corrosion, Category 1B (H314) EUH071 Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) | < 0.01 |

Specific concentration limits

- 1,2-benzisothiazol-3(2H)-one:
- Skin sensitisation, Category 1 (H317) >= 0.036%
- 2-methyl-2H-isothiazol-3-one:
- Skin sensitisation, Category 1 (H317) >= 0.0015%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical Eye contact:

attention.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion:

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. No known effects or symptoms in normal use. Skin contact: Eye contact: No known effects or symptoms in normal use. Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | - | - | - | - |
| white mineral oil (petroleum) | - | - | - | 40 |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | - | - | - | 25 |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | 0.027 |

DNEL/DMEL dermal exposure - Worker

| DIVEL/DIVICE definal exposure - Worker | | | | |
|--|----------------------------|--|---------------------------|---|
| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | - | - | - | - |
| white mineral oil (petroleum) | No data available | - | No data available | 220 |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | - | No data available | 2080 |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|----------------------------|--|---------------------------|---|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | - | - | - | - |
| white mineral oil (petroleum) | No data available | - | No data available | - |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | - | No data available | 1250 |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | = | - | - | - |

| white mineral oil (petroleum) | - | - | - | 160 |
|--|---|---|---|-----|
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | - | - | - | 294 |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | - | - | - | - |
| white mineral oil (petroleum) | - | - | - | 35 |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | - | - | 25 | 87 |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | = | - |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--|-----------------------------|------------------------------|---------------------|-------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | - | - | - | - |
| white mineral oil (petroleum) | - | - | - | - |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | 0.074 | 0.007 | 0.004 | 10000 |
| 1,2-benzisothiazol-3(2H)-one | 0.0026 | 0.00026 | - | 0.055 |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--|------------------------------|-----------------------------|--------------|-------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | - | - | - | - |
| white mineral oil (petroleum) | - | - | - | - |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | 66.67 | 6.66 | 1 | - |
| 1,2-benzisothiazol-3(2H)-one | 0.0132 | - | 0.33 | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

Provide a good standard of general ventilation.

Appropriate organisational controls:

Users are advised to consider national Occupational Exposure Limits or other equivalent values, if

available.

REACH use scenarios considered for the undiluted product:

| | SWED - Sector-specific worker exposure | LCS | PROC | Duration (min) | ERC |
|---|--|-----|---------|-------------------|-------|
| | description | | | | |
| Manual application by brushing, wiping or mopping | AISE_SWED_PW_10_1 | PW | PROC 10 | 480 | ERC8a |
| Trigger spray application | AISE_SWED_PW_11_1 | PW | PROC 11 | 60 | ERC8a |
| Manual application | AISE_SWED_PW_19_1 | PW | PROC 19 | 480 | ERC8a |

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321).

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection: No special requirements under normal use conditions.

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--|--------------------|------------------|----------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | 140-200 | | |
| white mineral oil (petroleum) | >= 218 - <= 800 °C | Method not given | 101.3 |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | |

Method / remark

closed cup

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 61 °C

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) | |
|--|------------------------|------------------------|--|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | 0.6 | 7 | |

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 5 (neat) ISO 4316

Kinematic viscosity: ≈ 20.8 mm²/s (40 °C) DM-006 Viscosity - Standard

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--|-------------------|------------------|---------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | Insoluble | | |
| white mineral oil (petroleum) | Insoluble | Method not given | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|--|-------------------|--------------------|---------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | 200 | Non guideline test | \ |
| white mineral oil (petroleum) | < 0.013 | Method not given | 20 |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | |

Method / remark

OECD 109 (EU A.3)

Relative vapour density: No data available. Not relevant to classification of this product Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air. **Oxidising properties:** Not oxidising.

Corrosion to metals: Not corrosive

Relative density: ≈ 0.95 (20 °C)

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

| acute of all toxicity | | | | | | | | | |
|--|----------|---------|---------|-------------------|----------|-----------------|--|--|--|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | ATE Oral | | | |
| | | (mg/kg) | | | time (h) | (mg/kg) | | | |
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | LD 50 | > 5000 | Rat | OECD 401 (EU B.1) | | Not established | | | |
| | | | | Read across | | | | | |
| white mineral oil (petroleum) | LD 50 | > 5000 | Rat | OECD 401 (EU B.1) | | Not established | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | LD 50 | > 2000 | Rat | OECD 401 (EU B.1) | | Not established | | | |
| 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | | | 450 | | | |
| 2-methyl-2H-isothiazol-3-one | LD 50 | 120 | Rat | OECD 401 (EU B.1) | | 120 | | | |

A outo dormal taxiait

| <u> </u> | Acute dermai toxicity | | | | | | |
|----------|--|----------|------------------|---------|----------------------------------|-------------------|-----------------------|
| | Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Dermal (mg/kg) |
| | hydrocarbons, C10-C12, isoalkanes, <2% aromatics | LD 50 | > 5000 | Rabbit | OECD 402 (EU B.3) Read across | | Not established |
| | white mineral oil (petroleum) | LD 50 | > 2000 | Rabbit | OECD 402 (EU B.3) | | Not established |
| | Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | LD 50 | > 3000 | | Method not given | | Not established |
| | 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | OECD 402 (EU B.3) | | Not established |
| Γ | 2-methyl-2H-isothiazol-3-one | LD 50 | 242 | Rat | OECD 402 (EU B.3) | 24 hours | 242 |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|--|---------|----------------------------------|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | LC 50 | > 5000 | Rat | OECD 403 (EU B.2) Read across | 8 |
| white mineral oil (petroleum) | LC 50 | > 5 | Rat | OECD 403 (EU B.2) | 4 |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | LC 50 | > 1600 (vapour) No mortality observed | | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | LC 50 | (mist) 0.11 | Rat | OECD 403 (EU B.2) | 4 hours |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|--|-------------------------------|-------------------------------|------------------------------------|------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | Not established | Not established | Not established | Not established |
| white mineral oil (petroleum) | Not established | Not established | Not established | Not established |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | Not established | Not established | Not established | Not established |
| 1,2-benzisothiazol-3(2H)-one | Not established | 0.21 | Not established | Not established |
| 2-methyl-2H-isothiazol-3-one | Not established | 0.11 | Not established | Not established |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|--------------|---------|-------------------|---------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| | | | Read across | |
| white mineral oil (petroleum) | Not irritant | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | Not irritant | | | |
| 1,2-benzisothiazol-3(2H)-one | Corrosive | | Method not given | |
| 2-methyl-2H-isothiazol-3-one | Corrosive | | | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|------------------------------|---------|----------------------------------|---------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | Not corrosive or irritant | | OECD 405 (EU B.5) Read across | |
| white mineral oil (petroleum) | Not corrosive or irritant | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | Severe damage | | Weight of evidence | |
| 1,2-benzisothiazol-3(2H)-one | Severe damage | | Method not given | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available | | | |
| white mineral oil (petroleum) | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-----------------|------------|-----------------------|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | Not sensitising | | OECD 406 (EU B.6) / | |
| | | | Buehler test OECD 406 | |
| | | | (EU B.6) / GPMT | |
| white mineral oil (petroleum) | Not sensitising | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | Not sensitising | Guinea pig | OECD 406 (EU B.6) | |
| 1,2-benzisothiazol-3(2H)-one | Sensitising | Guinea pig | | |
| 2-methyl-2H-isothiazol-3-one | Sensitising | Guinea pig | | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available | | | |
| white mineral oil (petroleum) | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|--------------------------|-------------------|---------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available | | No data available | |
| white mineral oil (petroleum) | No data available | | No data available | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | No data available | |
| , , | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |
| 2-methyl-2H-isothiazol-3-one | No evidence for mutagenicity, negative | OECD 471 (EU | No data available | |

| test results | B.12/13) | |
|--------------|----------|--|

Carcinogenicity

| Ingredient(s) | Effect |
|--|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available |
| white mineral oil (petroleum) | No data available |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--|----------|-----------------|-----------------------|---------|--------|---------------|------------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | | No data available | | | | |
| white mineral oil (petroleum) | | | No data available | | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | |
| 2-methyl-2H-isothiazol- 3-one | | | No data available | | | | |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|-------------|----------------------|--------------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | Read across | | No adverse effects observed |
| white mineral oil (petroleum) | | No data available | | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | | |
| white mineral oil (petroleum) | | No data available | | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|-------------|----------------------|--------------------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | Read across | | No adverse effects observed |
| white mineral oil (petroleum) | | No data available | | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|--|----------------|----------|-----------------------|---------|--------|---------------|---|--------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | | No data available | | | | | |
| white mineral oil | | | No data | | | | | |

| (petroleum) | available | | | |
|-------------------------|-----------|--|--|--|
| Alcohols, C12-14, | No data | | | |
| ethoxylated (> 1 - | available | | | |
| <2.5EO) | | | | |
| 1,2-benzisothiazol-3(2H | No data | | | |
|)-one | available | | | |
| 2-methyl-2H-isothiazol- | No data | | | |
| 3-one | available | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | Not applicable |
| white mineral oil (petroleum) | No data available |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | Not applicable |
| white mineral oil (petroleum) | No data available |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available |
| 1,2-benzisothiazol-3(2H)-one | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |

Aspiration hazard
Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptomsEffects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|----------------------|------------------------|---------------------|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | |
| white mineral oil (petroleum) | | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | LC 50 | 2.18 | Oncorhynchus mykiss | OECD 203 (EU C.1) | |
| 2-methyl-2H-isothiazol-3-one | LC 50 | 4.77 | Oncorhynchus mykiss | Similar to OECD 203 | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|----------------------|---------|-------------------|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | |
| white mineral oil (petroleum) | | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | EC 50 | 2.94 | Daphnia | OECD 202 (EU C.2) | 48 |

| 2-methyl-2H-isothiazol-3-one | LC 50 | 0.93-1.9 | Daphnia | Method not given | 48 |
|------------------------------|-------|----------|--------------|------------------|----|
| | | | magna Straus | | |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|----------------------|---------------------------|-------------------|-------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | |
| white mineral oil (petroleum) | | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | Er C 50 | 0.11 | | OECD 201 (EU C.3) | 72 |
| 2-methyl-2H-isothiazol-3-one | EC 50 | 0.158 | Selenastrum capricornutum | Method not given | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--|----------|----------------------|---------|--------|----------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | |
| white mineral oil (petroleum) | | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|--|----------|----------------------|------------------|----------|---------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | |
| white mineral oil (petroleum) | | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | EC 20 | 3.3 | Activated sludge | OECD 209 | 3 hour(s) |
| 2-methyl-2H-isothiazol-3-one | EC 20 | 2.8 | Activated sludge | OECD 209 | 3 hour(s) |

Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|---------|--------|---------------|------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | | |
| white mineral oil (petroleum) | | No data available | | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|---------|--------|---------------|------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | No data available | | | | |
| white mineral oil (petroleum) | | No data available | | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---------------|----------|-----------|---------|--------|-------------|------------------|
| | | (mg/kg dw | | | time (days) | |
| | | sediment) | | | | |

| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available | |
|--|----------------------|--|
| white mineral oil (petroleum) | No data available | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | |
| 1,2-benzisothiazol-3(2H)-one | No data available | |
| 2-methyl-2H-isothiazol-3-one | No data available | |

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

BiodegradationReady biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--|--------------------------|----------------------------|-------------------|-----------|----------------------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | | | | | Inherently biodegradable. |
| white mineral oil (petroleum) | | | | OECD 301F | Not readily biodegradable. |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | Activated sludge, aerobe | Oxygen depletion | 95 % in 28 day(s) | OECD 301F | Readily biodegradable |
| 1,2-benzisothiazol-3(2H)-one | Adapted activated sludge | CO ₂ production | 62% in 4 day(s) | OECD 301C | Not readily biodegradable. |
| 2-methyl-2H-isothiazol-3-one | | | | Other | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|------------------------------|--------------------------------------|---------------------|--------------------|-----------|---------------|
| 1,2-benzisothiazol-3(2H)-one | Sewage treatment plant simulation | Primary degradation | > 90% | OECD 303A | Biodegradable |
| 2-methyl-2H-isothiazol-3-one | Surface water (fresh) | Mineralisation rate | > 50 % in 4 day(s) | OECD 309 | Biodegradable |

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|--|-------------------|----------|-----------------------------|--------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available | | | |
| white mineral oil (petroleum) | No data available | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | 0.7 | OECD 107 | No bioaccumulation expected | |
| 2-methyl-2H-isothiazol-3-one | -0.32 | OECD 107 | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| | / | | | | |
|--|-------------------|---------|--------|------------|--------|
| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available | | | | |
| white mineral oil (petroleum) | No data available | | | | |
| Alcohols, C12-14, | No data available | | | | |

| ethoxylated (> 1 - <2.5EO) | | | |
|-------------------------------|------|----------|--|
| 1,2-benzisothiazol-3(2H | 6.95 | OECD 305 | |
|)-one | | | |
| 2-methyl-2H-isothiazol- | 3.16 | OECD 305 | |
| 3-one | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--|--------------------------------------|---|--------|-----------------------|------------|
| hydrocarbons, C10-C12, isoalkanes, <2% aromatics | No data available | | | | |
| white mineral oil (petroleum) | No data available | | | | |
| Alcohols, C12-14, ethoxylated (> 1 - <2.5EO) | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. **European Waste Catalogue:**20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH
- Regulation (EC) No 1272/2008 CLP
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- · Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4767 Version: 06.3 Revision: 2025-05-15

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
 NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
 REACH number REACH registration number, without supplier specific part

 VPVB very Persistent and very Bioaccumulative
 H226 Flammable liquid and vapour.

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking. EUH071 Corrosive to the respiratory tract.

End of Safety Data Sheet