

Cipton™ Hard water tolerant, defoamed CIP detergent

Revision: 2025-05-13 Version: 02.1

1. IDENTIFICATION

Product name: CiptonTM

Hard water tolerant, defoamed CIP detergent SDS #:

MS0800293

Recommended use: · Liquid caustic detergent

Food Processing

 This product is intended to be diluted prior to use Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249

Uses advised against:

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'I)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion, Category 1A Serious eye damage, Category 1 Specific target organ toxicity (repeated exposure), Category 2 Corrosive to metals, Category 1



Signal word: Danger.

Hazard Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. MAY BE CORROSIVE TO METALS.

Precautionary Statements

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of unused content as chemical waste. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable 5.4:100 Category 1B Category 1



Signal word: Danger.

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE.

Causes burns/ serious damage to mouth, throat and stomach. Avoid contact with eyes, skin and clothing. Keep container tightly closed. Wash affected areas thoroughly after handling. Wear chemical-splash goggles, chemical-resistant gloves and protective footwear. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Wash contaminated clothing before reuse. Dispose of unused content as chemical waste. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classified Ingredients

Ingredient(s)	CAS#	Weight %
Sodium hydroxide	1310-73-2	10 - 30%
Potassium hydroxide	1310-58-3	3 - 7%
Tetrasodium salt of EDTA	64-02-8	1 - 5%
Potassium Metasilicate	1312-76-1	1 - 5%

4. FIRST AID MEASURES

Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes

<u>Skin:</u> IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Cipton™ Hard water tolerant, defoamed CIP detergent

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: **Environmental precautions** and clean-up methods:

Attention! Corrosive material. Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Avoid breathing vapors or mists. Remove and wash contaminated clothing and footwear before re-use. Use only with adequate ventilation. Mix only with water. Do not mix with acids or acid detergents. May react to release hazardous gases. Do not mix with any other product or chemical. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

Storage: Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

Aerosol Level (if applicable): Not applicable.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Ingredient(s)	ACGIH	OSHA
Sodium hydroxide	2 mg/m³ (Ceiling)	2 mg/m³ (TWA)
Potassium hydroxide	2 mg/m³ (Ceiling)	-

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Chemical-splash goggles. Eye protection: Hand protection: Chemical-resistant gloves.

Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Chemical-splash goggles. Eye protection: Chemical-resistant gloves. Hand protection:

If major exposure is possible, wear suitable protective clothing and footwear. Skin and body protection:

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program Respiratory protection:

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

Corrosion to metals: Metal corrosive

workplace conditions warrant a respirator's use.

9. PHYSICAL AND CHEMICAL PROPERTIES

pH: 13.8

Physical State Liquid Color: Opaque, from Brown to Cream

Evaporation Rate: No information available Odor: Sweet

Odor threshold: No information available. Boiling point/range: Not determined Melting point/freezing point (°C): Not determined Decomposition temperature: Not determined Not applicable

Autoignition temperature: No information available Solubility: Completely Soluble Solubility in other solvents: No information available Relative Density (relative to water): 1.28

Density: 1.28 Kg/L

Vapor density: No information available Bulk density: No information available Vapor pressure: No information available. Flash point (°F): > 200.12 °F > 93.4 °C Partition coefficient (n-octanol/water): No information available Kinematic viscosity No information available Elemental Phosphorus: 0.08 % by wt.

VOC: 0 % *

Flammability (Solid or Gas): Not applicable

Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined > 200.12 °F > 93.4 °C

VOC % by wt. at use dilution: 0

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Possibility of hazardous reactions: May vigorously react with acids resulting in spattering and excessive heat.

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Acids. Do not mix with any other product or chemical. Strong acids. Do not mix with any other product

or chemical unless specified in the use directions.

Conditions to avoid: No information available.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.
Target Organs (SE): None known
Target Organs (RE): None known

Numerical measures of toxicity

ATE - Oral (mg/kg): 1600 ATE - Inhalatory, mists (mg/l): > 20

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

Other adverse effects No other adverse effects known.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste RCRA Hazard Class (diluted product): D002 Corrosive Waste

Cipton™ 4 of 5

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

<u>DOT (Ground) Bill of Lading Description:</u> UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hydroxide), 8, II

IMDG (Ocean) Bill of Lading Description: UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S., (potassium hydroxide, sodium hydroxide), 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt DSL All components are listed or otherwise exempt

US RIGHT TO KNOW (RTK)

o kiem to kitew (kitk)					
Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	=	-	-	=
Sodium hydroxide	1310-73-2	X	X	X	X
Potassium hydroxide	1310-58-3	X	Х	X	X
Tetrasodium salt of EDTA	64-02-8	-	-	-	-
Sodium gluconate	527-07-1	=	-	-	=
Potassium Metasilicate	1312-76-1	=	-	-	=

CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	10 - 30%	1000		
Potassium hydroxide	1310-58-3	3 - 7%	1000		

Canadian Regulations

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

Revision: 2025-05-13

Version: 02.1

Reason for revision: Not applicable

Prepared by:

Additional advice:

North American Regulatory Affairs

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.