



PRO STRIP™ Heavy Duty Floor Stripper

Revision: 2025-12-04

Version: 04.0

1. IDENTIFICATION

Product name: PRO STRIP™
Heavy Duty Floor Stripper

SDS #: MS0800884

Recommended use:

- Industrial/Institutional
- Floor stripper
- This product is intended to be diluted prior to use

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters
Diversey, Inc.
1300 Altura Rd., Suite 125
Fort Mill, SC 29708
Phone: 1-888-352-2249
SDS Internet Address: <https://sds.diversey.com>

Canadian Headquarters
Diversey Canada, Inc.
6150 Kennedy Road Unit 3
Mississauga, Ontario L5T 2J4
Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

2. HAZARDS IDENTIFICATION

Classification for the undiluted product

Skin corrosion, Category 1B
Serious eye damage, Category 1
Reproductive toxicity, Category 2
Specific target organ toxicity (single exposure), Category 3
Corrosive to metals, Category 1



Signal word:

Danger.

Hazard Statements

CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. SUSPECTED OF DAMAGING FERTILITY OR THE UNBORN CHILD. MAY CAUSE RESPIRATORY IRRITATION. MAY BE CORROSIVE TO METALS.

Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Use only in a well-ventilated area. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. IF exposed or concerned: Get medical advice or attention. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable

Physical hazards not otherwise classified (PHNOC) - Not applicable

Classification for the diluted product 1:4

| | |
|-----------------------------------|-------------|
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2A |
| Metal Corrosion: | Category 1 |

**Signal word:**

Warning.

Hazard and Precautionary Statements**CAUSES SKIN AND SERIOUS EYE IRRITATION. MAY BE CORROSIVE TO METALS.**

Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

3. COMPOSITION/INFORMATION ON INGREDIENTS**Classified Ingredients**

| Ingredient(s) | CAS # | Weight % |
|---|-------------|------------|
| Monoethanolamine | 141-43-5 | 5 - 10% |
| Benzyl alcohol | 100-51-6 | 5 - 10% |
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | 1 - 5% |
| Sodium hydroxide | 1310-73-2 | 1 - 5% |
| Sodium xylene sulfonate | 1300-72-7 | 1 - 5% |
| Hexyloxyethanol | 112-25-4 | > 0.1 - 1% |
| Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts | 119345-04-9 | > 0.1 - 1% |

4. FIRST AID MEASURES**Undiluted Product:**

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash with plenty of water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

Diluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention

Skin: IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required
Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.
Specific hazards: Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).
Environmental precautions and clean-up methods: Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. Do not mix with any other product or chemical. May vigorously react with acids resulting in spattering and excessive heat. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Store in corrosive-resistant container with a resistant inner liner.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

| Ingredient(s) | ACGIH | OSHA |
|------------------|-------------------------------|--|
| Monoethanolamine | 6 ppm (STEL) 3 ppm (TWA) | 3 ppm (TWA) 6 mg/m ³ (TWA) |
| Sodium hydroxide | 2 mg/m ³ (Ceiling) | 2 mg/m ³ (TWA) |

Undiluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection: Chemical-splash goggles.

Hand protection: Chemical-resistant gloves.

Skin and body protection: Protective footwear. Wear suitable protective clothing.

Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Diluted Product:

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: Chemical-splash goggles.

Hand protection: Chemical-resistant gloves.

Skin and body protection: No personal protective equipment required under normal use conditions.

Respiratory protection: No personal protective equipment required under normal use conditions.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid
Evaporation Rate: No information available
Odor threshold: No information available.
Melting point/freezing point (°C): Not determined
Autoignition temperature: No information available
Solubility in other solvents: No information available
Density: 1.06 Kg/L
Bulk density: No information available
Flash point (°F): > 200.1 °F > 93.4 °C
Kinematic viscosity No information available
VOC: 10 % *
Flammability (Solid or Gas): Not applicable
Sustained combustion: Not applicable
Explosion limits: - upper: Not determined - lower: Not determined

Color: Clear , Straw
Odor: Cherry Almond Solvent
Boiling point/range: Not determined
Decomposition temperature: Not determined
Solubility: Completely Soluble
Relative Density (relative to water): 1.06
Vapor density: No information available
Vapor pressure: No information available.
Partition coefficient (n-octanol/water): No information available
Elemental Phosphorus: 0.00 % by wt.
pH: >= 11.5
Corrosion to metals: Metal corrosive
Particle characteristics No data available

Dilution pH: > 11
Dilution Flash Point (°F): > 200.1 °F > 93.4 °C
VOC % by wt. at use dilution: 2 %

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Reactivity: Not Applicable
Stability: The product is stable
Possibility of hazardous reactions: May vigorously react with acids resulting in spattering and excessive heat.
Hazardous decomposition products: None reasonably foreseeable.
Materials to avoid: Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use directions.
Conditions to avoid: None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): No information available

Target Organs (RE):

Numerical measures of toxicity

ATE - Oral (mg/kg): >2000
ATE - Dermal (mg/kg): >2000
ATE - Inhalatory, gases (mg/l): >20000
ATE - Inhalatory, mists (mg/l): >5
ATE - Inhalatory, vapors (mg/l): >20

12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

Mobility: No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): D002 Corrosive Waste

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (ethanolamine, sodium hydroxide), 8, II

IMDG (Ocean) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (ethanolamine, sodium hydroxide), 8, II

15. REGULATORY INFORMATION

International Inventories at CAS# Level

TSCA
DSL

All components are listed or otherwise exempt
All components are listed on DSL/NDSL or otherwise exempt.

US RIGHT TO KNOW (RTK)

| Ingredient(s) | CAS # | MARTK: | NJRTK: | PARTK: | RIRTK: |
|---|-------------|--------|--------|--------|--------|
| Water | 7732-18-5 | - | - | - | - |
| Monoethanolamine | 141-43-5 | X | X | X | - |
| Benzyl alcohol | 100-51-6 | X | - | X | - |
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | - | X | - | - |
| Sodium hydroxide | 1310-73-2 | X | X | X | X |
| Sodium xylene sulfonate | 1300-72-7 | - | - | - | - |
| Hexyloxyethanol | 112-25-4 | - | X | - | - |
| Benzene, 1,1'-oxybis-, tetrapropylene derivs., sulfonated, sodium salts | 119345-04-9 | - | - | - | - |

CERCLA/ SARA

| Ingredient(s) | CAS # | Weight % | CERCLA/SARA RQ (lbs) | Section 302 TPQ (lbs) | Section 313 |
|---------------------------|-----------|------------|----------------------|-----------------------|-------------|
| 2-(2-ethoxyethoxy)ethanol | 111-90-0 | 1 - 5% | | | X |
| Sodium hydroxide | 1310-73-2 | 1 - 5% | 1000 | | |
| Hexyloxyethanol | 112-25-4 | > 0.1 - 1% | | | X |

Clean Air Act/Clean Water Act

Canadian Regulations

16. OTHER INFORMATION

NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3

Flammability 0

Instability 0

Special Hazards -

Diluted Product:

Health 2

Flammability 0

Instability 0

Special Hazards -

Revision: 2025-12-04

Version: 04.0

Reason for revision:

Not applicable

Prepared by:

North American Regulatory Affairs

Additional advice:

- Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.