Version: 01.0



# **Crew® Super BlueTM/MC** Mild Acid Bowl Cleaner

Revision: 2024-07-31

| 1. IDENTIFICATION   |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Product name:   | Crew® Super BlueTM/MC<br>Mild Acid Bowl Cleaner  |  |  |  |  |  |
| SDS #:  | MS0801210  |  |  |  |  |  |
| Recommended use:  | <ul> <li>This product is intended to be used neat.</li> <li>Industrial/Institutional</li> <li>Descaler</li> <li>Acid Cleaner</li> <li>Restroom Care</li> </ul> |  |  |  |  |  |
| Uses advised against:   | Uses other than those identified are not recommended   |  |  |  |  |  |
| Manufacturer, importer, supplier:<br>US Headquarters<br>Diversey, Inc.<br>1300 Altura Rd., Suite 125<br>Fort Mill, SC 29708<br>Phone: 1-888-352-2249<br>SDS Internet Address: https://sds.diverse | Canadian Headquarters<br>Diversey Canada, Inc.<br>6150 Kennedy Road Unit 3<br>Mississauga, Ontario L5T 2J4<br>Phone: 1-800-668-7171                            |  |  |  |  |  |
| Emergency telephone number:   | 1-800-851-7145; 1-651-917-6133 (Int'I)   |  |  |  |  |  |
|   |  |  |  |  |  |  |
| 2. HAZARDS IDENTIFICATION   |  |  |  |  |  |  |

# Classification for the undiluted product

Serious eye damage, Category 1 Skin irritation, Category 2



Signal word:

Danger.

#### Hazard Statements CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with strong alkaline products resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

# RTU

**3. COMPOSITION/INFORMATION ON INGREDIENTS** 

# **Classified Ingredients**

| Ingredient(s)                | CAS #      | Weight % |  |
|------------------------------|------------|----------|--|
| Alcohol, C9-C11, ethoxylated | 68439-46-3 | 1 - 5%   |  |
| Oxalic acid                  | 6153-56-6  | 1 - 5%   |  |
| Dodecylbenzene sulfonic acid | 68584-22-5 | 1 - 5%   |  |

# 4. FIRST AID MEASURES

# Undiluted Product:

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

<u>Most Important Symptoms/Effects:</u> No information available. Immediate medical attention and special treatment needed Not applicable.

# **5. FIRE-FIGHTING MEASURES**

Specific methods: Suitable extinguishing media: Specific hazards: No special methods required The product is not flammable. Extinguish fire using agent suitable for surrounding fire. Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.). Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. Do not mix with other products or chemicals except as directed on the label. Mix only with water. FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Ingredient(s) | ACGIH                      | OSHA |  |
|---------------|----------------------------|------|--|
| Oxalic acid   | 2 mg/m <sup>3</sup> (STEL) | -    |  |
|               | 1 mg/m <sup>3</sup> (TWA)  |      |  |

#### **Undiluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to

determine the necessity, selection, and use of personal protective equipment.

| Eye protection:           | Chemical-splash goggles.  |
|---------------------------|---|
| Hand protection:          | Chemical-resistant gloves.  |
| Skin and body protection: | No personal protective equipment required under normal use conditions.  |
| Respiratory protection:   | No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure. |
| Hygiene measures:         | Handle in accordance with good industrial hygiene and safety practice.  |

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid Evaporation Rate: No information available Odor threshold: No information available. Melting point/freezing point (°C): Not determined Autoignition temperature: No information available Solubility in other solvents: No information available Density: 1.007 Kg/LBulk density: No information available Flash point (°F): > 200 °F > 93 °C Kinematic viscosity mPa.s 20 cP VOC: 0 % \* Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable Explosion limits: - upper: Not determined - lower: Not determined

Color: Clear , Medium , Blue Odor: Product specific Boiling point/range: Not determined Decomposition temperature: Not determined Solubility: Completely Soluble Relative Density (relative to water): 1.01 Vapor density: No information available Vapor pressure: No information available. Partition coefficient (n-octanol/water): No information available Elemental Phosphorus: 0.00 % by wt.

pH: =< 2 Corrosion to metals: Not corrosive to metals

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# **10. STABILITY AND REACTIVITY**

| Reactivity:                         | Not Applicable  |  |  |  |
|-------------------------------------|---|--|--|--|
| Stability:                          | The product is stable   |  |  |  |
| Possibility of hazardous reactions: | May vigorously react with strong alkaline products resulting in spattering and excessive heat.    |  |  |  |
| Hazardous decomposition products:   | None reasonably foreseeable.  |  |  |  |
| Materials to avoid:                 | Strong bases. Ammonia. Do not mix with chlorinated products (such as bleach). Do not mix with any |  |  |  |
| Conditions to avoid:                | other product or chemical unless specified in the use directions.<br>None known.                  |  |  |  |

**11. TOXICOLOGICAL INFORMATION** 

### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

# Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort. **Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects. Target Organs (SE): None known Target Organs (RE):

### Numerical measures of toxicity

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

**Mobility:** No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

**Waste from residues / unused products (undiluted product):** This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste Contaminated Packaging: Do not re-use empty containers.

**14. TRANSPORT INFORMATION** 

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: NOT REGULATED

IMDG (Ocean) Bill of Lading Description: NOT REGULATED

**15. REGULATORY INFORMATION** 

International Inventories at CAS# Level TSCA A DSL A

All components are listed or otherwise exempt All components are listed or otherwise exempt

### US RIGHT TO KNOW (RTK)

| Ingredient(s)                | CAS #      | MARTK: | NJRTK: | PARTK: | RIRTK: |
|------------------------------|------------|--------|--------|--------|--------|
| Water                        | 7732-18-5  | -      | -      | -      | -      |
| Alcohol, C9-C11, ethoxylated | 68439-46-3 | -      | -      | -      | -      |
| Oxalic acid                  | 6153-56-6  | Х      | Х      | Х      | -      |
| Dodecylbenzene sulfonic acid | 68584-22-5 | -      | -      | -      | -      |
| Polyethylene glycol          | 25322-68-3 | -      | -      | -      | -      |
| Dye CI 61585                 | 4474-24-2  | -      | -      | -      | -      |

CERCLA/ SARA

### Canadian Regulations

**16. OTHER INFORMATION** 

**NFPA (National Fire Protection Association)** Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0

Crew® Super BlueTM/MC Mild Acid Bowl Cleaner Instability 0 Special Hazards -

**Revision:** 2024-07-31 **Version:** 01.0

Reason for revision: Prepared by: Not applicable North American Regulatory Affairs

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.