

# J-512 TM/MC Sanitizer

**Revision:** 2024-07-31 **Version:** 02.0

### 1. IDENTIFICATION

**Product name:** J-512 TM/MC Sanitizer

**SDS #**: MS0801647

Recommended use: • This product is intended to be diluted prior to use

Sanitizer

Industrial/Institutional

Uses advised against: Uses other than those identified are not recommended

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersDiversey Canada, Inc.Diversey, Inc.6150 Kennedy Road Unit 3

1300 Altura Rd., Suite 125
Fort Mill, SC 29708
Phone: 1-888-352-2249

Mississauga, Ontario L5T 2J4
Phone: 1-800-668-7171

SDS Internet Address: https://sds.diversey.com

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion, Category 1C Serious eye damage, Category 1



Signal word: Danger.

#### **Hazard Statements**

## CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE.

#### **Precautionary Statements**

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Store locked up. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

# Classification for the diluted product 1:160

Serious eye damage/eye irritation Category 2B Signal word: Warning.

### **Hazard and Precautionary Statements**

#### CAUSES EYE IRRITATION.

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention.

J-512 TM/MC Sanitizer 1 of 6

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Classified Ingredients

Ingredient(s)	CAS#	Weight %
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl	68956-79-6	3 - 7%
ammonium chloride		
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	68391-01-5	3 - 7%
dimethyl benzyl ammonium chloride		
Ethyl alcohol	64-17-5	0.5 - 1.5%

# 4. FIRST AID MEASURES

### **Undiluted Product:**

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

#### **Diluted Product:**

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention

Skin: No specific first aid measures are required

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell

# 5. FIRE-FIGHTING MEASURES

No special methods required Specific methods:

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

Specific hazards: Although this product has a flash point below 200 Deg. F, it is an aqueous solution containing an

alcohol and does not sustain combustion. Corrosive material (See sections 8 and 10).

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: **Environmental precautions** and clean-up methods:

Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. Prevent product from entering drains. Water runoff can cause environmental damage. Soak up with inert absorbent material. Sweep up and

shovel into suitable containers for disposal. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

Handling: Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Mix only with water. DO NOT MIX WITH BLEACH OR ANY OTHER PRODUCT OR CHEMICAL. Can react to release chlorine gas. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

J-512 TM/MC Sanitizer 2 of 6 **Exposure Guidelines:** 

Ingredient(s)	ACGIH	OSHA	
Ethyl alcohol	1000 ppm (STEL)	1000 ppm (TWA)	
		1900 mg/m³ (TWA)	

#### **Undiluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

**Skin and body protection:** Protective footwear. Wear suitable protective clothing.

Respiratory protection: No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors

are not adequately controlled by ventilation, use appropriate respiratory protection to avoid

over-exposure.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

#### **Diluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

Eye protection: Safety glasses are not normally required. However, their use is recommended in those cases where

handling the undiluted product involves a risk of splashing.

Hand protection:

Skin and body protection:

Respiratory protection:

Hygiene measures:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Handle in accordance with good industrial hygiene and safety practice.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Evaporation Rate: No information available Odor threshold: No information available. Melting point/freezing point (°C): Not determined Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 0.993 Kg/L

**Bulk density:** No information available **Flash point (°F):** > 200.12 °F > 93.4 °C

Kinematic viscosity mPa.s

0

**VOC**: 1.3 % \*

Flammability (Solid or Gas): Not applicable

**Sustained combustion:** The product does not sustain combustion **Explosion limits: - upper:** Not determined **- lower:** Not determined

Dilution pH:  $\approx 7$ 

Dilution Flash Point (°F): > 200.12 °F > 93.4 °C

VOC % by wt. at use dilution: 0.008 %

Color: Clear , Red Odor: Product specific

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 0.99 Vapor density: No information available Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

**pH:** ≈ 7.9

Corrosion to metals: Not corrosive to metals

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Possibility of hazardous reactions: None known

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Oxidizing agents. Anionic surfactant. Do not mix with chlorinated products (such as bleach).

Conditions to avoid: None known.

J-512 TM/MC Sanitizer 3 of 6

### 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE):

<u>Carcinogen Listings:</u> Ethyl alcohol is only classified as an IARC 1 carcinogen and California Prop 65 chemical when it is meant for ingestion in alcoholic beverages. We do not produce alcoholic beverages; therefore it is not considered a carcinogen in our products.

### Numerical measures of toxicity

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

**Mobility:** No information available.

Other adverse effects No other adverse effects known.

## 13. DISPOSAL CONSIDERATIONS

Do not contaminate water, food, or feed by storage or disposal.

### Waste from residues / unused products (undiluted product):

This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

#### Waste from residues / unused products (diluted product):

This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

#### Pesticide Storage:

Refer to product label.

#### Pesticide Disposal:

Refer to product label.

### **Container Disposal:**

Refer to product label.

RCRA Hazard Class (undiluted product): Not Regulated.

J-512 TM/MC Sanitizer 4 of 6

RCRA Hazard Class (diluted product): Not Regulated.

### 14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III

IMDG (Ocean) Bill of Lading Description: UN3267, CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S., (quaternary ammonium compounds), 8, III, MARINE POLLUTANT

### 15. REGULATORY INFORMATION

#### International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt DSL All components are listed or otherwise exempt

**EPA Reg. No.**: 70627-63

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

DANGER: CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
n-Alkyl (68% C12, 32% C14)	68956-79-6	3 - 7%			
dimethyl ethylbenzyl ammonium					
chloride					
n-Alkyl (60% C14, 30% C16, 5%	68391-01-5	3 - 7%			
C12, 5% C18) dimethyl benzyl					
ammonium chloride					
Ethyl alcohol	64-17-5	0.5 - 1.5%			

# **Canadian Regulations**

Ingredient(s)	CAS#	NPRI
Ethyl alcohol	64-17-5	X

## **16. OTHER INFORMATION**

#### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

**Diluted Product:** 

Health 1 Flammability 0 Instability 0 Special Hazards -

**Revision:** 2024-07-31 **Version:** 02.0

Reason for revision: Not applicable

J-512 TM/MC Sanitizer 5 of 6

Prepared by: North American Regulatory Affairs

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

J-512 TM/MC Sanitizer 6 of 6