

# LinoSAFE® Linoleum/Stone Stripper

**Revision:** 2025-12-04 **Version:** 02.0

# 1. IDENTIFICATION

Product name: LinoSAFE®

Linoleum/Stone Stripper

SDS #: MS0801745
Recommended use: • Floor stripper

Industrial/Institutional

• This product is intended to be diluted prior to use

Uses advised against:

Uses other than those identified are not recommended

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

# 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

Skin corrosion, Category 1C Serious eye damage, Category 1



Signal word: Danger.

#### **Hazard Statements**

# CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE.

#### **Precautionary Statements**

Causes burns, serious damage to mouth, throat and stomach. Keep container tightly closed. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Store locked up. Dispose of in accordance with all federal, state and local applicable regulations.

<u>Health hazards not otherwise classified (HHNOC)</u> - Not applicable <u>Physical hazards not otherwise classified (PHNOC)</u> - Not applicable

Classification for the diluted product 1:4

Serious eye damage/eye irritation Category 2A



Signal word: Warning.

# Hazard and Precautionary Statements CAUSES SERIOUS EYE IRRITATION.

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. May cause irritation to mouth, throat and stomach. Wear chemical-splash goggles and chemical-resistant gloves. Drink a cupful of milk or water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice or attention. Dispose of in accordance with all federal, state and local applicable regulations.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Classified Ingredients**

<u>Olacomoa ingroalonto</u>					
Ingredient(s)	CAS#	Weight %			
2-(2-butoxyethoxy)ethanol	112-34-5	7 - 13%			
2-butoxyethanol	111-76-2	5 - 10%			
Ethylene glycol phenyl ether	122-99-6	3 - 7%			
Sodium xylene sulfonate	1300-72-7	1 - 5%			
Monoethanolamine	141-43-5	> 0.1 - 1%			

# 4. FIRST AID MEASURES

# **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash with plenty of water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

<u>Ingestion:</u> IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

# **Diluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. If eye irritation persists: Get medical advice/attention

Skin: No specific first aid measures are required

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

### 5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

LinoSAFE® Linoleum/Stone Stripper

2 of 6

Environmental precautions and clean-up methods:

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

a chemical waste container. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	ACGIH	OSHA
2-(2-butoxyethoxy)ethanol	10 ppm (TWA)	-
2-butoxyethanol	20 ppm (TWA)	Skin
		50 ppm (TWA)
		240 mg/m³ (TWA)
Monoethanolamine	6 ppm (STEL)	3 ppm (TWA)
	3 ppm (TWA)	6 mg/m³ (TWA)

#### **Undiluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

**Skin and body protection:** Protective footwear. Wear suitable protective clothing.

Respiratory protection: No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors

are not adequately controlled by ventilation, use appropriate respiratory protection to avoid

over-exposure.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

#### **Diluted Product:**

# Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection:

Respiratory protection:

No personal protective equipment required under normal use conditions.

No personal protective equipment required under normal use conditions.

Hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

**Evaporation Rate:** No information available **Odor threshold:** No information available.

Melting point/freezing point (°C): Not determined Autoignition temperature: No information available Solubility in other solvents: No information available

Density: 1.031 Kg/L

**Bulk density:** No information available **Flash point (°F):** > 200.1 °F > 93.4 °C

Kinematic viscosity 6 mPa.s

VOC: 9.1 % \*

Flammability (Solid or Gas): Not applicable Sustained combustion: Not applicable

Color: Clear , Colorless Odor: Product specific

Boiling point/range: Not determined

**Decomposition temperature:** Not determined

Solubility: Completely Soluble

Relative Density (relative to water): 1.03 Vapor density: No information available Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

**pH**: ≈ 9.8

**Corrosion to metals:** Not corrosive to metals **Particle characteristics** No data available

Explosion limits: - upper: Not determined - lower: Not determined

Dilution pH: ≈ 9.8

Dilution Flash Point (°F): > 200.1 °F > 93.4 °C

VOC % by wt. at use dilution: 1.8 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Possibility of hazardous reactions: None known

**Hazardous decomposition products:** None reasonably foreseeable.

Materials to avoid: Do not mix with any other product or chemical unless specified in the use directions.

Conditions to avoid: None known.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

# Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

Sensitization: No known effects.

Target Organs (SE): None known

Target Organs (RE):

# Numerical measures of toxicity

ATE - Oral (mg/kg): >2000
ATE - Dermal (mg/kg): >2000
ATE - Inhalatory, gases (mg/l): >20000
ATE - Inhalatory, mists (mg/l): >5
ATE - Inhalatory, vapors (mg/l): >20

# 12. ECOLOGICAL INFORMATION

Ecotoxicity: No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

**Mobility:** No information available.

<u>Other adverse effects</u> No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of

LinoSAFE® 4 of 6

disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): Not Regulated RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN2491, ETHANOLAMINE SOLUTIONS, 8, III

IMDG (Ocean) Bill of Lading Description: UN2491, ETHANOLAMINE SOLUTIONS, 8, III

# 15. REGULATORY INFORMATION

# International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt DSL All components are listed or otherwise exempt

**US RIGHT TO KNOW (RTK)** 

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	=	=	-
2-(2-butoxyethoxy)ethanol	112-34-5	-	Х	=	-
2-butoxyethanol	111-76-2	X	Х	X	-
Ethylene glycol phenyl ether	122-99-6	-	Х	=	-
Sodium xylene sulfonate	1300-72-7	-	=	=	-
Monoethanolamine	141-43-5	X	Х	X	-

# CERCLA/ SARA

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-(2-butoxyethoxy)ethanol	112-34-5	7 - 13%			X
2-butoxyethanol	111-76-2	5 - 10%			Х
Ethylene glycol phenyl ether	122-99-6	3 - 7%			X

# Clean Air Act/Clean Water Act

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
2-(2-butoxyethoxy)ethanol	X		
2-butoxyethanol	X		
Ethylene glycol phenyl ether	X		

#### Canadian Regulations

Ingredient(s)	CAS#	NPRI
2-(2-butoxyethoxy)ethanol	112-34-5	X
2-butoxyethanol	111-76-2	X

# **16. OTHER INFORMATION**

# NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

# Special Hazards -

Diluted Product:
Health 2
Flammability 0
Instability 0
Special Hazards -

Revision: 2025-12-04

Version: 02.0

Reason for revision: Not applicable

Prepared by:

Additional advice:

North American Regulatory Affairs

Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.