

# Pro Strip TM/MC SC High Efficiency Floor Stripper

**Revision:** 2024-07-31 **Version:** 01.0

# 1. IDENTIFICATION

Product name: Pro Strip TM/MC SC

High Efficiency Floor Stripper

**SDS #**: MS0802342

Recommended use: • Industrial/Institutional

· Floor stripper

This product is intended to be diluted prior to use
Uses other than those identified are not recommended.

Manufacturer, importer, supplier:

US Headquarters Diversey, Inc. 1300 Altura Rd., Suite 125 Fort Mill, SC 29708 Phone: 1-888-352-2249

Uses advised against:

SDS Internet Address: https://sds.diversey.com

Canadian Headquarters Diversey Canada, Inc. 6150 Kennedy Road Unit 3 Mississauga, Ontario L5T 2J4 Phone: 1-800-668-7171

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

# 2. HAZARDS IDENTIFICATION

# Classification for the undiluted product

Skin corrosion, Category 1B
Serious eye damage, Category 1
Acute toxicity, inhalation, Category 4
Acute toxicity, oral, Category 4

Specific target organ toxicity (single exposure), Category 3



Signal word: Danger.

#### **Hazard Statements**

HARMFUL IF SWALLOWED OR IF INHALED. CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY CAUSE RESPIRATORY IRRITATION.

### **Precautionary Statements**

Causes burns/ serious damage to mouth, throat and stomach. Do not breathe vapors. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Use only in a well-ventilated area. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. DO NOT MIX WITH AMMONIA, BLEACH OR OTHER CHLORINATED COMPOUNDS. Mix only with water. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

# Classification for the diluted product 1:13

Skin corrosion/irritation
Serious eye damage/eye irritation



Signal word: Danger.

#### **Hazard and Precautionary Statements**

### CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.

Category 2 Category 1

Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves and eye or face protection. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# **Classified Ingredients**

Ingredient(s)	CAS#	Weight %
Monoethanolamine	141-43-5	30 - 60%
Benzyl alcohol	100-51-6	15 - 40%
Alcohol, C9-C11, ethoxylated	68439-46-3	1 - 5%

# 4. FIRST AID MEASURES

### **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash with plenty of water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

# **Diluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

Skin: IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention

Inhalation: No specific first aid measures are required

Ingestion: IF SWALLOWED: Call a Poison Center (1-800-851-7145) or doctor/physician if you feel unwell.

# **5. FIRE-FIGHTING MEASURES**

Specific methods: No special methods required

Suitable extinguishing media: The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions: Environmental precautions Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

Pro Strip TM/MC SC High Efficiency Floor Stripper

### 7. HANDLING AND STORAGE

Handling: Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	ACGIH	OSHA	
Monoethanolamine	6 ppm (STEL)	3 ppm (TWA)	
	3 ppm (TWA)	6 mg/m³ (TWA)	

### **Undiluted Product:**

### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

#### Personal Protective Equipment

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

Eye protection: Chemical-splash goggles. Hand protection: Chemical-resistant gloves.

Protective footwear. Wear suitable protective clothing. Skin and body protection:

In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program Respiratory protection:

that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever

workplace conditions warrant a respirator's use.

Handle in accordance with good industrial hygiene and safety practice. Hygiene measures:

### **Diluted Product:**

### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

### Personal Protective Equipment

Chemical-splash goggles. Eye protection: Hand protection: Chemical-resistant gloves.

Skin and body protection: No personal protective equipment required under normal use conditions. No personal protective equipment required under normal use conditions. Respiratory protection: Handle in accordance with good industrial hygiene and safety practice. Hygiene measures:

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Evaporation Rate: No information available Odor threshold: No information available. Melting point/freezing point (°C): Not determined Autoignition temperature: No information available

Solubility in other solvents: No information available

Density: 1.035 Kg/L

Bulk density: No information available Flash point (°F): > 200.12 °F > 93.4 °C Kinematic viscosity No information available

VOC: 47.6 %

Flammability (Solid or Gas): Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

Sustained combustion: Not applicable

Dilution Flash Point (°F): > 200.12 °F > 93.4 °C

Color: Clear , Light , from Amber to Orange

Odor: Solvent

Boiling point/range: Not determined

Decomposition temperature: Not determined

Solubility: Dispersible

Relative Density (relative to water): 1.03 Vapor density: No information available Vapor pressure: No information available.

Partition coefficient (n-octanol/water): No information available

Elemental Phosphorus: 0.00 % by wt.

**pH:** >= 11.5

Corrosion to metals: Not corrosive to metals

Pro Strip TM/MC SC **High Efficiency Floor Stripper**  VOC % by wt. at use dilution: 3.7 %

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

# 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: Not Applicable The product is stable

Possibility of hazardous reactions: May vigorously react with acids resulting in spattering and excessive heat.

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Acids. Strong acids. Do not mix with any other product or chemical unless specified in the use

directions.

Conditions to avoid: None known.

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be

delayed).

Eye contact: Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred

vision or loss of vision.

Ingestion: Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

Symptoms may include vomiting, nausea, and/or feeling of general unwellness. Harmful if swallowed.

Inhalation: Symptoms may include coughing and difficulty breathing. May cause irritation and corrosive effects to nose, throat

and respiratory tract. Harmful if inhaled. **Sensitization:** No known effects.

Target Organs (SE): No information available

**Target Organs (RE):** 

Numerical measures of toxicity

ATE - Oral (mg/kg): 1000
ATE - Dermal (mg/kg): >2000
ATE - Inhalatory, gases (mg/l): >20000
ATE - Inhalatory, mists (mg/l): 2
ATE - Inhalatory, vapors (mg/l): >20

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

Bioaccumulation: No information available.

**Mobility:** No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Pro Strip TM/MC SC High Efficiency Floor Stripper Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): Not Regulated RCRA Hazard Class (diluted product): Not Regulated Contaminated Packaging: Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

DOT (Ground) Bill of Lading Description: UN2491, ETHANOLAMINE SOLUTIONS, 8, III

IMDG (Ocean) Bill of Lading Description: UN2491, ETHANOLAMINE SOLUTIONS, 8, III

# **15. REGULATORY INFORMATION**

### International Inventories at CAS# Level

TSCA All components are listed or otherwise exempt DSL All components are listed or otherwise exempt

WARNING: This product can expose you to chemicals including Benzyl chloride which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### US RIGHT TO KNOW (RTK)

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Monoethanolamine	141-43-5	X	X	X	-
Benzyl alcohol	100-51-6	Х	=	X	=
Water	7732-18-5	-	-	-	<del>-</del>
Alcohol, C9-C11, ethoxylated	68439-46-3	-	=	=	=
D-Glucopyranose, oligomers, decyl	68515-73-1	-	-	-	=
octyl glycosides					

#### CERCLA/ SARA

# Canadian Regulations

# **16. OTHER INFORMATION**

# NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0 Special Hazards -

# **Diluted Product:**

Health 3 Flammability 0 Instability 0 Special Hazards -

**Revision:** 2024-07-31 **Version:** 01.0

Reason for revision: Not applicable

Prepared by:
Additional advice:

North American Regulatory Affairs
Does not contain an added fragrance

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.