



Oxivir Plus Spray

Revision: 2023-04-25

Version: 01.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Oxivir Plus Spray

UFI: AW71-207V-C003-C1F0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Hard surface cleaner.
Surface disinfectant.
for general surface disinfection
for food contact surface disinfection
for cleaning of medical devices
for disinfection of medical devices
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_11_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Tandur Hf.
Hesthálsi 12, 110 Reykjavík
Tel. 5101200, Email: tandur@tandur.is

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).
Poison Center: (+354) 543-2222
Emergency services: 112.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Hazard statements:
EUH210 - Safety data sheet available on request.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
Hydrogen peroxide	231-765-0	7722-84-1	[6]	Ox. Liq. 1 (H271) Skin Corr. 1A (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H332) STOT SE 3 (H335) Aquatic Chronic 3 (H412)		0.1-1
salicylic acid	200-712-3	69-72-7	[6]	Repr. 2 (H361) Acute Tox. 4 (H302)		0.1-1

Oxivir Plus Spray

				Eye Dam. 1 (H318)		
--	--	--	--	-------------------	--	--

Specific concentration limits

Hydrogen peroxide:

- Eye Dam. 1 (H318) >= 8% > Eye Irrit. 2 (H319) >= 5%
- Skin Corr. 1A (H314) >= 70% > Skin Corr. 1B (H314) >= 50% > Skin Irrit. 2 (H315) >= 35%
- STOT SE 3 (H335) >= 35%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	No known effects or symptoms in normal use.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Oxivir Plus Spray

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
Hydrogen peroxide	1 ppm 1.4 mg/m ³	

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Hydrogen peroxide	-	-	-	-
salicylic acid	-	4	-	1

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Hydrogen peroxide	-	-	-	-
salicylic acid	No data available	-	No data available	2

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Hydrogen peroxide	-	-	-	-
salicylic acid	No data available	-	No data available	1

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Hydrogen peroxide	3	-	1.4	-
salicylic acid	-	-	-	16

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Hydrogen peroxide	1.93	-	0.21	-
salicylic acid	-	-	0.2	4

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
Hydrogen peroxide	0.0126	0.0126	0.0138	4.66
salicylic acid	0.2	0.02	1	162

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
Hydrogen peroxide	0.047	0.047	0.0023	-
salicylic acid	1.42	0.142	1.66	-

Oxivir Plus Spray

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: Provide a good standard of general ventilation. Ensure that foam equipment does not generate respirable particles.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Foam spraying	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection:

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).

Hand protection:

No special requirements under normal use conditions.

Body protection:

No special requirements under normal use conditions.

Respiratory protection:

Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear , Colourless	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
Hydrogen peroxide	150.2	Method not given	
salicylic acid	256	Method not given	1013

	Method / remark
Flammability (solid, gas): Not applicable to liquids	
Flammability (liquid): Not flammable.	
Flash point (°C): > 60 °C	Weight of evidence
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
salicylic acid	1.1	No data available

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: =< 2 (neat)	ISO 4316
Kinematic viscosity: Not determined	
Solubility in / Miscibility with water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value	Method	Temperature
---------------	-------	--------	-------------

Oxivir Plus Spray

	(g/l)		(°C)
Hydrogen peroxide	1000	Method not given	20
salicylic acid	2	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
Hydrogen peroxide	214	Method not given	20
salicylic acid	0.02	Method not given	25

Relative density: \approx 1.00 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

Acid reserve: \approx -0.1 (g NaOH / 100g; pH=4)

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity

Result: Not corrosive or irritant **Species:** Not applicable **Method:** Weight of evidence

Eye irritation and corrosivity

Result: Not corrosive or irritant **Species:** Not applicable. **Method:** Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
---------------	----------	---------------	---------	--------	-------------------	-------------

Oxivir Plus Spray

Hydrogen peroxide	LD ₅₀	> 300-2000	Rat	Weight of evidence		Not established
salicylic acid	LD ₅₀	891	Rat	Method not given		891

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
Hydrogen peroxide	LD ₅₀	> 2000	Rabbit	Substance was tested as 35 % aqueous solution		Not established
salicylic acid	LD ₅₀	> 2000	Rat	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Hydrogen peroxide	LC ₀	No mortality observed (vapour)	Rat	Method not given	4
salicylic acid		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
Hydrogen peroxide	Not established	Not established	11	Not established
salicylic acid	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Hydrogen peroxide	Corrosive	Rabbit	Method not given	
salicylic acid	Not irritant	Rabbit	Method not given	24 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Hydrogen peroxide	Corrosive	Rabbit	Method not given	
salicylic acid	Severe damage	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Hydrogen peroxide	Irritating to respiratory tract		Method not given	
salicylic acid	No data available		Method not given	

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Hydrogen peroxide	Not sensitising	Guinea pig	Method not given	
salicylic acid	Not sensitising	Mouse	Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Hydrogen peroxide	No data available			
salicylic acid	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Hydrogen peroxide	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	Method not given
salicylic acid	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	Method not given

Carcinogenicity

Ingredient(s)	Effect
Hydrogen peroxide	No evidence for carcinogenicity, negative test results
salicylic acid	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Oxivir Plus Spray

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Hydrogen peroxide			No data available				No evidence for reproductive toxicity
salicylic acid	NOAEL	Developmental toxicity	50	Rat	Non guideline test		Indications of possible developmental toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Hydrogen peroxide	NOAEL	100	Mouse	OECD 408 (EU B.26)	90	
salicylic acid	NOAEL	45.4	Rat	Method not given	other	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Hydrogen peroxide		No data available				
salicylic acid		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Hydrogen peroxide	NOAEL	7	Mouse	OECD 413 (EU B.29)	28	
salicylic acid		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Hydrogen peroxide			No data available					
salicylic acid			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Hydrogen peroxide	No data available
salicylic acid	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Hydrogen peroxide	No data available
salicylic acid	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Oxivir Plus Spray

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Hydrogen peroxide	LC ₅₀	16.4	<i>Pimephales promelas</i>	EPA-OPPTS 850.1075	96
salicylic acid	LC ₅₀	90	<i>Leuciscus idus</i>	Method not given	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Hydrogen peroxide	EC ₅₀	2.4	<i>Daphnia pulex</i>	Method not given	48
salicylic acid	EC ₅₀	105	<i>Daphnia magna Straus</i>	Method not given	24

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Hydrogen peroxide	EC ₅₀	1.38	<i>Chlorella vulgaris</i>	OECD 201 (EU C.3)	72
salicylic acid	EC ₅₀	> 100	<i>Desmodesmus subspicatus</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Hydrogen peroxide	ErC ₅₀	1.38	<i>Skeletonema costatum</i>	Method not given	72
salicylic acid		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Hydrogen peroxide	EC ₅₀	466	<i>Activated sludge</i>	Method not given	
salicylic acid		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Hydrogen peroxide	NOEC	4.3	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
salicylic acid		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Hydrogen peroxide	NOEC	1	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
salicylic acid	NOEC	10	<i>Daphnia magna</i>	Method not given	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Hydrogen peroxide		No data available				
salicylic acid		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Hydrogen peroxide		No data available				

Terrestrial toxicity - plants, if available:

Oxivir Plus Spray

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Hydrogen peroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Hydrogen peroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Hydrogen peroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Hydrogen peroxide		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
Hydrogen peroxide	24 hour(s)	Method not given	OH radical	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
Hydrogen peroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
Hydrogen peroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
Hydrogen peroxide	Activated sludge, aerobe	Specific analysis (primary degradation)	> 50 % in < 1 day(s)		Not applicable (inorganic substance)
salicylic acid			100% in 14 day(s)	Method not given	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
Hydrogen peroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
Hydrogen peroxide					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Hydrogen peroxide	-1.57		No bioaccumulation expected	
salicylic acid	2.2	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Hydrogen peroxide	1.4		QSAR	Low potential for bioaccumulation	
salicylic acid	No data available				

Oxivir Plus Spray

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Hydrogen peroxide	2				Mobile in soil
salicylic acid	No data available				Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number or ID number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- Regulation (EU) 2017/745 on medical devices
- Regulation (EU) No 528/2012 on biocidal products
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.**Ingredients according to EC Detergents Regulation 648/2004**anionic surfactants, oxygen-based bleaching agents, non-ionic surfactants
disinfectants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

Oxivir Plus Spray

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1001521

Version: 01.5

Revision: 2023-04-25

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 7, 8, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H271 - May cause fire or explosion; strong oxidiser.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H361 - Suspected of damaging fertility or the unborn child.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet