

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Diverwash HD7 VC24

Revision: 2024-08-01

Version: 02.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Diverwash HD7 VC24

UFI: FJG1-30P6-M004-7E9R

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use:

Open plant cleaning chemical. Hard surface cleaner. For industrial use only.

Uses advised against:

Uses other than those identified are not recommended.

 \mbox{SWED} - Sector-specific worker exposure description : <code>AISE_SWED_PW_8a_2</code>

AISE_SWED_IS_1_1 AISE_SWED_IS_8b_2 AISE_SWED_IS_4_1 AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)(Methylchloroisothiazolinone, Methylisothiazolinone)

Hazard statements:

H319 - Causes serious eye irritation. EUH208 - May produce an allergic reaction.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
tetrasodium ethylene diamine tetraacetate	200-573-9	64-02-8	2-27	Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Inhalation, Category 4 (H332) Specific target organ toxicity - Repeated exposure, Category 2 (H373) Serious eye damage, Category 1 (H318)		3-10
tetrasodium (1-hydroxy ethylidene)bisphosphonate	223-267-7	3794-83-0		Acute toxicity - Oral, Category 4 (H302) Eye irritation, Category 2 (H319)		1-3
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5		Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1 (H317) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		0.01-0.1

Specific concentration limits

1,2-benzisothiazol-3(2H)-one:

• Skin sensitisation, Category 1 (H317) >= 0.05%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.
 [6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and	effects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.

kilowii cheets of symptoms in normal use.
known effects or symptoms in normal use.
uses severe irritation.
known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure DNEL/DMEL oral exposure - Consumer (mg/kg bw)

 Ingredient(s)
 Short term - Local effects
 Short term - Systemic effects
 Long term - Local effects
 Long term - Local effects
 Long term - Systemic effects

 tetrasodium ethylene diamine tetraacetate
 25

 tetrasodium (1-hydroxy ethylidene)bisphosphonate
 2.4

 1,2-benzisothiazol-3(2H)-one

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
tetrasodium ethylene diamine tetraacetate	-	-	-	-
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available	-	No data available	48
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
tetrasodium ethylene diamine tetraacetate	-	-	-	-
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available	-	No data available	24
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m3)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
tetrasodium ethylene diamine tetraacetate	3	3	1.5	1.5
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	16.9

1,2-benzisothiazol-3(2H)-one

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
tetrasodium ethylene diamine tetraacetate	1.2	1.2	0.6	-
tetrasodium (1-hydroxy ethylidene)bisphosphonate	10	-	10	4.2
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
tetrasodium ethylene diamine tetraacetate	2.2	0.22	1.2	43
tetrasodium (1-hydroxy ethylidene)bisphosphonate	0.096	0.01	-	-
1,2-benzisothiazol-3(2H)-one	0.0026	0.00026	-	0.055

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
tetrasodium ethylene diamine tetraacetate	-	-	0.72	-
tetrasodium (1-hydroxy ethylidene)bisphosphonate	193	19.3	14	-
1,2-benzisothiazol-3(2H)-one	0.0132	-	0.33	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: Appropriate organisational controls:

No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4
Automatic transfer and dilution	AISE_SWED_IS_8b_2	IS	PROC 8b	60	ERC4
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

Personal protective equipment

Personal protective equipment	
Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where
	splashes may occur when handling the product (EN 16321 / EN 166).
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended maximum concentration (% w/w): 2

```
Appropriate engineering controls:
Appropriate organisational controls:
```

Provide a good standard of general ventilation. No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Spray application	AISE_SWED_IS_7_5	IS	PROC 7	480	ERC4

Personal protective equipment Eye / face protection: Hand protection: Body protection:

No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

Diverwash HD7 VC24

No special requirements under normal use conditions.

Respiratory protection:

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear , Colourless Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

× × · ·

.

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
tetrasodium ethylene diamine tetraacetate	1 - 1	Non-experimental data	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Flammability (solid, gas): Not applicable to liquids		
Flammability (liquid): Not flammable.		
Flash point (°C): > 100 °C	closed cup	
Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)	Weight of evidence	
Lower and upper explosion limit/flammability limit (%): Not determined		
Substance data, flammability or explosive limits, if available:		
	Method / remark	
Autoignition temperature: Not determined		
Decomposition temperature: Not applicable.		

pH: ≈ 9 (neat) **Dilution pH:** \approx 9 (2%) Kinematic viscosity: Not determined Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
tetrasodium ethylene diamine tetraacetate	500	Method not given	20
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Substance data, vapour pressure

9.2 Other information

Ingredient(s)	Value	Method	Temperature
	(Pa)		(°C)
tetrasodium ethylene diamine tetraacetate	0.000000002	Read across	25
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Relative density: \approx 1.07 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Method / remark

Method / remark

See substance data

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

ISO 4316 ISO 4316

Safety Data Sheet

Method / remark

Method / remark

Not relevant to classification of this product See substance data

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
tetrasodium ethylene diamine tetraacetate	LD 50	1780	Rat	OECD 401 (EU B.1)		1780
tetrasodium (1-hydroxy ethylidene)bisphosphonate	LD 50	2850	Rat	OECD 401 (EU B.1)		940
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat			450

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE Dermal
		(mg/kg)			time (h)	(mg/kg)
tetrasodium ethylene diamine tetraacetate	LD 50	> 5000	Rabbit	Method not given		Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate	LD 50	> 5000	Rabbit	OECD 402 (EU B.3)		Not established
1,2-benzisothiazol-3(2H)-one	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC 50	≥ 1-5 (dust)	Rat	OECD 403 (EU B.2)	6
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Acute inhalative toxicity, continued				
Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
tetrasodium ethylene diamine tetraacetate	Not established	17	Not established	Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Not established	Not established	Not established	Not established
1,2-benzisothiazol-3(2H)-one	Not established	0.21	Not established	Not established

Irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	OECD 404 (EU B.4)	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Mild irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative	Method not	No evidence of genotoxicity, negative	Method not
	test results	given	test results	given
tetrasodium (1-hydroxy	No evidence for mutagenicity, negative	draft OECD	No evidence of genotoxicity, negative	OECD 478
ethylidene)bisphosphonate	test results	487	test results	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative	OECD 471 (EU	No data available	
	test results	B.12/13)		

Carcinogenicity

Ingredient(s)	Effect
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No evidence for carcinogenicity, negative test results
1,2-benzisothiazol-3(2H)-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
tetrasodium ethylene			No data				No evidence for reproductive
diamine tetraacetate			available				toxicity
tetrasodium (1-hydroxy	NOAEL		112	Rat	OECD 416,		No evidence for reproductive
ethylidene)bisphosphon					(EU B.35),		toxicity
ate					oral		
1,2-benzisothiazol-3(2H			No data				
)-one			available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data				
		available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate	NOAEL	41	Rat	OECD 408 (EU	90	No effects observed
				B.26)		

1,2-benzisothiazol-3(2H)-one	No data		
	available		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
tetrasodium ethylene diamine tetraacetate		No data				
		available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data				
		available				
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
tetrasodium ethylene diamine tetraacetate		No data				
		available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data				
		available				
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Chronic toxicity								
Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
	Toule					line	organs anected	
tetrasodium ethylene			No data					
diamine tetraacetate			available					
tetrasodium (1-hydroxy			No data					
ethylidene)bisphosphon			available					
ate								
1,2-benzisothiazol-3(2H			No data					
)-one			available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	No data available
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	Respiratory tract
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC 50	> 100	Lepomis	OPP 72-1, static (EPA)	96

Exposure time (h) 48

48

Diverwash HD7 VC24

			macrochirus		
tetrasodium (1-hydroxy ethylidene)bisphosphonate	LC 50	195			
1,2-benzisothiazol-3(2H)-one	LC 50	2.18	Oncorhynchus	OECD 203 (EU C.1)	
			mykiss		

Aquatic short-term toxicity - crustacea				
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method
tetrasodium ethylene diamine tetraacetate	EC 50	140	Daphnia magna Straus	DIN 38412, Part 11
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available		
1,2-benzisothiazol-3(2H)-one	EC 50	2.94	Daphnia	OECD 202 (EU C.2)

Aquatic sh	ort-term to	oxicitv - a	laae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	EC 50	> 100	Scenedesmus obliquus	88/302/EEC, Part C, static	72
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
1,2-benzisothiazol-3(2H)-one	Er C 50	0.11		OECD 201 (EU C.3)	72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
tetrasodium ethylene diamine tetraacetate		No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Impact on	sewage plai	nts - toxicity	to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	EC 20	> 500	Activated sludge	OECD 209	0.5 hour(s)
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
1,2-benzisothiazol-3(2H)-one	EC 20	3.3	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	> 25.7	Brachydanio rerio	OECD 210	35 day(s)	
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic long-term	toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
tetrasodium ethylene diamine tetraacetate	NOEC	25	Daphnia	OECD 211	21 day(s)	
			magna			
tetrasodium (1-hydroxy ethylidene)bisphosphonate	NOEC	6.75	Daphnia		28 day(s)	
			magna			
1,2-benzisothiazol-3(2H)-one		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate		No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	LD 50	156	Eisenia fetida	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene		No data available			
diamine tetraacetate					

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
tetrasodium ethylene diamine tetraacetate				Weight of evidence	Not readily biodegradable.
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Activated sludge, aerobe			Read across	Not readily biodegradable.
1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO ₂ production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

	Ingredient(s)	Value	Method	Evaluation	Remark
	tetrasodium ethylene diamine	-3.86	Method not given	No bioaccumulation expected	
	tetraacetate				
	tetrasodium (1-hydroxy	No data available			
	ethylidene)bisphosphonate				
Γ	1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
tetrasodium ethylene	1.8	Lepomis	OECD 305	Low potential for bioaccumulation	
diamine tetraacetate		macrochirus			

tetrasodium (1-hydro ethylidene)bisphosph ate	ky No data available on		
1,2-benzisothiazol-3(2H 6.95	OECD 305	
)-one			

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	The concentrated contents or contaminated packaging should be disposed of by a certified handler
Waste from residues / unused	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging
products:	material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 29* - detergents containing dangerous substances.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

- 14.1 UN number or ID number: Non-dangerous goods
- 14.2 UN proper shipping name: Non-dangerous goods
- 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)

- Regulation (EC) 1272/2008 CLP (UK amended)
 Regulation (EC) 648/2004 Detergents regulation (UK amended)
 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
 International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

polycarboxylates, EDTA and salts thereof, phosphonates, phosphates, NTA (nitrilotriacetic acid) < 5 % and salts thereof

Benzisothiazolinone

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1001727

Version: 02.1

Revision: 2024-08-01

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 6, 8, 9, 11, 12, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement · LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic PNEC - Predicted No Effect Concentration
- PROC Process categories
 REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
 H302 Harmful if swallowed.
- H315 Causes skin irritation.
- · H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- H330 Fatal if inhaled. · H332 - Harmful if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

End of Safety Data Sheet