

SAFETY DATA SHEET

Suma Café Liquid C2.3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1.	Product identifier			
	Trade name:	Suma Café Liquid C2.3		
	Unique formula identifier (UFI):	2H00-C0TV-P00S-1M9J		
1.2.	Relevant identified uses of the substance or mixture and uses advised against			
	Relevant identified uses of the substance or mixture:	Cleaning product		
	Uses advised against :	None known.		
1.3.	Details of the supplier of the safety data sheet			
	Company and address:	Urnex Brands, LLC 700 Executive Blvd. Elmsford, NY 10523 USA +1 (914) 963-2042 +1 (914) 963-2145 www.urnex.com		
	Distributor:	Diversey Europe Operations B.V. Maarssenbroeksedijk 2 3542 DN Utrecht The Netherlands		
	Contact person:	Customer support		
	E-mail:	info@urnex.com		
	Revision:	24/02/2023		
	SDS Version:	1.0		
1.4.	Emergency telephone number			

Infotrac +1 (352) 323-3500 Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation. Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

Hazard pictogram(s):





2017/2100 or Commission Regulation (EU)

Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

Signal word:	Warning
Hazard statement(s):	Causes skin irritation. (H315) Causes serious eye irritation. (H319)
Safety statement(s):	
General:	-
Prevention:	Wash hands thoroughly after handling. (P264) Wear eye protection/protective gloves. (P280
Response:	If eye irritation persists: Get medical advice/attention. (P337+P313)
Storage:	-
Disposal:	-
Hazardous substances:	None known.
Additional labelling:	UFI: 2H00-C0TV-P00S-1M9J
Other hazards	
Additional warnings:	This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU

2018/605.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

2.3.

Product/substance	Identifiers	% w/w	Classification	Note
disodium metasilicate	CAS No.: 6834-92-0 EC No.: 229-912-9 UK-REACH: Index No.: 014-010-00-8		Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures



f accident: Contact a doctor or artment – take the label or this heet. ctor if in doubt about the injured dition or if the symptoms persist n unconscious person water or
ing difficulties or irritation of the ract: Bring the person into fresh with him/her.
Wash with plenty of water/water caminated clothing and shoes. ish exposed skin thoroughly with oap. DO NOT use solvents or on occurs: Get medical tion.
on of the eye: Remove contact eyes immediately with plenty of onic water (20-30 °C) for at least id continue until irritation stops. o flush under upper and lower itation continues, contact a inue flushing during transport.
is conscious, rinse the mouth nd stay with the person. Never son anything to drink. alaise, seek medical advice and bring the safety data sheet the product. Do not induce less recommended by the the person lean forward with o avoid inhalation of or choking naterial.
le.
d n

substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed If eye irritation persists: Get medical advice/attention.

Information to medics:

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.



5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Avoid direct contact with spilled substances.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities Containers that have been opened must be carefully resealed and kept upright to prevent leakage. *Recommended storage material:* Keep only in original packaging.

Storage temperature: Incompatible materials:

Dry, cool and well ventilated

Strong oxidizing agents Strong acids

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters



No substances are listed in the national list of substances with an occupational exposure limit.

DNEL

disodium metasilicate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	740 µg/kgbw/day
Long term – Systemic effects - Workers	Dermal	1.49 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.55 mg/m ³
Long term – Systemic effects - Workers	Inhalation	6.22 mg/m ³
Long term – Systemic effects - General population	Oral	740 µg/kgbw/day

PNEC

disodium metasilicate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		7.5 mg/L
Intermittent release (freshwater)		7.5 mg/L
Marine water		1 mg/L
Sewage treatment plant		1 g/L

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Occupational exposure limits have not been defined for the substances in this product.
Appropriate technical measures:	Apply standard precautions during use of the product. Avoid inhalation of vapours.
Hygiene measures:	Take off contaminated clothing and wash it before reuse.
Measures to avoid environmental exposure:	No specific requirements.

Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

Туре	Class	Colour	Standards	
Respiratory protection is not needed in the event of adequate ventilation.				

Skin protection:



Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	R

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves			EN374	

Eye protection:

Туре	Standards	
Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

2.1.	properties	
	Physical state:	Liquid
	Colour:	Blue
	Odour / Odour threshold:	Testing not relevant or not possible due to the nature of the product.
	pH:	12.81
	pH in solution:	10.8 (1%)
	Density (g/cm³):	Testing not relevant or not possible due to the nature of the product.
	Relative density:	1.0475
	Kinematic viscosity:	Testing not relevant or not possible due to the nature of the product.
	Particle characteristics:	Does not apply to liquids.
Phase	e changes	
	Melting point/Freezing point (°C):	Testing not relevant or not possible due to the nature of the product.
	Softening point/range (waxes and pastes) (°C):	Does not apply to liquids.
	Boiling point (°C):	Testing not relevant or not possible due to the nature of the product.
	Vapour pressure:	Testing not relevant or not possible due to the nature of the product.
	Relative vapour density:	Testing not relevant or not possible due to the nature of the product.
	Decomposition temperature (°C):	Testing not relevant or not possible due to the nature of the product.



Data on fire and explosion hazards

Flash point (°C):

Flammability (°C): Auto-ignition temperature (°C):

Lower and upper explosion limit (% v/v):

Solubility

Solubility in water: n-octanol/water coefficient:

Solubility in fat (g/L):

9.2. Other information

Acid/alkaline reserve: Other physical and chemical parameters: Testing not relevant or not possible due to the nature of the product.

The material is not combustible.

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

Completely soluble

Testing not relevant or not possible due to the nature of the product.

Testing not relevant or not possible due to the nature of the product.

1.49 No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

- **10.2.** Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
- **10.3.** Possibility of hazardous reactions None known.
- **10.4.** Conditions to avoid None known.
- **10.5. Incompatible materials** Strong oxidizing agents Strong acids
- **10.6.** Hazardous decomposition products The product is not degraded when used as specified in section 1.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance	disodium metasilicate
Species:	Rat
Route of exposure:	Oral
Test:	
Result:	1152-1349 mg/kgbw



Species:RatRoute of exposure:InhaTest:LC50	dium metasilicate alation 0 06 g/m³
--	--

Product/substancedisodium metasilicateSpecies:RatRoute of exposure:DermalTest:LD50Result:> 5000 mg/kgbw

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Product/substance disodium metasilicate Species: Fish, Brachydanio rerio



Duration:	96 hours
Test:	LC50
Result:	210 mg/L

Product/substance Species:	disodium metasilicate Daphnia, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	1700 mg/L

- **12.2.** Persistence and degradability No data available.
- **12.3. Bioaccumulative potential** No data available.
- **12.4. Mobility in soil** No data available.
- **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
- **12.6.** Endocrine disrupting properties Not applicable.
- **12.7.** Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste. Dispose of contents/container to an approved waste disposal plant. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

		14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*		Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group



** Environmental hazards Additional information

Not dangerous goods according to ADR, IATA and IMDG.

- **14.6.** Special precautions for user Not applicable.
- **14.7.** Maritime transport in bulk according to IMO instruments No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Demands for specific education: SEVESO - Categories / dangerous substances: Additional information: Sources: Restricted to professional users.

No specific requirements.

Not applicable.

Not applicable.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H314, Causes severe skin burns and eye damage.

H318, Causes serious eye damage.

H335, May cause respiratory irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne

- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment



CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The safety data sheet is validated by

PurposeBuilt Brands Regulatory Team

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en