

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Speedloob VL9

Revision: 2024-08-01

Version: 04.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name: Speedloob VL9

UFI: S7Q1-K0H5-G00R-T1RS

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use:

Track treatment product. Lubricants. For industrial use only...

Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE_SWED_IS_8b_1 AISE_SWED_IS_4_1 AISE_SWED_IS_7_5 AISE_SWED_IS_13_3

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B (H314) Specific target organ toxicity - Repeated exposure, Category 2 (H373) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 (H400) Chronic aquatic toxicity, Category 2 (H411)

2.2 Label elements



Signal word: Danger.

Contains Didecyldimethyl ammonium chloride (Didecyldimonium Chloride), amines, N-C12-18-alkyltrimethylenedi-, diacetates (Oleylaminopropylamine Diacetate)

Hazard statements:

- H314 Causes severe skin burns and eye damage.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. P310 - Immediately call a POISON CENTRE, doctor or physician.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
Didecyldimethyl ammonium chloride	230-525-2	7173-51-5	[6]	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Dermal, Category 4 (H312) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 2 (H411)		3-10
amines, N-C12-18-alkyltrimethylenedi-, diacetates	292-565-7	90640-46-3	[1]	Specific target organ toxicity - Repeated exposure, Category 1 (H372) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		3-10
Propan-2-ol	200-661-7	67-63-0	01-211945755 8-25	Flammable liquids, Category 2 (H225) Specific target organ toxicity - Single exposure, Category 3 (H336) Eye irritation, Category 2 (H319)		1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

. ..

Ingestion:

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included [6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.
[7] For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

. .

4.1 Description of first aid measures	
General Information:	Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Get medical attention or advice if you feel unwell.
Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and eff	ects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes severe burns.
Eye contact:	Causes severe or permanent damage.
	eace et et permanent dannaget

4.3 Indication of any immediate medical attention and special treatment needed

oesophagus and stomach.

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100 Comah - Upper Tier requirements (tonnes): 200

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
Propan-2-ol	400 ppm	500 ppm
	999 mg/m ³	1250 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure DNEL/DMEL oral exposure - Consumer (mg/kg bw)				
Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic

Speedloob VL9

	effects	effects	effects	effects
Didecyldimethyl ammonium chloride	-	-	-	-
amines, N-C12-18-alkyltrimethylenedi-, diacetates	-	-	-	0.002
Propan-2-ol	-	-	-	26

DNEL/DMEL dermal exposure - Worke

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Didecyldimethyl ammonium chloride	-	-	-	8.6
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available	-	No data available	-
Propan-2-ol	-	-	-	888

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Didecyldimethyl ammonium chloride	-	-	-	-
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available	-	No data available	-
Propan-2-ol	-	-	-	319

DNEL/DMEL inhalatory exposure - Worker (mg/m3)

Ingredient(s)		Short term - Systemic	•	Long term - Systemic
	effects	effects	effects	effects
Didecyldimethyl ammonium chloride	-	-	-	18.2
amines, N-C12-18-alkyltrimethylenedi-, diacetates	-	-	-	-
Propan-2-ol	-	-	-	500

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Didecyldimethyl ammonium chloride	-	-	-	-
amines, N-C12-18-alkyltrimethylenedi-, diacetates	-	-	-	-
Propan-2-ol	-	-	-	89

Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
Didecyldimethyl ammonium chloride	0.002	0.0002	0.00029	0.595
amines, N-C12-18-alkyltrimethylenedi-, diacetates	-	-	-	-
Propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
Didecyldimethyl ammonium chloride	2.82	0.282	1.4	-
amines, N-C12-18-alkyltrimethylenedi-, diacetates	-	-	-	-
Propan-2-ol	552	552	28	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

```
Appropriate engineering controls:
```

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Ensure that material transfers are handled under containment or local extract ventilation (LEV). Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face

Speedloob VL9

Hand protection:	protection is strongly recommended when handling open containers or if splashes may occur. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may
	be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.
Environmental averaging controla	

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.5

Appropriate engineering controls:	Provide a good standard of general ventilation.
Appropriate organisational controls:	No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application by dipping, soaking, pouring	AISE_SWED_IS_13_3	IS	PROC 13	240	ERC4
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Spray application	AISE_SWED_IS_7_5	IS	PROC 7	480	ERC4

Personal protective equipment

Eye / face protection: Hand protection: Body protection: **Respiratory protection:**

No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear , Light , Yellow Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
Didecyldimethyl ammonium chloride	110		
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available		
Propan-2-ol	82	Method not given	1013

Flammability (solid, gas): Not applicable to liquids Flammability (liquid): Not flammable. Flash point (°C): > 94 °C Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Method / remark

Method / remark

closed cup

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)				
Propan-2-ol	2	13				
	Method / remark					

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: ≈ 6 (neat) Dilution pH: ≈ 7 (0.5 %) Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
Didecyldimethyl ammonium chloride	No data available		
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available		
Propan-2-ol	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
Didecyldimethyl ammonium chloride	No data available		
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available		
Propan-2-ol	4200	Method not given	20

Relative density: ≈ 0.99 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information
9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

Weight of evidence

Method / remark

OECD 109 (EU A.3)

Not applicable to liquids.

Not relevant to classification of this product

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Method / remark

ISO 4316 ISO 4316

See substance data

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000 ATE - Dermal (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
Didecyldimethyl ammonium chloride	LD 50	238	Rat	Method not given		238
amines, N-C12-18-alkyltrimethylenedi-, diacetates		> 300-2000				12000
Propan-2-ol	LD 50	5840	Rat	OECD 401 (EU B.1)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE Dermal
		(mg/kg)			time (h)	(mg/kg)
Didecyldimethyl ammonium chloride		No data				20000
		available				
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data				Not established
		available				
Propan-2-ol	LD 50	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Didecyldimethyl ammonium chloride		No data available			
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data available			
Propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
Didecyldimethyl ammonium chloride	Not established	Not established	Not established	Not established
amines, N-C12-18-alkyltrimethylenedi-, diacetates	Not established	Not established	Not established	Not established
Propan-2-ol	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Didecyldimethyl ammonium chloride	Corrosive	Rabbit	OECD 404 (EU B.4)	
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available			
Propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Didecyldimethyl ammonium chloride	Severe damage			
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available			
Propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Didecyldimethyl ammonium chloride	No data available			
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available			
Propan-2-ol	No data available			

Sensitisation

Sensitisation by skin contact									
Ingredient(s)	Result	Species	Method	Exposure time (h)					
Didecyldimethyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test						
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available								
Propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /						

	Buehler test	

Sensitisation by inhalation				
Ingredient(s)	Result	Species	Method	Exposure time
Didecyldimethyl ammonium chloride	No data available			
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available			
Propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Didecyldimethyl ammonium chloride	test results	OECD 471 (EU B.12/13) OECD 473 OECD 476		
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available		No data available	
	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
Didecyldimethyl ammonium chloride	No data available
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available
Propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Didecyldimethyl ammonium chloride			No data available				
amines, N-C12-18-alkyltrimethyl enedi-, diacetates			No data available				
Propan-2-ol			No data available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Didecyldimethyl ammonium chloride		No data				
		available				
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data				
		available				
Propan-2-ol		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
Didecyldimethyl ammonium chloride		No data				
		available				
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data				
		available				
Propan-2-ol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
Didecyldimethyl ammonium chloride		No data				
		available				
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data				
		available				
Propan-2-ol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Didecyldimethyl ammonium chloride			No data available					

amines, N-C12-18-alkyltrimethyl enedi-, diacetates		No data available			
Propan-2-ol		No data available			

STOT-single exposure

Ingredient(s)	Affected organ(s)
Didecyldimethyl ammonium chloride	No data available
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available
Propan-2-ol	Central nervous system

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Didecyldimethyl ammonium chloride	No data available
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available
Propan-2-ol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Didecyldimethyl ammonium chloride	LC 50	0.97	Brachydanio rerio	OECD 203 (EU C.1)	96
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data available			
Propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Didecyldimethyl ammonium chloride	EC 50	0.053	Daphnia magna Straus	OECD 202 (EU C.2)	48
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data available			
Propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Didecyldimethyl ammonium chloride	EC 50	0.053	Pseudokirchner iella	OECD 201 (EU C.3)	72
			subcapitata		
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data			
		available			
Propan-2-ol	EC 50	> 100	Scenedesmus	Method not given	72
			quadricauda		

Aquatic short-term toxicity - marine species

Speedloob VL9

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Didecyldimethyl ammonium chloride		No data available			
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data available			
Propan-2-ol		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Didecyldimethyl ammonium chloride		No data available			
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data available			
Propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	

Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Didecyldimethyl ammonium chloride		No data available				
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data available				
Propan-2-ol		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
Didecyldimethyl ammonium chloride	NOEC	> 0.01-0.1	Daphnia	OECD 211	21 day(s)	
			magna			
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data				
		available				
Propan-2-ol		No data				
		available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Didecyldimethyl ammonium chloride		No data available				
amines, N-C12-18-alkyltrimethylenedi-, diacetates		No data available				
Propan-2-ol		No data available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Didecyldimethyl ammonium chloride		No data				
		available				
Propan-2-ol		No data				
		available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Didecyldimethyl ammonium chloride		No data				
		available				
Propan-2-ol		No data				
		available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Didecyldimethyl ammonium chloride		No data available				
Propan-2-ol		No data				

		r		·
	available			1

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Didecyldimethyl ammonium chloride		No data				
		available				
Propan-2-ol		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
Didecyldimethyl ammonium chloride		No data				
		available				
Propan-2-ol		No data				
		available				

12.2 Persistence and degradability Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
Didecyldimethyl ammonium chloride	No data available			
Propan-2-ol	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
Didecyldimethyl ammonium chloride	No data available			
Propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
Didecyldimethyl		No data available			
ammonium chloride					
Propan-2-ol		No data available			

Biodegradation Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
Didecyldimethyl ammonium chloride		Oxygen depletion	> 60%	OECD 301D	Readily biodegradable
amines, N-C12-18-alkyltrimethylenedi-, diacetates				Weight of evidence	Readily biodegradable
Propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Didecyldimethyl ammonium chloride					No data available
Propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Didecyldimethyl ammonium chloride					No data available
Propan-2-ol					No data available

12.3 Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark		
Didecyldimethyl ammonium chloride	No data available					
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available					
Propan-2-ol	0.05	OECD 107	No bioaccumulation expected			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Didecyldimethyl	2.1		Method not given	No bioaccumulation expected	

ammonium chloride			
amines,	No data available		
N-C12-18-alkyltrimethyl			
enedi-, diacetates			
Propan-2-ol	No data available		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Didecyldimethyl ammonium chloride	No data available				
amines, N-C12-18-alkyltrimethylenedi-, diacetates	No data available				
Propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 16 03 05* - organic wastes containing dangerous substances.

Empty packaging Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number or ID number: 1760 14.2 UN proper shipping name: Corrosive liquid, n.o.s. (didecyldimethylammoniumchloride) 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 8 14.4 Packing group: III 14.5 Environmental hazards: Environmentally hazardous: Yes Marine pollutant: Yes 14.6 Special precautions for user: None known. 14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers. Other relevant information: ADR Classification code: C9 Tunnel restriction code: (E) Hazard identification number: 80 IMO/IMDG EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
 Regulation (EC) 1272/2008 CLP (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)

· Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

· International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 04.0

SDS code: MS1002184

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 2, 6, 7, 8, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories · EUH - CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- · OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
 PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative H225 - Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- · H312 Harmful in contact with skin.
- · H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- · H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- · H410 Very toxic to aquatic life with long lasting effects. · H411 - Toxic to aquatic life with long lasting effects.

End of Safety Data Sheet

Revision: 2024-08-01