

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Suma Alcohol Wipes

Revision: 2024-08-05 **Version:** 01.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Alcohol Wipes

UFI: EWE2-60QY-C00D-F5KT

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Surface disinfectant.

for general surface disinfection for food contact surface disinfection For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_10_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 2 (H225) Eye irritation, Category 2 (H319)

2.2 Label elements





Signal word: Danger.

Hazard statements:

H225 - Highly flammable liquid and vapour. H319 - Causes serious eye irritation.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P403 + P235 - Store in a well-ventilated place. Keep cool.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
ethanol	200-578-6	64-17-5	[6]	Flammable liquids, Category 2 (H225)		>= 75
Propan-2-ol	200-661-7	67-63-0	8-25	Flammable liquids, Category 2 (H225) Specific target organ toxicity - Single exposure, Category 3 (H336) Eye irritation, Category 2 (H319)		3-10

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Take off immediately all contaminated clothing and wash it before reuse.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get

medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:

Skin contact:

No known effects or symptoms in normal use.

No known effects or symptoms in normal use.

Eye contact:

Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and material for containment and cleaning up

No special measures required.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use explosion-proof electrical, ventilating or lighting equipment. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep from freezing. Keep cool. Keep away from heat and direct sunlight.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 5000 Comah - Upper Tier requirements (tonnes): 50000

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
ethanol	1000 ppm	3000 ppm
	1920 mg/m ³	5760 mg/m ³
Propan-2-ol	400 ppm	500 ppm
	999 mg/m ³	1250 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanol	-	-	-	87
Propan-2-ol	-	-	-	26

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
ethanol	-	-	-	343
Propan-2-ol	-	-	-	888

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
ethanol	-	-	-	206
Propan-2-ol	-	-	-	319

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanol	1900	-	-	950
Propan-2-ol	-	-	-	500

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
ethanol	950	-	-	114
Propan-2-ol	-	-	-	89

Environmental exposure

Environmental exposure - PNEC

Invitorimental exposure - 1 NEC						
Ingredient(s)	Surface water, fresh	Surface water, marine	Intermittent (mg/l)	Sewage treatment		
	(mg/l)	(mg/l)		plant (mg/l)		
ethanol	0.96	0.79	2.75	580		

Propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
ethanol	3.6	2.9	0.63	-
Propan-2-ol	552	552	28	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual application by wet wipe	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application	AISE SWED PW 19 1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Appearance: Wet wipes Colour: Clear , Colourless Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
ethanol	78.4	Method not given	
Propan-2-ol	82	Method not given	1013

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Flammable.

Flash point (°C): ≈ 12 °C closed cup

Sustained combustion: The product sustains combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit	Upper limit	
	(% vol)	(% vol)	
Propan-2-ol	2	13	

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 7 (neat) ISO 4316

Dilution pH: ≈ 7 (10%)

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
ethanol	No data available		
Propan-2-ol	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
ethanol	5800	Method not given	
Propan-2-ol	4200	Method not given	20

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Not oxidising, based on substance properties

Corrosion to metals: Not corrosive Weight of evidence

9.2.2 Other safety characteristics

Relative density: ≈ 0.85 (20 °C)

Relative vapour density: No data available. Particle characteristics: No data available.

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
ethanol	LD 50	5000	Rat	OECD 401 (EU B.1)		Not established
Propan-2-ol	LD 50	5840	Rat	OECD 401 (EU B.1)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
ethanol	LD 50	> 10000	Rabbit	OECD 402 (EU B.3)		Not established
Propan-2-ol	LD 50	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

	Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
	ethanol	LC 50	> 1800	Rat	Non guideline test	4
ĺ	Propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
ethanol	Not established	Not established	Not established	Not established
Propan-2-ol	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	
Propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	Irritant	Rabbit	OECD 405 (EU B.5)	
Propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

reconnectly tract initiation and correctivity				
Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			
Propan-2-ol	No data available			

Sensitisation
Sensitisation by skin contact

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
ethanol	Not sensitising			
Propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Sensitisation by initialation				
Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			
Propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity				
Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
ethanol	No data available		No data available	
· ·	No evidence for mutagenicity, negative test results No evidence of genotoxicity,		No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
	negative test results			

Carcinogenicity

Carcinogenicity	
Ingredient(s)	Effect
ethanol	No data available
Propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects	ı

	(mg/kg bw/d)	time	reported
ethanol	No data		
	available		
Propan-2-ol	No data		
	available		

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data				
		available				
Propan-2-ol		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				
Propan-2-ol		No data available				

Sub-chronic inhalation toxicity

Sub-cirrollic illilalation toxicity						
Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data				
		available				
Propan-2-ol		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
ethanol			No data					
			available					
Propan-2-ol			No data					
			available					

STOT-single exposure

	Ingredient(s)	Affected organ(s)
	ethanol	No data available
Ī	Propan-2-ol	Central nervous system

5101-Tepealed exposure	
Ingredient(s)	Affected organ(s)
ethanol	No data available
Propan-2-ol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC 50	8150	Alburnus	Method not given	96
			alburnus		
Propan-2-ol	LC 50	> 100	Pimephales	Method not given	48
			promelas	_	

Aquatic short-term toxicity - crustacea

	Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
	ethanol	EC 50	5012	Daphnia magna Straus	Method not given	48
Γ	Propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC 50	675	Scenedesmus quadricauda Not specified	Method not given	72
Propan-2-ol	EC 50	> 100	Scenedesmus quadricauda	Method not given	72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
ethanol	1	No data		The state of the s	
		available			
Propan-2-ol		No data			
	1	available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
ethanol	EC ₀	6500	Pseudomonas putida	Method not given	16 hour(s)
Propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				
Propan-2-ol		No data available				

Aquatic long-term toxicity - crustacea

Aquatic long-term toxicity - crustacea						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
ethanol		No data				
		available				
Propan-2-ol		No data				
·		available				l l

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
ethanol		No data				
		available				
Propan-2-ol		No data				
		available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - soil invertebrates, including earthworms, if available.								
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed		
		(mg/kg dw			time (days)			
		soil)						
Propan-2-ol		No data						
	ĺ	available						

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

A late de								
	Ingredient(s)	Half-life time	Method	Evaluation	Remark			
	Propan-2-ol	No data available						

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
Propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

About degradation other processes, if available.								
	Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark		
	Propan-2-ol		No data available					

BiodegradationReady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
ethanol	Activated sludge,	Oxygen depletion	> 60% in 10 day(s)	OECD 301B	Readily biodegradable
	aerobe				
Propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Propan-2-ol					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
ethanol	-0.31	Weight of evidence	No bioaccumulation expected	
Propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Ingredie	nt(s)	Value	Species	Method	Evaluation	Remark
ethan	ol	0.5		Weight of evidence	No bioaccumulation expected	
Propan-	2-ol	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
ethanol	No data available				
Propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

European Waste Catalogue:

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation. 16 03 05* - organic wastes containing dangerous substances.

Empty packaging

Recommendation:

Suitable cleaning agents:

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 3175

14.2 UN proper shipping name:

Solids containing flammable liquid, n.o.s. (ethanol)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 4.1

14.4 Packing group: ||

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: F1
Tunnel restriction code: (E)
Hazard identification number: 40

IMO/IMDG

EmS: F-A, S-I

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
 International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: P5c - FLAMMABLE LIQUIDS

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1002347 Version: 01.4 Revision: 2024-08-05

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 1, 6, 7, 8, 9, 11, 12, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement • LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
 H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- · H336 May cause drowsiness or dizziness.

End of Safety Data Sheet