

## Clax Magic Protein 70B2

Revision: 2024-08-02

Version: 04.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Clax Magic Protein 70B2

UFI: 11G2-S0Q4-A00T-1M5N

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Prespotter / Stain remover.  
For professional use only.

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_10\_1  
AISE\_SWED\_PW\_11\_1  
AISE\_SWED\_PW\_19\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

Tel: 01 8081808 (9am - 5pm Mon-Fri)

Email: dublin.orders@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Acute toxicity - Oral, Category 4 (H302)  
Serious eye damage, Category 1 (H318)  
Chronic aquatic toxicity, Category 3 (H412)

#### 2.2 Label elements



**Signal word:** Danger.

Contains alkyl alcohol ethoxylate (C12-18 Pareth 7-15), Alcohols, C10-16, ethoxylated (7-<15 EO) (C12-15 Pareth-7), subtilisin (Subtilisin), 4-formylphenylboronic acid (4-Formylphenylboronic Acid)

#### Hazard statements:

H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

H412 - Harmful to aquatic life with long lasting effects.

EUH208 - May produce an allergic reaction.

#### Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

Concentrated enzymatic liquid products are dust free preparations. However, inappropriate handling may cause formation of dust or aerosols

## Clax Magic Protein 70B2

which may induce sensitization and may cause allergic reactions in sensitized individuals.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
propane-1,2-diol	200-338-0	57-55-6	01-211945680 9-23	Not classified as hazardous		20-30
alkyl alcohol ethoxylate	[4]	68213-23-0	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		10-20
Alcohols, C10-16, ethoxylated (7-<15 EO)	[4]	68002-97-1	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		10-20
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	[4]	120313-48-6	[4]	Skin irritation, Category 2 (H315) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 3 (H412)		3-10
subtilisin	232-752-2	9014-01-1	01-211948043 4-38	Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Single exposure, Category 3 (H335) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Respiratory sensitisation, Category 1 (H334) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)		0.1-1
4-formylphenylboronic acid	438-670-5	87199-17-5	01-000001834 1-78	Skin sensitisation, Category 1 (H317)		0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General Information:

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.

##### Inhalation:

Get medical attention or advice if you feel unwell.

##### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. Call a POISON CENTRE, doctor or physician if you feel unwell.

##### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

##### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

##### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Inhalation:

Inappropriate handling may cause formation of dust or aerosols which may induce sensitization and may cause allergic reactions in sensitized individuals.

##### Skin contact:

No known effects or symptoms in normal use.

##### Eye contact:

Causes severe or permanent damage.

##### Ingestion:

No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## Clax Magic Protein 70B2

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

**6.2 Environmental precautions**

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

**6.3 Methods and material for containment and cleaning up**

Dyke to collect large liquid spills. Warning: concentrated enzymatic product. Spillages should be removed immediately to avoid formation of dust from dried product. Use a cloth wetted with a chlorine bleach to clean up product spillage. Flush remainder carefully with plenty of water. Avoid splashing and high pressure washing (do not remove product spillage in procedures likely to give rise to aerosols).

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures to prevent aerosol and dust generation:**

Do not apply via trigger spray or other device which creates aerosols.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Do not breathe spray. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
propane-1,2-diol	10 mg/m <sup>3</sup> particulates 150 ppm total vapour and particulates 470 mg/m <sup>3</sup> total vapour and particulates	1410 mg/m <sup>3</sup> particulates 30 mg/m <sup>3</sup> 450 ppm total vapour and particulates
subtilisin	0.00006 mg/m <sup>3</sup>	0.00006 mg/m <sup>3</sup>

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propane-1,2-diol	-	-	-	-
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-

## Clax Magic Protein 70B2

Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
subtilisin	-	3.6	-	1.8
4-formylphenylboronic acid	No data available	No data available	No data available	No data available

## DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propane-1,2-diol	-	-	-	-
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	No data available	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
subtilisin	0.2 %	-	-	-
4-formylphenylboronic acid	No data available	No data available	No data available	No data available

## DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propane-1,2-diol	-	-	-	-
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	No data available	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
subtilisin	0.2 %	-	-	-
4-formylphenylboronic acid	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propane-1,2-diol	-	-	10	168
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
subtilisin	-	-	0.00006	-
4-formylphenylboronic acid	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propane-1,2-diol	-	-	10	50
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
subtilisin	-	-	0.000015	-
4-formylphenylboronic acid	No data available	No data available	No data available	No data available

## Environmental exposure

## Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
propane-1,2-diol	260	26	183	20000
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
subtilisin	0.00006	0.000006	-	65
4-formylphenylboronic acid	No data available	No data available	No data available	No data available

## Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
propane-1,2-diol	572	57.2	50	-
alkyl alcohol ethoxylate	No data available	No data available	No data available	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available
subtilisin	-	-	-	-
4-formylphenylboronic acid	No data available	No data available	No data available	No data available

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions.

## Clax Magic Protein 70B2

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** Provide a good standard of general ventilation.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

**REACH use scenarios considered for the undiluted product:**

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Trigger spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** Safety glasses or goggles (EN 16321 / EN 166).  
**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

**Method / remark**

**Physical state:** Liquid  
**Colour:** Clear , Colourless  
**Odour:** Product specific  
**Odour threshold:** Not applicable  
**Melting point/freezing point (°C):** Not determined  
**Initial boiling point and boiling range (°C):** Not determined

Not relevant to classification of this product  
 See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
propane-1,2-diol	185-190	Method not given	1013
alkyl alcohol ethoxylate	No data available		
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available		
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	> 250	Method not given	
subtilisin	No data available		
4-formylphenylboronic acid	No data available		

**Method / remark**

**Flammability (solid, gas):** Not applicable to liquids  
**Flammability (liquid):** Not flammable.  
**Flash point (°C):** > 93 °C  
**Sustained combustion:** The product does not sustain combustion  
 ( UN Manual of Tests and Criteria, section 32, L.2 )  
**Lower and upper explosion limit/flammability limit (%):** Not determined

closed cup  
 Weight of evidence  
 See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
propane-1,2-diol	2.6	12.6
subtilisin	-	-

**Method / remark**

**Autoignition temperature:** Not determined  
**Decomposition temperature:** Not applicable.  
**pH:** ≈ 9 (neat)  
**Kinematic viscosity:** Not determined  
**Solubility in / Miscibility with water:** Fully miscible

ISO 4316  
 DM-006 Viscosity - Standard

## Clax Magic Protein 70B2

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
propane-1,2-diol	Soluble	Method not given	
alkyl alcohol ethoxylate	No data available		
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available		
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Insoluble		
subtilisin	No data available		
4-formylphenylboronic acid	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

**Method / remark**

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
propane-1,2-diol	18.6	Method not given	20
alkyl alcohol ethoxylate	No data available		
Alcohols, C10-16, ethoxylated (7-<15 EO)	< 0.15		20
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	< 10	Method not given	20
subtilisin	Not applicable		
4-formylphenylboronic acid	No data available		

Relative density:  $\approx$  1.04 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

**Method / remark**

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes****Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.**Oxidising properties:** Not oxidising.**Corrosion to metals:** Not corrosive**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Mixture data: .**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): 2000

## Clax Magic Protein 70B2

Substance data, where relevant and available, are listed below:

**Acute toxicity**

## Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
propane-1,2-diol	LD <sub>50</sub>	> 10000	Rat	Method not given		Not established
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 300 - 2000		OECD 401 (EU B.1)		Not established
Alcohols, C10-16, ethoxylated (7-<15 EO)	LD <sub>50</sub>	300-2000	Rat	Weight of evidence		1000
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LD <sub>50</sub>	> 2000	Rat	Method not given		Not established
subtilisin	LD <sub>50</sub>	1800	Rat	OECD 401 (EU B.1)		1800
4-formylphenylboronic acid	LD <sub>50</sub>	> 2000		OECD 401 (EU B.1)		Not established

## Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
propane-1,2-diol	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
alkyl alcohol ethoxylate		No data available				Not established
Alcohols, C10-16, ethoxylated (7-<15 EO)	LD <sub>50</sub>	> 2000		Method not given		Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				Not established
subtilisin		No data available				Not established
4-formylphenylboronic acid		No data available				Not established

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propane-1,2-diol	LC <sub>50</sub>	> 317 (mist) No mortality observed	Rabbit	Non guideline test	
alkyl alcohol ethoxylate		No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
subtilisin		-		Weight of evidence	
4-formylphenylboronic acid		No data available			

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
propane-1,2-diol	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
Alcohols, C10-16, ethoxylated (7-<15 EO)	Not established	Not established	Not established	Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not established	Not established	Not established	Not established
subtilisin	Not established	Not established	Not established	Not established
4-formylphenylboronic acid	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	Not irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant		OECD 404 (EU B.4)	
Alcohols, C10-16, ethoxylated (7-<15 EO)	Not irritant	Rabbit	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Irritant	Rabbit	Draize test	
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	
4-formylphenylboronic acid	No data available			

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	Severe damage		OECD 405 (EU B.5)	

## Clax Magic Protein 70B2

Alcohols, C10-16, ethoxylated (7-<15 EO)	Severe damage	Rabbit	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not corrosive or irritant	Rabbit	Draize test	
subtilisin	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	
4-formylphenylboronic acid	No data available			

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	No data available			
alkyl alcohol ethoxylate	No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
subtilisin	Irritating to respiratory tract			
4-formylphenylboronic acid	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
propane-1,2-diol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
alkyl alcohol ethoxylate	No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)	Not sensitising	Guinea pig	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
subtilisin	No data available			
4-formylphenylboronic acid	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	No data available			
alkyl alcohol ethoxylate	No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
subtilisin	Sensitising		Weight of evidence	
4-formylphenylboronic acid	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
propane-1,2-diol	No evidence for mutagenicity, negative test results	Method not given	No data available	
alkyl alcohol ethoxylate	No evidence for mutagenicity, negative test results		No data available	
Alcohols, C10-16, ethoxylated (7-<15 EO)	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	Method not given
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available		No data available	
subtilisin	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Chinese Hamster Ovary)	No data available	
4-formylphenylboronic acid	No evidence for mutagenicity, negative test results		No data available	

## Carcinogenicity

Ingredient(s)	Effect
propane-1,2-diol	No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	No evidence for carcinogenicity, weight-of-evidence
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
subtilisin	No data available
4-formylphenylboronic acid	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
propane-1,2-diol			No data				No evidence for reproductive



## Clax Magic Protein 70B2

			available				toxicity
alkyl alcohol ethoxylate			No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)			No data available		Literature		No evidence for teratogenic effects No evidence for reproductive toxicity
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available				
subtilisin			No data available				
4-formylphenylboronic acid			No data available				

**Repeated dose toxicity**

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propane-1,2-diol		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
subtilisin		No data available				
4-formylphenylboronic acid		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propane-1,2-diol		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
subtilisin		No data available				
4-formylphenylboronic acid		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propane-1,2-diol		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
subtilisin		No data available				
4-formylphenylboronic acid		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
propane-1,2-diol			No data available					
alkyl alcohol ethoxylate			No data available					
Alcohols, C10-16, ethoxylated (7-<15 EO)			No data available					
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available					
subtilisin			No data					

## Clax Magic Protein 70B2

			available				
4-formylphenylboronic acid			No data available				

## STOT-single exposure

Ingredient(s)	Affected organ(s)
propane-1,2-diol	No data available
alkyl alcohol ethoxylate	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
subtilisin	Respiratory tract
4-formylphenylboronic acid	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
propane-1,2-diol	No data available
alkyl alcohol ethoxylate	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available
subtilisin	No data available
4-formylphenylboronic acid	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propane-1,2-diol	LC <sub>50</sub>	> 1000	Fish	Method not given	24
alkyl alcohol ethoxylate	LC <sub>50</sub>	1 - 10		ISO 7346	
Alcohols, C10-16, ethoxylated (7-<15 EO)	LC <sub>50</sub>	> 1-10	<i>Brachydanio rerio</i>	Method not given	96
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LC <sub>50</sub>	> 1-10	Fish	OECD 203 (EU C.1)	96
subtilisin	LC <sub>50</sub>	8.2	Fish	OECD 203 (EU C.1)	96
4-formylphenylboronic acid		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propane-1,2-diol	EC <sub>50</sub>	> 100	<i>Daphnia</i>	Method not given	48
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10		OECD 202 (EU C.2)	
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>50</sub>	> 1-10	<i>Daphnia magna Straus</i>	Method not given	48
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC <sub>50</sub>	≤ 1	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
subtilisin	EC <sub>50</sub>	0.586	<i>Daphnia</i>	OECD 202 (EU C.2)	48
4-formylphenylboronic acid		No data available			

Aquatic short-term toxicity - algae

## Clax Magic Protein 70B2

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propane-1,2-diol	EC <sub>50</sub>	24200	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 -10		OECD 201 (EU C.3)	
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>50</sub>	> 1-10	<i>Desmodesmus subspicatus</i>	Method not given	72
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC <sub>50</sub>	≤ 1	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	RM000517/ RM002677 BASF EU RSDS 2021
subtilisin	E <sub>r</sub> C <sub>50</sub>	0.830	Not specified	OECD 201 (EU C.3)	72
4-formylphenylboronic acid		No data available			

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
propane-1,2-diol		No data available			
alkyl alcohol ethoxylate		No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
subtilisin		No data available			
4-formylphenylboronic acid		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
propane-1,2-diol	EC <sub>0</sub>	> 20000	<i>Pseudomonas putida</i>	Method not given	18 hour(s)
alkyl alcohol ethoxylate	EC <sub>0</sub>	> 100		DIN 38412 / Part 8	
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>50</sub>	140	<i>Activated sludge</i>	Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			
subtilisin		No data available			
4-formylphenylboronic acid		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propane-1,2-diol		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
subtilisin		No data available				
4-formylphenylboronic acid		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propane-1,2-diol	NOEC	13020	<i>Ceriodaphnia dubia</i>	Method not given	7 day(s)	
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>10</sub>	> 0.1-1	<i>Daphnia sp.</i>	OECD 211		
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	NOEC	> 0.1-1	<i>Daphnia magna</i>	Method not given	21 day(s)	
subtilisin		No data available				
4-formylphenylboronic acid		No data available				

## Clax Magic Protein 70B2

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
propane-1,2-diol		No data available				
alkyl alcohol ethoxylate		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				
subtilisin		No data available				
4-formylphenylboronic acid		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
propane-1,2-diol			> 70 % in 28 day(s)	OECD 301A	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe		95%	OECD 301F Read across	Readily biodegradable
Alcohols, C10-16, ethoxylated (7-<15 EO)	Activated sludge, aerobe	Method not given	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Activated sludge, aerobe	CO <sub>2</sub> production	> 60% in 28 day(s)	OECD 301B	Readily biodegradable
subtilisin				OECD 301B	Readily biodegradable
4-formylphenylboronic acid				OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
propane-1,2-diol	-1.07	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)	3.55	QSAR	No bioaccumulation expected	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			
subtilisin	< 0			
4-formylphenylboronic acid	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
propane-1,2-diol	No data available				

## Clax Magic Protein 70B2

alkyl alcohol ethoxylate	No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
subtilisin	-			Not relevant, does not bioaccumulate	
4-formylphenylboronic acid	No data available			Not relevant, does not bioaccumulate	

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
propane-1,2-diol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol ethoxylate	No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				
subtilisin	No data available				
4-formylphenylboronic acid	No data available				

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

20 01 29\* - detergents containing dangerous substances.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number or ID number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation

**Clax Magic Protein 70B2**

- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

non-ionic surfactants >= 30 %  
enzymes, Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Seveso - Classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1002374

**Version:** 04.0

**Revision:** 2024-08-02

**Reason for revision:**

This data sheet contains changes from the previous version in section(s): 2, 4, 7, 8, 9, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**