



Clax Magic Oxi 70E2

Revision: 2022-06-19

Version: 01.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Clax Magic Oxi 70E2

UFI: NQG2-U079-S00S-AAU5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:	Prespotter / Stain remover. For professional use only.
Uses advised against:	Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_1_1

AISE_SWED_PW_4_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Hygiene Sales Limited
Jamestown Road, Finglas, Dublin 11, Ireland
Tel: 01 8081808 (9am - 5pm Mon-Fri)
Email: dublin.orders@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

National Poisons Information Centre

Tel: 01 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a week)

Tel: 01 809 2566 (health care professionals).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains 6-(phthalimido)peroxyhexanoic acid (Phthalimidoperoxyacetic Acid)

Hazard statements:

H318 - Causes serious eye damage.

Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
6-(phthalimido)peroxyhexanoic acid	410-850-8	128275-31-0	[6]	Org. Perox. D (H242) Eye Dam. 1 (H318) Aquatic Acute 1 (H400)		10-20
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	231-025-7	7414-83-7	01-2119510382-52	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		1-3

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Clax Magic Oxi 70E2

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:**Additional exposure limits under the conditions of use, if available:****DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
6-(phthalimido)peroxyhexanoic acid	No data available	No data available	No data available	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
6-(phthalimido)peroxyhexanoic acid	No data available	No data available	No data available	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
6-(phthalimido)peroxyhexanoic acid	No data available	No data available	No data available	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
6-(phthalimido)peroxyhexanoic acid	No data available	No data available	No data available	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
6-(phthalimido)peroxyhexanoic acid	No data available	No data available	No data available	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
6-(phthalimido)peroxyhexanoic acid	No data available	No data available	No data available	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available	No data available	No data available	No data available

Clax Magic Oxi 70E2

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
6-(phthalimido)peroxyhexanoic acid	No data available	No data available	No data available	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.
If available, please refer to the product information sheet for application and handling instructions.
Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166).
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Milky , White Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined	Method / remark Not relevant to classification of this product See substance data
--	--

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
6-(phthalimido)peroxyhexanoic acid	No data available		
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available		

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
 (UN Manual of Tests and Criteria, section 32, L.2)
Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Autoignition temperature: Not determined Decomposition temperature: > 80 (°C) SADT (self-accelerating decomposition temperature) pH: ≈ 4 (neat) Kinematic viscosity: ≈ 550 mPa.s (20 °C) Solubility in / Miscibility with water: Fully miscible	Method / remark Not relevant to classification of this product ISO 4316
--	--

Substance data, solubility in water

Ingredient(s)	Value	Method	Temperature
---------------	-------	--------	-------------

Clax Magic Oxi 70E2

	(g/l)		(°C)
6-(phthalimido)peroxyhexanoic acid	No data available		
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
6-(phthalimido)peroxyhexanoic acid	No data available		
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available		

Relative density: ≈ 1.01 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

Not explosive, based on substance properties

Weight of evidence

Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
6-(phthalimido)peroxyhexanoic acid	LD ₅₀	2550	Rat	OECD 401 (EU B.1)		Not established
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				27000

Clax Magic Oxi 70E2

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
6-(phthalimido)peroxyhexanoic acid	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
6-(phthalimido)peroxyhexanoic acid		No data available			
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
6-(phthalimido)peroxyhexanoic acid	Not established	Not established	Not established	Not established
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
6-(phthalimido)peroxyhexanoic acid	Not irritant	Rabbit	OECD 404 (EU B.4)	
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
6-(phthalimido)peroxyhexanoic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
6-(phthalimido)peroxyhexanoic acid	No data available			
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
6-(phthalimido)peroxyhexanoic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
6-(phthalimido)peroxyhexanoic acid	No data available			
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
6-(phthalimido)peroxyhexanoic acid	No data available		No data available	
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
6-(phthalimido)peroxyhexanoic acid	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
6-(phthalimido)peroxyhexanoic acid			No data available				
disodium dihydrogen			No data				

Clax Magic Oxi 70E2

(1-hydroxyethylidene)bisphosphonate			available				
-------------------------------------	--	--	-----------	--	--	--	--

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
6-(phthalimido)peroxyhexanoic acid		No data available				
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
6-(phthalimido)peroxyhexanoic acid		No data available				
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
6-(phthalimido)peroxyhexanoic acid		No data available				
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
6-(phthalimido)peroxyhexanoic acid			No data available					
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
6-(phthalimido)peroxyhexanoic acid	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
6-(phthalimido)peroxyhexanoic acid	No data available
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------

Clax Magic Oxi 70E2

		(mg/l)			time (h)
6-(phthalimido)peroxyhexanoic acid	LC ₅₀	0.4	<i>Brachydanio rerio</i>	OECD 203, semi-static	96
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available			

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
6-(phthalimido)peroxyhexanoic acid	EC ₅₀	17.6	<i>Daphnia magna</i> Straus	OECD 202, static	48
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available			

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
6-(phthalimido)peroxyhexanoic acid	E _r C ₅₀	2.6	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available			

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
6-(phthalimido)peroxyhexanoic acid		No data available			
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
6-(phthalimido)peroxyhexanoic acid		No data available			
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
6-(phthalimido)peroxyhexanoic acid		No data available				
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
6-(phthalimido)peroxyhexanoic acid		No data available				
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
6-(phthalimido)peroxyhexanoic acid		No data available				
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Clax Magic Oxi 70E2

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
6-(phthalimido)peroxyhexanoic acid	38.9 hour(s)	Method not given		

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
6-(phthalimido)peroxyhexanoic acid					Readily biodegradable
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate					Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
6-(phthalimido)peroxyhexanoic acid	No data available		No bioaccumulation expected	
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
6-(phthalimido)peroxyhexanoic acid	No data available			No bioaccumulation expected	
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
6-(phthalimido)peroxyhexanoic acid	1.916				
disodium dihydrogen (1-hydroxyethylidene)bisphosphonate	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

European Waste Catalogue:

Empty packaging

Recommendation:

Suitable cleaning agents:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

16 09 03* - peroxides, for example hydrogen peroxide.

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

- 14.1 UN number:** Non-dangerous goods
14.2 UN proper shipping name: Non-dangerous goods
14.3 Transport hazard class(es): Non-dangerous goods
14.4 Packing group: Non-dangerous goods
14.5 Environmental hazards: Non-dangerous goods
14.6 Special precautions for user: Non-dangerous goods
14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to EC Detergents Regulation 648/2004

oxygen-based bleaching agents	15 - 30 %
phosphonates	< 5 %

Seveso - Classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1002385

Version: 01.4

Revision: 2022-06-19

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s): 1, 6, 7, 8, 9, 10, 11, 12, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H242 - Heating may cause a fire.
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H400 - Very toxic to aquatic life.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit

Clax Magic Oxi 70E2

- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet