

**Suma Max D9.2**

Revision: 2024-08-02

Version: 01.3

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: Suma Max D9.2

UFI: WFK2-10A0-K00M-H8G7

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Product use:** Oven/Grill cleaner.  
For professional use only.  
**Uses advised against:** Uses other than those identified are not recommended.

**SWED - Sector-specific worker exposure description :**

AISE\_SWED\_PW\_10\_1  
AISE\_SWED\_PW\_11\_1  
AISE\_SWED\_PW\_19\_1

**1.3 Details of the supplier of the safety data sheet**

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

**Contact details**

Tandur Hf.  
Hesthålsi 12, 110 Reykjavik  
Tel. 5101200, Email: tandur@tandur.is

**1.4 Emergency telephone number**

Seek medical advice (show the label or safety data sheet where possible).  
Poison Center: (+354) 543-2222  
Emergency services: 112.

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Not classified as hazardous

**2.2 Label elements**

**Hazard statements:**  
EUH210 - Safety data sheet available on request.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	01-211945001 1-60	Not classified as hazardous		3-10
2-aminoethanol	205-483-3	141-43-5	01-211948645 5-28	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Dermal, Category 4 (H312) Acute toxicity - Inhalation, Category 4 (H332) Specific target organ toxicity - Single exposure, Category 3 (H335) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		1-3

**Specific concentration limits**

2-aminoethanol:  
• Specific target organ toxicity - Single exposure, Category 3 (H335) >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

## Suma Max D9.2

ATE, if available, are listed in section 11.  
For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures**

<b>Inhalation:</b>	Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	No known effects or symptoms in normal use.
<b>Eye contact:</b>	No known effects or symptoms in normal use.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

**6.2 Environmental precautions**

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original packaging.  
For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
(2-methoxymethylethoxy)propanol	50 ppm 300 mg/m <sup>3</sup>	
2-aminoethanol	1 ppm 2.5 mg/m <sup>3</sup>	3 ppm 7.6 mg/m <sup>3</sup>

Biological limit values, if available:

**Recommended monitoring procedures, if available:****Additional exposure limits under the conditions of use, if available:****DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	36
2-aminoethanol	-	-	-	1.5

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	283
2-aminoethanol	No data available	-	No data available	3

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	15
2-aminoethanol	No data available	-	No data available	1.5

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	308
2-aminoethanol	-	-	0.51	1

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	37.2
2-aminoethanol	-	-	0.28	0.18

**Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
(2-methoxymethylethoxy)propanol	19	1.9	190	4168
2-aminoethanol	0.07	0.007	0.028	100

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
(2-methoxymethylethoxy)propanol	70.2	7.02	2.74	190
2-aminoethanol	0.375	0.0357	1.29	-

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

## Suma Max D9.2

**Appropriate engineering controls:** Provide a good standard of general ventilation.  
**Appropriate organisational controls:** Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

**REACH use scenarios considered for the undiluted product:**

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).

**Hand protection:** No special requirements under normal use conditions.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

**Physical state:** Liquid

**Colour:** Clear , Light , Brown

**Odour:** Product specific

**Odour threshold:** Not applicable

**Melting point/freezing point (°C):** Not determined

**Initial boiling point and boiling range (°C):** Not determined

**Method / remark**

Not relevant to classification of this product

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
(2-methoxymethylethoxy)propanol	189.6	Method not given	1013
2-aminoethanol	169-171	Method not given	1013

**Method / remark**

**Flammability (solid, gas):** Not applicable to liquids

**Flammability (liquid):** Not flammable.

**Flash point (°C):** > 93 °C

**Sustained combustion:** The product does not sustain combustion  
( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

closed cup

Weight of evidence

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
(2-methoxymethylethoxy)propanol	1.1	14
2-aminoethanol	3.4	27

**Method / remark**

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**pH:** ≈ 11 (neat)

**Dilution pH:** ≈ 12 (10%)

**Kinematic viscosity:** ≈ 40 mPa.s (20 °C)

**Solubility in / Miscibility with water:** Fully miscible

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	Soluble	Method not given	20
2-aminoethanol	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Vapour pressure:** Not determined

**Method / remark**  
See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	37.1	Method not given	20
2-aminoethanol	50	Method not given	20

**Relative density:**  $\approx$  1.01 (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** No data available.

**Method / remark**  
OECD 109 (EU A.3)  
Not relevant to classification of this product  
Not applicable to liquids.

## 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Not corrosive

### 9.2.2 Other safety characteristics

No other relevant information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

None known under normal use conditions.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, vapours (mg/l): >20

#### Skin irritation and corrosivity

**Result:** Not corrosive or irritant

**Species:** Not applicable

**Method:** Weight of evidence

#### Eye irritation and corrosivity

**Result:** Not corrosive or irritant

**Species:** Not applicable.

**Method:** Weight of evidence

Substance data, where relevant and available, are listed below:.

#### Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
(2-methoxymethylethoxy)propanol	LD <sub>50</sub>	> 5000	Rat	OECD 401 (EU B.1)		Not established
2-aminoethanol	LD <sub>50</sub>	1089	Rat	OECD 401 (EU B.1)		1089

## Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
(2-methoxymethylethoxy)propanol	LD <sub>50</sub>	9510	Rabbit	Method not given		Not established
2-aminoethanol	LD <sub>50</sub>	2504	Rabbit	OECD 402 (EU B.3)		2504

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC <sub>0</sub>	> 1.667 (vapour) No mortality observed	Rat		7
2-aminoethanol	LC <sub>50</sub>	> 1.4 No mortality observed	Rat	Method not given	4

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
(2-methoxymethylethoxy)propanol	Not established	Not established	Not established	Not established
2-aminoethanol	Not established	Not established	13	Not established

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
2-aminoethanol	Corrosive	Rabbit	OECD 404 (EU B.4)	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
2-aminoethanol	Severe damage	Rabbit	OECD 405 (EU B.5)	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
2-aminoethanol	Irritating to respiratory tract		Method not given	

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
2-aminoethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
2-aminoethanol	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
(2-methoxymethylethoxy)propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
2-aminoethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

## Carcinogenicity

Ingredient(s)	Effect
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
2-aminoethanol	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
(2-methoxymethylethoxy)propanol			No data available				No evidence for reproductive toxicity
2-aminoethanol	NOAEL	Developmental toxicity	> 75	Rabbit	OECD 414 (EU B.31), oral	6 - 15 day(s)	No evidence for developmental toxicity No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
2-aminoethanol	NOAEL	300	Rat		75	

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
2-aminoethanol		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
2-aminoethanol		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
(2-methoxymethylethoxy)propanol			No data available					
2-aminoethanol			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
2-aminoethanol	Respiratory tract

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
2-aminoethanol	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC <sub>50</sub>	> 1000	<i>Poecilia reticulata</i>	Method not given	96
2-aminoethanol	LC <sub>50</sub>	349	<i>Cyprinus carpio</i>	OECD 203, semi-static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC <sub>50</sub>	1919	<i>Daphnia magna</i> Straus	Method not given	48
2-aminoethanol	EC <sub>50</sub>	27.04	<i>Daphnia magna</i> Straus	OECD 202, static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC <sub>50</sub>	> 969	<i>Selenastrum capricornutum</i>	Method not given	72
2-aminoethanol	EC <sub>50</sub>	2.8	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
(2-methoxymethylethoxy)propanol		No data available			
2-aminoethanol		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
(2-methoxymethylethoxy)propanol	EC <sub>10</sub>	4168	<i>Pseudomonas putida</i>	Method not given	
2-aminoethanol	EC <sub>50</sub>	> 1000	Activated sludge	DIN EN ISO 8192-OECD 209-88/302/EEC	3 hour(s)

#### Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol		No data available				
2-aminoethanol	NOEC	1.2	<i>Oryzias latipes</i>	OECD 210	30 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	<i>Daphnia magna</i>	Method not given	22 day(s)	
2-aminoethanol	NOEC	0.85	<i>Daphnia magna</i>	OECD 202	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
(2-methoxymethylethoxy)propanol		No data available				
2-aminoethanol		No data available				

#### Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				



Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
2-aminoethanol		No data available				

## 12.2 Persistence and degradability

### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
2-aminoethanol		DOC reduction	> 90 % in 21 day(s)	OECD 301A	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
2-aminoethanol	- 1.91	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	No data available				
2-aminoethanol	No data available				

## 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
2-aminoethanol	0.067		Model calculation		Potential for mobility in soil, soluble in water Adsorption to solid soil phase is not expected

## 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

## Suma Max D9.2

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number or ID number:** Non-dangerous goods

**14.2 UN proper shipping name:** Non-dangerous goods

**14.3 Transport hazard class(es):** Non-dangerous goods

**14.4 Packing group:** Non-dangerous goods

**14.5 Environmental hazards:** Non-dangerous goods

**14.6 Special precautions for user:** Non-dangerous goods

**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

non-ionic surfactants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Seveso - Classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1002638

**Version:** 01.3

**Revision:** 2024-08-02

**Suma Max D9.2****Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 1, 8, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H332 - Harmful if inhaled.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**