

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Dry Tech 1/C VL117

Revision: 2022-08-07

Version: 04.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Dry Tech 1/C VL117

UFI: AFFH-F1AU-100Q-X8TH

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Track treatment product. For industrial use only

Uses advised against:

For industrial use only.. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE_SWED_IS_4_1 AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Sens. 1 (H317)

2.2 Label elements



Signal word: Warning.

Contains 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone), 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements: H317 - May cause an allergic skin reaction.

Precautionary statements: P280 - Wear protective gloves.

Further indications on the label: Contains: preservative.

2.3 Other hazards No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--|------------------------|------------|--------------|--|-------|-------------------|
| polydimethylsiloxane | [4] | 63148-62-9 | [4] | Not classified as hazardous | | 3-10 |
| glutaral | 203-856-5 | 111-30-8 | [6] | Acute Tox. 2 (H330) Acute Tox. 3 (H301) Skin Corr. 1B (H314) EUH071 STOT SE 3 (H335) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Resp. Sens. 1 (H334) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | | < 0.01 |
| 1,2-benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5 | [6] | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411) | | < 0.01 |
| 2-methyl-2H-isothiazol-3-one | 220-239-6 | 2682-20-4 | [6] | Acute Tox. 2 (H330) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410) | | < 0.01 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | 220-239-6 247-500-7 | 55965-84-9 | [6] | Acute Tox. 2 (H310) Acute Tox. 2 (H330) Acute Tox. 3 (H301) Skin Corr. 1C (H314) EUH071 Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 M=100 (H400) Aquatic Chronic 1 M=100 (H410) | | < 0.01 |

Specific concentration limits 1,2-benzisothiazol-3(2H)-one: • Skin Sens. 1 (H317) >= 0.05% 2-methyl-2H-isothiazol-3-one:

• Skin Sens. 1 (H317) >= 0.0015%

Workplace exposure limit(s), if available, are listed in subsection 8.1.
ATE, if available, are listed in section 11.
[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.
[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.
For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures

| 4.1 Description of first aid measures | |
|---------------------------------------|---|
| General Information: | Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. |
| Inhalation: | Get medical attention or advice if you feel unwell. |
| Skin contact: | Take off immediately all contaminated clothing and wash it before reuse. |
| Eye contact: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Ingestion: | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. |
| Self-protection of first aider: | Consider personal protective equipment as indicated in subsection 8.2. |
| 4.2 Most important symptoms and effe | ects, both acute and delayed |
| Inhalation: | No known effects or symptoms in normal use |

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures to prevent aerosol and dust generation: Avoid formation of aerosol.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Take off contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with skin. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|---------------|-----------------------------------|-----------------------------|
| glutaral | 0.05 ppm 0.2 mg/m ³ | 0.05 ppm 0.2 mg/m³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| polydimethylsiloxane | - | - | - | - |
| glutaral | - | - | - | 0.07 |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|-------------------------------|---|------------------------------|--|
| polydimethylsiloxane | - | - | - | - |
| glutaral | No data available | - | No data available | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | _ | _ |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|-------------------------------|---|------------------------------|--|
| polydimethylsiloxane | - | - | - | - |
| glutaral | No data available | - | No data available | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| polydimethylsiloxane | - | - | - | - |
| glutaral | - | - | 0.0106 | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| polydimethylsiloxane | - | - | - | - |
| glutaral | - | - | - | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

Environmental exposure

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|---|--------------------------------|---------------------------------|---------------------|----------------------------------|
| polydimethylsiloxane | - | - | - | - |
| glutaral | 0.0025 | 0.00025 | 0.006 | 0.8 |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|------------------------------|---------------------------------|-----------------------------|--------------|-------------|
| polydimethylsiloxane | - | - | - | - |
| glutaral | 0.091 | 0.0009 | 0.03 | - |
| 1,2-benzisothiazol-3(2H)-one | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |

| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |
|---|---|---|---|---|
|---|---|---|---|---|

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

| Appropriate engineering controls: | Provide a good standard of general ventilation. |
|--------------------------------------|--|
| Appropriate organisational controls: | Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to |
| | consider national Occupational Exposure Limits or other equivalent values, if available. |

REACH use scenarios considered for the undiluted product:

| | SWED - Sector-specific worker exposure description | LCS | PROC | Duration (min) | ERC |
|---|--|-----|--------|-------------------|-------|
| Automatic application in a dedicated system | AISE_SWED_IS_4_1 | IS | PROC 4 | 480 | ERC8a |
| Spray application | AISE_SWED_IS_7_5 | IS | PROC 7 | 480 | ERC4 |

Personal protective equipment

| Eye / face protection: | Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166). |
|---|---|
| Hand protection: | Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm |
| | Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm |
| Body protection: Respiratory protection: | In consultation with the supplier of protective gloves a different type providing similar protection may be chosen. No special requirements under normal use conditions. Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or |
| | aerosols should be avoided. |
| Environmental exposure controls: | No special requirements under normal use conditions. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific Characteristic Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

| Substance data, boiling point | |
|-------------------------------|--|
|-------------------------------|--|

| Ingredient(s) | Value | Method | Atmospheric pressure |
|---|-------------------|------------------|----------------------|
| | (°C) | | (hPa) |
| polydimethylsiloxane | > 100 | Method not given | |
| glutaral | 101.5 | Method not given | 987.1 |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |

Flammability (solid, gas): Not applicable to liquids Flammability (liquid): Not flammable. **Flash point (°C):** > 100 °C Sustained combustion: The product does not sustain combustion (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

closed cup

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: ≈ 4 (neat) Kinematic viscosity: Not determined Solubility in / Miscibility with water: Fully miscible

ISO 4316

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|---|-------------------|------------------|---------------------|
| polydimethylsiloxane | No data available | | |
| glutaral | Soluble | Method not given | 20 |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|---|-------------------|------------------|---------------------|
| polydimethylsiloxane | No data available | | |
| glutaral | 2000 | Method not given | 20.1 |
| 1,2-benzisothiazol-3(2H)-one | No data available | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |

Relative density: ≈ 1.00 (20 °C) Relative vapour density: -. Particle characteristics: No data available.

9.2 Other information

 9.2.1 Information with regard to physical hazard classes

 Explosive properties:
 Not explosive. Vapours may form explosive mixtures with air.

 Oxidising properties:
 Not oxidising.

 Corrosion to metals:
 Not corrosive
 W

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Method / remark

Method / remark See substance data

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

Weight of evidence

Mixture data:.

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
|---|----------|------------------|---------|-------------------|----------------------|-----------------|
| polydimethylsiloxane | | > 4800 | | | | Not established |
| glutaral | LD 50 | 77 | Rat | OECD 401 (EU B.1) | | 1.1e+006 |
| 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | | | 1.2e+007 |
| 2-methyl-2H-isothiazol-3-one | LD 50 | 120 | Rat | OECD 401 (EU B.1) | | 2.2e+006 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 64 | Rat | Method not given | | 4.8e+007 |

| Acute dermal toxicity | | | | | | |
|---|----------|----------------------|---------|-------------------|----------------------|-----------------|
| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE (mg/kg) |
| polydimethylsiloxane | | No data available | | | | Not established |
| glutaral | LD 50 | > 1000 | Rabbit | OECD 402 (EU B.3) | | Not established |
| 1,2-benzisothiazol-3(2H)-one | LD 50 | > 2000 | Rat | OECD 402 (EU B.3) | | Not established |
| 2-methyl-2H-isothiazol-3-one | LD 50 | 242 | Rat | OECD 402 (EU B.3) | 24 hours | 5.3e+006 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 87.12 | Rabbit | Method not given | | 3.8e+007 |

| Acute inhalative toxicity Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|----------------------|---------|-------------------|----------------------|
| polydimethylsiloxane | | No data available | | | |
| glutaral | LC 50 | 028-0.39 (mist) | Rat | OECD 403 (EU B.2) | 4 |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | LC 50 | (mist) 0.11 | Rat | OECD 403 (EU B.2) | 4 hours |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50 | 0.33 | Rat | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|---|----------------------------------|----------------------------------|------------------------------------|---------------------------------|
| polydimethylsiloxane | Not established | Not established | Not established | Not established |
| glutaral | Not established | 3200 | Not established | Not established |
| 1,2-benzisothiazol-3(2H)-one | Not established | Not established | Not established | Not established |
| 2-methyl-2H-isothiazol-3-one | Not established | 1100 | Not established | Not established |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Not established | 150000 | Not established | Not established |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|-------------------|---------------|
| polydimethylsiloxane | No data available | | | |
| glutaral | Corrosive | Rabbit | OECD 404 (EU B.4) | |
| 1,2-benzisothiazol-3(2H)-one | Corrosive | | Method not given | |
| 2-methyl-2H-isothiazol-3-one | Corrosive | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Corrosive | | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|------------------------------|-------------------|---------|-------------------|---------------|
| polydimethylsiloxane | No data available | | | |
| glutaral | Severe damage | Rabbit | OECD 405 (EU B.5) | |
| 1,2-benzisothiazol-3(2H)-one | Severe damage | | Method not given | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |

Dry Tech 1/C VL117

| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | Severe damage | Method not given | |
|---|---------------|------------------|--|
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | _ | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| polydimethylsiloxane | No data available | | | |
| glutaral | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|---|-------------------|------------|---|-------------------|
| polydimethylsiloxane | No data available | | | |
| glutaral | Sensitising | Guinea pig | Method not given | |
| 1,2-benzisothiazol-3(2H)-one | Sensitising | Guinea pig | | |
| 2-methyl-2H-isothiazol-3-one | Sensitising | Guinea pig | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Sensitising | Guinea pig | Method not given OECD 406 (EU B.6) / GPMT | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| polydimethylsiloxane | No data available | | | |
| glutaral | No data available | | | |
| 1,2-benzisothiazol-3(2H)-one | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|--------------------------|---|---------------------|
| polydimethylsiloxane | No data available | | No data available | |
| glutaral | Mutagenic | | No evidence for mutagenicity, negative test results | Method not given |
| 1,2-benzisothiazol-3(2H)-one | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |
| 2-methyl-2H-isothiazol-3-one | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for mutagenicity | Method not given | No data available | |

Carcinogenicity

| Ingredient(s) | Effect |
|---|--|
| polydimethylsiloxane | No data available |
| glutaral | No evidence for carcinogenicity, negative test results |
| 1,2-benzisothiazol-3(2H)-one | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for carcinogenicity, negative test results |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--|----------|-----------------|-----------------------|---------|--------|------------------|--|
| polydimethylsiloxane | | | No data available | | | | |
| glutaral | | | No data available | | | | No evidence for developmental toxicity No evidence for reproductive toxicity |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | |
| 2-methyl-2H-isothiazol- 3-one | | | No data available | | | | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and | | | No data available | | | | No evidence for reproductive toxicity No evidence for teratogenic effects |

| 2-methyl-2H-isothiazol- | | | | |
|-------------------------|--|--|--|---|
| 3-one [EC No | | | | |
| 220-239-61 (3.1) | | | | 1 |

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|-------------------------|---|
| polydimethylsiloxane | | No data available | | | | |
| glutaral | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|-------------------------|--------------------------------------|
| polydimethylsiloxane | | No data available | | | | |
| glutaral | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|-------------------------|---|
| polydimethylsiloxane | | No data available | | | | |
| glutaral | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---|-------------------|----------|-----------------------|---------|--------|------------------|---|--------|
| polydimethylsiloxane | | | No data available | | | | | |
| glutaral | | | No data available | | | | | |
| 1,2-benzisothiazol-3(2H)-one | | | No data available | | | | | |
| 2-methyl-2H-isothiazol- 3-one | | | No data available | | | | | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC No | | | No data available | | | | | |
| 220-239-6] (3:1) | | | | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| polydimethylsiloxane | No data available |
| glutaral | Respiratory tract |
| 1,2-benzisothiazol-3(2H)-one | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | No data available |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| polydimethylsiloxane | No data available |
| glutaral | Respiratory tract |
| 1,2-benzisothiazol-3(2H)-one | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|------------------------|---------------------|----------------------|
| polydimethylsiloxane | LC 50 | > 100 | | | |
| glutaral | LC 50 | 0.8 | Oncorhynchus mykiss | OECD 203, static | 96 |
| 1,2-benzisothiazol-3(2H)-one | LC 50 | 2.18 | Oncorhynchus mykiss | OECD 203 (EU C.1) | |
| 2-methyl-2H-isothiazol-3-one | LC 50 | 4.77 | Oncorhynchus mykiss | Similar to OECD 203 | 96 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50 | 0.28 | Lepomis macrochirus | OECD 203 (EU C.1) | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|-------------------------|-------------------|----------------------|
| polydimethylsiloxane | EC 50 | > 100 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |
| glutaral | LC 50 | 0.345 | Daphnia magna Straus | Method not given | 48 |
| 1,2-benzisothiazol-3(2H)-one | EC 50 | 2.94 | Daphnia | OECD 202 (EU C.2) | 48 |
| 2-methyl-2H-isothiazol-3-one | LC 50 | 0.93-1.9 | Daphnia magna Straus | Method not given | 48 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 50 | 0.126 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|--|-------------------|----------------------|
| polydimethylsiloxane | EC 50 | > 100000 | | Method not given | 72 |
| glutaral | EC 50 | 0.6 | Desmodesmus subspicatus | OECD 201, static | 72 |
| 1,2-benzisothiazol-3(2H)-one | Er C 50 | 0.11 | | OECD 201 (EU C.3) | 72 |
| 2-methyl-2H-isothiazol-3-one | EC 50 | 0.158 | Selenastrum capricornutum | Method not given | 72 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 50 | 0.003 | Pseudokirchner iella subcapitata | OECD 201 (EU C.3) | 72 |

| Aquatic short-term toxicity - marine species | | | | | |
|--|----------|--------|---------|--------|-------------|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
| | - | (mg/l) | - | | time (days) |

Dry Tech 1/C VL117

| polydimethylsiloxane | No data available | |
|---|----------------------|--|
| glutaral | No data available | |
| 1,2-benzisothiazol-3(2H)-one | No data available | |
| 2-methyl-2H-isothiazol-3-one | No data available | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|---|----------|----------------------|---------------------|----------|------------------|
| polydimethylsiloxane | | No data available | | | |
| glutaral | EC 20 | 15 | Activated sludge | OECD 209 | 30 minute(s) |
| 1,2-benzisothiazol-3(2H)-one | EC 20 | 3.3 | Activated sludge | OECD 209 | 3 hour(s) |
| 2-methyl-2H-isothiazol-3-one | EC 20 | 2.8 | Activated sludge | OECD 209 | 3 hour(s) |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 20 | 0.97 | Activated sludge | OECD 209 | 3 hour(s) |

Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|------------------------|---------------------|------------------|------------------|
| polydimethylsiloxane | | No data available | | | | |
| glutaral | NOEC | 1.6 | Oncorhynchus mykiss | Method not given | 97 day(s) | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|------------------|--------------------------|------------------|------------------|
| polydimethylsiloxane | | No data available | | | | |
| glutaral | NOEC | 5.0 | Daphnia magna | OECD 211, semi-static | 21 day(s) | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|---------------------------------|---------|--------|-------------------------|------------------|
| polydimethylsiloxane | | No data available | | | | |
| glutaral | | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|-------------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | | |

| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | available | | |
|--|-----------|--|--|
| 220-239-6] (3:1) | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|-------------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|--|----------|----------------------|---------|--------|-------------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | No data available | | | | |
| 220-239-6] (3:1) | | avaliable | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|-------------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|-------------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|--|-------------------|--------|------------|--------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | No data available | | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one | | | | |
| [EC No 220-239-6] (3:1) | | | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh | Method | Evaluation | Remark |
|--|-------------------------|--------|------------|--------|
| | water | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | No data available | | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one | | | | |
| [EC No 220-239-6] (3:1) | | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Туре | Half-life time | Method | Evaluation | Remark |
|-------------------------|------|-------------------|--------|------------|--------|
| 5-chloro-2-methyl-2H-is | | No data available | | | |
| othiazol-3-one [EC No | | | | | |
| 247-500-7] and | | | | | |
| 2-methyl-2H-isothiazol- | | | | | |
| 3-one [EC No | | | | | |
| 220-239-6] (3:1) | | | | | |

Biodegradation Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--|--------------------------|----------------------------|----------------------------|-----------|----------------------------|
| polydimethylsiloxane | | | 97% in 28 day(s) | | Inherently biodegradable. |
| glutaral | Activated sludge, aerobe | DOC reduction | 90 - 100 % in 28 day(s) | OECD 301A | Readily biodegradable |
| 1,2-benzisothiazol-3(2H)-one | Adapted activated sludge | CO ₂ production | 62% in 4 day(s) | OECD 301C | Not readily biodegradable. |
| 2-methyl-2H-isothiazol-3-one | | | | | Not readily biodegradable. |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | Oxygen depletion | > 60% | OECD 301D | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

Dry Tech 1/C VL117

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|--|---------------|-------------------|-------|--------|-------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical | DT 50 | Method | Evaluation |
|--|------------------|---------------------|--------------------|-----------|-------------------|
| | | method | | | |
| 1,2-benzisothiazol-3(2H)-one | Sewage treatment | Primary | > 90% | OECD 303A | Biodegradable |
| | plant simulation | degradation | | | - |
| 2-methyl-2H-isothiazol-3-one | Surface water | Mineralisation rate | > 50 % in 4 day(s) | OECD 309 | Biodegradable |
| | (fresh) | | | | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | | | | No data available |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | | | | |
| 220-239-6] (3:1) | | | | | |

12.3 Bioaccumulative potential

| Ingredient(s) | Value | Method | Evaluation | Remark | | | |
|---|-------------------|--------------------|-----------------------------|--------|--|--|--|
| polydimethylsiloxane | No data available | | No bioaccumulation expected | | | | |
| glutaral | -0.36 | (EC) 440/2008, A.8 | No bioaccumulation expected | | | | |
| 1,2-benzisothiazol-3(2H)-one | 0.7 | OECD 107 | No bioaccumulation expected | | | | |
| 2-methyl-2H-isothiazol-3-one | -0.32 | OECD 107 | No bioaccumulation expected | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -0.71 - +0.75 | Method not given | No bioaccumulation expected | | | | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---|-------------------|---------|----------|-----------------------------|--------|
| polydimethylsiloxane | No data available | | | No bioaccumulation expected | |
| glutaral | No data available | | | | |
| 1,2-benzisothiazol-3(2H)-one | 6.95 | | OECD 305 | | |
| 2-methyl-2H-isothiazol- 3-one | 3.16 | | OECD 305 | | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC No 220-239-6] (3:1) | | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment Soil/sediment Ingredient(s) Adsorption Desorption Method Evaluation coefficient coefficient type Log Koc .og Koc(des) polydimethylsiloxane No data available glutaral 2.51 Method not given Potential for adsorption to soil 1,2-benzisothiazol-3(2H)-one No data available 2-methyl-2H-isothiazol-3-one No data available 5-chloro-2-methyl-2H-isothiazol-3-one [EC No No data available 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 16 03 06 - organic wastes other than those mentioned in 16 03 05.

Empty packaging Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- · International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 04.0

SDS code: MS1002674

Revision: 2022-08-07

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 8, 9, 11, 12, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H301 Toxic if swallowed
- · H302 Harmful if swallowed.
- · H310 Fatal in contact with skin. · H311 - Toxic in contact with skin.
- · H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled. • H331 - Toxic if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- · H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
- · EUH071 Corrosive to the respiratory tract.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate

- DNEL Derived No Effect Limit
 EC50 effective concentration, 50%
 ERC Environmental release categories
 EUH CLP Specific hazard statement
 LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet