

Deosan Red Label Hypochlorite

Revision: 2024-08-05

Version: 03.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Deosan Red Label Hypochlorite

UFI: 2613-00RH-K00S-CVQJ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Surface disinfectant.
for food contact surface disinfection
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_4_2
AISE_SWED_PW_8a_1
AISE_SWED_PW_8b_1
AISE_SWED_PW_1_1
AISE_SWED_PW_4_1
AISE_SWED_PW_10_1
AISE_SWED_PW_11_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

EUH031
Skin corrosion, Category 1B (H314)
Serious eye damage, Category 1 (H318)
Acute aquatic toxicity, Category 1 (H400)
Chronic aquatic toxicity, Category 2 (H411)
Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hypochlorite (active chlorine) (Sodium Hypochlorite)

Hazard statements:

H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H410 - Very toxic to aquatic life with long lasting effects.
EUH031 - Contact with acids liberates toxic gas.

Deosan Red Label Hypochlorite

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

Reportable poison - Control of Poisons and Explosives Precursors Regulations 2015

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|---------------------------------------|-----------|------------|--------------|--|-------|----------------|
| sodium hypochlorite (active chlorine) | 231-668-3 | 7681-52-9 | [6] | EUH031 Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) Corrosive to metals, Category 1 (H290) | | 10-20 |

Specific concentration limits

sodium hypochlorite (active chlorine):

- EUH031 >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

May cause bronchospasm in chlorine sensitive individuals.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Deosan Red Label Hypochlorite

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. In case of an incident in a confined area wear suitable respiratory protection. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100

Comah - Upper Tier requirements (tonnes): 200

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hypochlorite (active chlorine) | - | - | - | 0.26 |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---------------------------------------|----------------------------|--|---------------------------|---|
| sodium hypochlorite (active chlorine) | - | - | 0.5 % | - |

Deosan Red Label Hypochlorite

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---------------------------------------|----------------------------|--|---------------------------|---|
| sodium hypochlorite (active chlorine) | - | - | 0.5 % | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hypochlorite (active chlorine) | 3.1 | 3.1 | 1.55 | 1.55 |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---------------------------------------|----------------------------|-------------------------------|---------------------------|------------------------------|
| sodium hypochlorite (active chlorine) | 3.1 | 3.1 | 1.55 | 1.55 |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|---------------------------------------|-----------------------------|------------------------------|---------------------|-------------------------------|
| sodium hypochlorite (active chlorine) | 0.00021 | 0.000042 | 0.00026 | 0.03 |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m ³) |
|---------------------------------------|------------------------------|--------------------------|--------------|--------------------------|
| sodium hypochlorite (active chlorine) | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

| | SWED - Sector-specific worker exposure description | LCS | PROC | Duration (min) | ERC |
|---|--|-----|---------|----------------|-------|
| Automatic application in a dedicated system | AISE_SWED_PW_4_2 | PW | PROC 4 | 480 | ERC8a |
| Manual transfer and dilution | AISE_SWED_PW_8a_1 | PW | PROC 8a | 60 | ERC8a |
| Automatic transfer and dilution | AISE_SWED_PW_8b_1 | PW | PROC 8b | 60 | ERC8b |

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

Recommended safety measures for handling the diluted product:

Deosan Red Label Hypochlorite

Recommended maximum concentration (% w/w): 2

Appropriate engineering controls: Provide a good standard of general ventilation.
Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| | SWED | LCS | PROC | Duration (min) | ERC |
|--|-------------------|-----|---------|----------------|-------|
| Automatic application in a dedicated closed system | AISE_SWED_PW_1_1 | PW | PROC 1 | 480 | ERC8a |
| Machine application | AISE_SWED_PW_10_1 | PW | PROC 10 | 480 | ERC8a |
| Manual application by brushing, wiping or mopping | | | | | |
| Spray application | AISE_SWED_PW_11_1 | PW | PROC 11 | 60 | ERC8a |
| Manual application | AISE_SWED_PW_19_1 | PW | PROC 19 | 480 | ERC8a |
| Automatic application in a dedicated system | AISE_SWED_PW_4_1 | PW | PROC 4 | 480 | ERC8a |

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid
Colour: Clear , Pale , from Green to Green
Odour: Chlorine
Odour threshold: Not applicable
Melting point/freezing point (°C): Not determined
Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product
 See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|---------------------------------------|-----------------------------------|------------------|----------------------------|
| sodium hypochlorite (active chlorine) | Product decomposes before boiling | Method not given | 1013 |

Method / remark

Flammability (solid, gas): Not applicable to liquids
Flammability (liquid): Not flammable.
Flash point (°C): > 100 °C
Sustained combustion: Not applicable.
 (UN Manual of Tests and Criteria, section 32, L.2)
Lower and upper explosion limit/flammability limit (%): Not determined

closed cup
 See substance data

Substance data, flammability or explosive limits, if available:

| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) |
|---------------------------------------|---------------------|---------------------|
| sodium hypochlorite (active chlorine) | - | - |

Method / remark

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
pH: >= 11.5 (neat)
Dilution pH: ≈ 11 (2 %)
Kinematic viscosity: Not determined
Solubility in / Miscibility with water: Fully miscible

ISO 4316
 ISO 4316

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|---------------------------------------|-------------|--------|------------------|
| sodium hypochlorite (active chlorine) | Soluble | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Deosan Red Label Hypochlorite

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|---------------------------------------|------------|--------|------------------|
| sodium hypochlorite (active chlorine) | Negligible | | |

Relative density: \approx 1.18 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids. Reacts with acids releasing toxic chlorine gas.

10.6 Hazardous decomposition products

Chlorine.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data: where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Oral (mg/kg) |
|---------------------------------------|------------------|---------------|---------|-------------------|-------------------|------------------|
| sodium hypochlorite (active chlorine) | LD ₅₀ | 1100 | Rat | OECD 401 (EU B.1) | 90 | Not established |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Dermal (mg/kg) |
|---------------------------------------|------------------|---------------|---------|-------------------|-------------------|--------------------|
| sodium hypochlorite (active chlorine) | LD ₅₀ | > 20000 | Rabbit | OECD 402 (EU B.3) | | Not established |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|---------------|----------|-------|---------|--------|----------|
|---------------|----------|-------|---------|--------|----------|

Deosan Red Label Hypochlorite

| | | (mg/l) | | | time (h) |
|---------------------------------------|------------------|-----------------|-----|-------------------|----------|
| sodium hypochlorite (active chlorine) | LC ₅₀ | > 10.5 (vapour) | Rat | OECD 403 (EU B.2) | 1 |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|---------------------------------------|-------------------------------|-------------------------------|---------------------------------|------------------------------|
| sodium hypochlorite (active chlorine) | Not established | Not established | Not established | Not established |

Irritation and corrosivity

Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------------------|-----------|---------|-------------------|---------------|
| sodium hypochlorite (active chlorine) | Corrosive | Rabbit | OECD 404 (EU B.4) | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------------------|---------------|---------|-------------------|---------------|
| sodium hypochlorite (active chlorine) | Severe damage | Rabbit | OECD 405 (EU B.5) | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------------------|---------------------------------|---------|--------|---------------|
| sodium hypochlorite (active chlorine) | Irritating to respiratory tract | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|---------------------------------------|-----------------|------------|----------------------------------|-------------------|
| sodium hypochlorite (active chlorine) | Not sensitising | Guinea pig | OECD 406 (EU B.6) / Buehler test | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------------------|-----------------|---------|--------|---------------|
| sodium hypochlorite (active chlorine) | Not sensitising | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|---------------------------------------|------------------------------|-----------------------|---|--------------------|
| sodium hypochlorite (active chlorine) | No evidence for mutagenicity | OECD 471 (EU B.12/13) | No evidence for mutagenicity, negative test results | OECD 474 (EU B.12) |

Carcinogenicity

| Ingredient(s) | Effect |
|---------------------------------------|--|
| sodium hypochlorite (active chlorine) | No evidence for carcinogenicity, negative test results |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---------------------------------------|----------|---|--------------------|---------|---|---------------|---------------------------------------|
| sodium hypochlorite (active chlorine) | NOAEL | Developmental toxicity Impaired fertility | 5 (Cl) | Rat | OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral | | No evidence for reproductive toxicity |

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---------------------------------------|----------|--------------------|---------|--------------------|----------------------|--------------------------------------|
| sodium hypochlorite (active chlorine) | NOAEL | 50 | Rat | OECD 408 (EU B.26) | 90 | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---------------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---------------------------------------|----------|--------------------|---------|--------|----------------------|--------------------------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

Deosan Red Label Hypochlorite

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---------------------------------------|----------------|----------|--------------------|---------|--------|---------------|--------------------------------------|--------|
| sodium hypochlorite (active chlorine) | | | No data available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|---------------------------------------|-------------------|
| sodium hypochlorite (active chlorine) | Not applicable |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|---------------------------------------|-------------------|
| sodium hypochlorite (active chlorine) | Not applicable |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------------------------------|------------------|--------------|----------------------------|------------------|-------------------|
| sodium hypochlorite (active chlorine) | LC ₅₀ | 0.06 | <i>Oncorhynchus mykiss</i> | Method not given | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------------------------------|------------------|--------------|---------------------------|-------------------|-------------------|
| sodium hypochlorite (active chlorine) | EC ₅₀ | 0.035 | <i>Ceriodaphnia dubia</i> | OECD 202 (EU C.2) | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---------------------------------------|----------|--------------|----------------------|------------------|-------------------|
| sodium hypochlorite (active chlorine) | NOEC | 0.0021 | <i>Not specified</i> | Method not given | 168 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|---------------------------------------|------------------|--------------|------------------------------|------------------|----------------------|
| sodium hypochlorite (active chlorine) | EC ₅₀ | 0.026 | <i>Crassostrea virginica</i> | Method not given | 2 |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|---------------------------------------|----------|--------------|-------------------------|------------------|---------------|
| sodium hypochlorite (active chlorine) | | 0.375 | <i>Activated sludge</i> | Method not given | |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---------------|----------|--------------|---------|--------|---------------|------------------|
|---------------|----------|--------------|---------|--------|---------------|------------------|

Deosan Red Label Hypochlorite

| | | | | | | |
|---------------------------------------|------|------|---------------------------|------------------|------------|--|
| sodium hypochlorite (active chlorine) | NOEC | 0.04 | <i>Menidia pelinsulae</i> | Method not given | 96 hour(s) | |
|---------------------------------------|------|------|---------------------------|------------------|------------|--|

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---------------------------------------|----------|--------------|------------------------------|------------------|---------------|------------------|
| sodium hypochlorite (active chlorine) | NOEC | 0.007 | <i>Crassostrea virginica</i> | Method not given | 15 day(s) | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|---------------------------------------|----------|---------------------------|---------|--------|----------------------|------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|---------------------------------------|----------|-------------------|---------|--------|----------------------|------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---------------------------------------|----------|-----------------------|---------|--------|----------------------|------------------|
| sodium hypochlorite (active chlorine) | | No data available | | | | |

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|---------------------------------------|----------------|--------------------------|------------|--------|
| sodium hypochlorite (active chlorine) | 115 day(s) | Indirect photo-oxidation | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|---------------------------------------|-------------------------------|--------|------------|--------|
| sodium hypochlorite (active chlorine) | No data available | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|---------------------------------------|------|-------------------|--------|------------|--------|
| sodium hypochlorite (active chlorine) | | No data available | | | |

Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT ₅₀ | Method | Evaluation |
|---------------------------------------|----------|-------------------|------------------|--------|--------------------------------------|
| sodium hypochlorite (active chlorine) | | | | | Not applicable (inorganic substance) |

Deosan Red Label Hypochlorite

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|---------------------------------------|---------------|-------------------|------------------|--------|-------------------|
| sodium hypochlorite (active chlorine) | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT ₅₀ | Method | Evaluation |
|---------------------------------------|---------------|-------------------|------------------|--------|-------------------|
| sodium hypochlorite (active chlorine) | | | | | No data available |

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

| Ingredient(s) | Value | Method | Evaluation | Remark |
|---------------------------------------|-------|------------------|-----------------------------|--------|
| sodium hypochlorite (active chlorine) | -3.42 | Method not given | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---------------------------------------|-------------------|---------|--------|------------|--------|
| sodium hypochlorite (active chlorine) | No data available | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log K _{oc} | Desorption coefficient Log K _{oc} (des) | Method | Soil/sediment type | Evaluation |
|---------------------------------------|--|--|--------|--------------------|-------------------------------------|
| sodium hypochlorite (active chlorine) | 1.12 | | | | High potential for mobility in soil |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 15* - alkalines.

European Waste Catalogue:**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number or ID number:** 1791**14.2 UN proper shipping name:**

Hypochlorite solution (sodium hypochlorite)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Deosan Red Label Hypochlorite

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C9

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code
- Control of Poisons and Explosives Precursors Regulations 2015

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003399

Version: 03.0

Revision: 2024-08-05

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 2, 3, 4, 6, 7, 8, 9, 10, 15, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.

Deosan Red Label Hypochlorite

- H318 - Causes serious eye damage.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- EUH031 - Contact with acids liberates toxic gas.

End of Safety Data Sheet