



## Omo Professional White

Revision: 2023-05-04

Version: 03.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Omo Professional White

*Omo is a registered trade mark and is used under licence of Unilever*

UFI: NY73-008V-S00V-MURN

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Laundry detergent.

**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8a\_2

PC35-Washing and cleaning products

AISE\_SWED\_PW\_4\_1

AISE\_SWED\_PW\_19\_1

PC35-Washing and cleaning products

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Tandur Hf.

Hesthålsi 12, 110 Reykjavik

Tel. 5101200, Email: tandur@tandur.is

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

Poison Center: (+354) 543-2222

Emergency services: 112.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Eye Irrit. 2 (H319)

#### 2.2 Label elements



**Signal word:** Warning.

#### Hazard statements:

H319 - Causes serious eye irritation.

#### Precautionary statements:

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

## Omo Professional White

## 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium sulphate	231-820-9	7757-82-6	01-2119519226-43	Not classified as hazardous		30-50
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		20-30
sodium alkylbenzenesulphonate	270-115-0	68411-30-3	01-2119489428-22	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
disodium trisilicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		3-10
sodium percarbonate	239-707-6	15630-89-4	01-2119457268-30	Ox. Sol. 2 (H272) Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
Limestone	215-279-6	1317-65-3	[2]	Not classified as hazardous		1-3

**Specific concentration limits**

sodium percarbonate:

- Ox. Sol. 2 (H272) >= 50% > Ox. Sol. 3 (H272) >= 20%
- Eye Dam. 1 (H318) >= 25% > Eye Irrit. 2 (H319) >= 7.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

**SECTION 4: First aid measures****4.1 Description of first aid measures**

<b>Inhalation:</b>	Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	No known effects or symptoms in normal use.
<b>Eye contact:</b>	Causes severe irritation.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

## Omo Professional White

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless advised by Diversey. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:****Additional exposure limits under the conditions of use, if available:****DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium sulphate	-	-	-	-
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	-	-	-	0.425
disodium trisilicate	-	-	-	0.8
sodium percarbonate	-	-	-	-
Limestone	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium sulphate	-	-	-	-
sodium carbonate	-	-	No data available	-
sodium alkylbenzenesulphonate	-	-	-	119
disodium trisilicate	No data available	-	No data available	1.59
sodium percarbonate	12.8 mg/cm <sup>2</sup> skin	-	12.8 mg/cm <sup>2</sup> skin	-
Limestone	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium sulphate	-	-	-	-
sodium carbonate	No data available	-	No data available	-
sodium alkylbenzenesulphonate	-	-	-	42.5
disodium trisilicate	No data available	-	No data available	0.8

## Omo Professional White

sodium percarbonate	6.4 mg/cm <sup>2</sup> skin	-	6.4 mg/cm <sup>2</sup> skin	-
Limestone	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium sulphate	-	-	20	20
sodium carbonate	-	-	10	-
sodium alkylbenzenesulphonate	-	-	-	6
disodium trisilicate	-	-	-	5.61
sodium percarbonate	-	-	5	-
Limestone	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium sulphate	-	-	12	12
sodium carbonate	10	-	-	-
sodium alkylbenzenesulphonate	-	-	-	1.5
disodium trisilicate	-	-	-	1.38
sodium percarbonate	-	-	-	-
Limestone	No data available	No data available	No data available	No data available

## Environmental exposure

## Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium sulphate	-	-	-	-
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	0.268	0.0268	0.0167	3.43
disodium trisilicate	7.5	1	7.5	348
sodium percarbonate	0.035	0.035	0.035	16.24
Limestone	No data available	No data available	No data available	No data available

## Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
sodium sulphate	-	-	-	-
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	8.1	6.8	35	-
disodium trisilicate	-	-	-	-
sodium percarbonate	-	-	-	-
Limestone	No data available	No data available	No data available	No data available

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

## Personal protective equipment

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

## Omo Professional White

**Environmental exposure controls:** No special requirements under normal use conditions.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 1.5

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.

**Hand protection:** No special requirements under normal use conditions.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

**Method / remark**

**Physical state:** Solid

**Colour:** Speckles , White

**Odour:** Product specific

**Odour threshold:** Not applicable

**Melting point/freezing point (°C):** Not determined

Not relevant to classification of this product

**Initial boiling point and boiling range (°C):** Not determined

Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium sulphate	1429	Method not given	1013
sodium carbonate	1600	Method not given	1013
sodium alkylbenzenesulphonate	No data available		
disodium trisilicate	> 100	Method not given	
sodium percarbonate	Product decomposes before boiling		
Limestone	No data available		

**Method / remark**

**Flammability (solid, gas):** Not determined

**Flammability (liquid):** Not applicable.

**Flash point (°C):** Not applicable.

**Sustained combustion:** Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

**Method / remark**

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**pH:** Not applicable

**Dilution pH:** ≈ 11 (1.5 %)

**Kinematic viscosity:** Not determined

ISO 4316

**Solubility in / Miscibility with water:** Soluble

Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium sulphate	186	Method not given	20

## Omo Professional White

sodium carbonate	210-215	Method not given	20
sodium alkylbenzenesulphonate	> 250		
disodium trisilicate	Soluble	Method not given	20
sodium percarbonate	140	Method not given	20
Limestone	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Vapour pressure:** Not determined

**Method / remark**

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium sulphate	No data available		
sodium carbonate	Negligible		
sodium alkylbenzenesulphonate	No data available		
disodium trisilicate	No data available		
sodium percarbonate	Negligible		
Limestone	No data available		

**Relative density:** ≈ 0.64 (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** Not determined.

**Method / remark**

OECD 109 (EU A.3)

Not applicable to solids

Not relevant to classification of this product.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes**

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Not determined

Not applicable to solids or gases

**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data:

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

**Skin irritation and corrosivity**

**Result:** Not corrosive or irritant

**Method:** Weight of evidence

**Eye irritation and corrosivity**

**Result:** Eye irritant 2

**Method:** Weight of evidence

## Omo Professional White

Substance data, where relevant and available, are listed below:

**Acute toxicity**

## Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium sulphate	LD <sub>50</sub>	10000	Rat	Method not given		Not established
sodium carbonate	LD <sub>50</sub>	2800	Rat	OECD 401 (EU B.1)		2800
sodium alkylbenzenesulphonate	LD <sub>50</sub>	1080	Rat	OECD 401 (EU B.1)		1080
disodium trisilicate	LD <sub>50</sub>	3400	Rat	Method not given		Not established
sodium percarbonate	LD <sub>50</sub>	1034	Rat	Method not given		1034
Limestone	LD <sub>50</sub>	> 5000	Rat	Method not given		Not established

## Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium sulphate	LD <sub>50</sub>	> 2000				Not established
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
sodium alkylbenzenesulphonate	LD <sub>50</sub>	> 2000	Rat	OECD 402 (EU B.3)		Not established
disodium trisilicate	LD <sub>50</sub>	> 5000	Rat	Method not given		Not established
sodium percarbonate	LD <sub>50</sub>	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
Limestone		No data available				Not established

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium sulphate		No data available			
sodium carbonate	LC <sub>50</sub>	> 2.3 (dust)		Weight of evidence	2
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate		No mortality observed	Rat	Non guideline test	4
sodium percarbonate		No data available			
Limestone		No data available			

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium sulphate	Not established	Not established	Not established	Not established
sodium carbonate	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
disodium trisilicate	Not established	Not established	Not established	Not established
sodium percarbonate	Not established	Not established	Not established	Not established
Limestone	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium sulphate	No data available			
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
disodium trisilicate	Irritant		Method not given	
sodium percarbonate	Not irritant	Rabbit	Method not given	
Limestone	No data available			

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium sulphate	No data available			
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium alkylbenzenesulphonate	Corrosive	Rabbit	OECD 405 (EU B.5)	
disodium trisilicate	Irritant		Method not given	
sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	
Limestone	No data available			

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium sulphate	No data available			
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	Not irritating to respiratory tract			
disodium trisilicate	Irritating to respiratory tract		Method not given	
sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
Limestone	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium sulphate	Not sensitising		Method not given	
sodium carbonate	Not sensitising		Method not given	
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
disodium trisilicate	Not sensitising		Method not given	
sodium percarbonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
Limestone	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium sulphate	No data available			
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	No data available			
disodium trisilicate	No data available			
sodium percarbonate	No data available			
Limestone	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium sulphate	No evidence for mutagenicity		No data available	
sodium carbonate	No data available		No data available	
sodium alkylbenzenesulphonate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No data available	
disodium trisilicate	No evidence for mutagenicity, negative test results		No data available	
sodium percarbonate	No data available		No data available	
Limestone	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
sodium sulphate	No evidence for carcinogenicity, weight-of-evidence
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium alkylbenzenesulphonate	No data available
disodium trisilicate	No evidence for carcinogenicity, negative test results
sodium percarbonate	No data available
Limestone	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium sulphate			No data available				No evidence for reproductive toxicity
sodium carbonate			No data available				
sodium alkylbenzenesulphonate	NOAEL	Teratogenic effects	300	Rat	Non guideline test		No known significant effects or critical hazards
disodium trisilicate			No data available				No evidence for reproductive toxicity
sodium percarbonate			No data available				



## Omo Professional White

Limestone			No data available				
-----------	--	--	-------------------	--	--	--	--

**Repeated dose toxicity**

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium sulphate		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
sodium percarbonate		No data available				
Limestone		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium sulphate		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate		No data available				
sodium percarbonate		No data available				
Limestone		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium sulphate		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate		No data available				
sodium percarbonate		No data available				
Limestone		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium sulphate			No data available					
sodium carbonate			No data available					
sodium alkylbenzenesulphonate			No data available					
disodium trisilicate			No data available					
sodium percarbonate			No data available					
Limestone			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium sulphate	No data available
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
disodium trisilicate	No data available
sodium percarbonate	No data available
Limestone	No data available

## Omo Professional White

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium sulphate	No data available
sodium carbonate	No data available
sodium alkylbenzenesulphonate	No data available
disodium trisilicate	Not applicable
sodium percarbonate	No data available
Limestone	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium sulphate	LC <sub>50</sub>	81 - 1100	Fish	Method not given	96
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96
sodium alkylbenzenesulphonate	LC <sub>50</sub>	1.67	Fish	EPA-OPPTS 850.1075	96
disodium trisilicate	LC <sub>50</sub>	260 - 310	<i>Oncorhynchus mykiss</i>	Method not given	96
sodium percarbonate	LC <sub>50</sub>	70.7	<i>Pimephales promelas</i>	Method not given	96
Limestone	LC <sub>50</sub>	> 10000	<i>Oncorhynchus mykiss</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium sulphate	EC <sub>50</sub>	4580	<i>Daphnia magna Straus</i>	Method not given	48
sodium carbonate	EC <sub>50</sub>	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
sodium alkylbenzenesulphonate	LC <sub>50</sub>	2.9	<i>Daphnia</i>	OECD 202 (EU C.2)	48
disodium trisilicate	EC <sub>50</sub>	1700	<i>Daphnia magna Straus</i>	OECD 202, static	48
sodium percarbonate	EC <sub>50</sub>	4.9	<i>Daphnia pulex</i>	Method not given	48
Limestone	EC <sub>50</sub>	> 1000	<i>Daphnia magna Straus</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium sulphate	EC <sub>50</sub>	1900		Non guideline test	120
sodium carbonate	EC <sub>50</sub>	> 800	<i>Selenastrum capricornutum</i>		72
sodium alkylbenzenesulphonate	E <sub>b</sub> C <sub>50</sub>	47.3	Not specified	Non guideline test	72
disodium trisilicate	EC <sub>50</sub>	207	<i>Desmodesmus subspicatus</i>	DIN 38412, Part 9	72
sodium percarbonate	EC <sub>50</sub>	2.5	<i>Chlorella vulgaris</i>	Read across	
Limestone	EC <sub>50</sub>	> 200	<i>Desmodesmus</i>	Method not given	72

## Omo Professional White

			<i>subspicatus</i>	
--	--	--	--------------------	--

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium sulphate		No data available			
sodium carbonate		No data available			
sodium alkylbenzenesulphonate		No data available			
disodium trisilicate		No data available			
sodium percarbonate		No data available			
Limestone		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium sulphate		No data available			
sodium carbonate		No data available			
sodium alkylbenzenesulphonate	EC <sub>50</sub>	550	<i>Bacteria</i>	OECD 209	3 hour(s)
disodium trisilicate		No data available			
sodium percarbonate	EC <sub>50</sub>	466	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
Limestone		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium sulphate		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate	NOEC	0.23	<i>Oncorhynchus mykiss</i>	Method not given	72 day(s)	
disodium trisilicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
sodium percarbonate	NOEC	7.4	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
Limestone		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium sulphate		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate	NOEC	1.41	<i>Daphnia magna</i>	OECD 211		
disodium trisilicate		No data available				
sodium percarbonate	NOEC	2	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
Limestone		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium sulphate		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				
disodium trisilicate		No data available				

## Omo Professional White

sodium percarbonate		No data available				
Limestone		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
sodium percarbonate	NA	Method not given		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	
sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium sulphate					Not applicable (inorganic substance)
sodium carbonate					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85 % in 28 day(s)	OECD 301B	Readily biodegradable
disodium trisilicate					Not applicable (inorganic substance)
sodium percarbonate					Not applicable (inorganic substance)
Limestone					Not applicable (inorganic substance)

## Omo Professional White

					(substance)
--	--	--	--	--	-------------

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium sulphate	-4.38	Method not given	No bioaccumulation expected	
sodium carbonate	No data available		No bioaccumulation expected	
sodium alkylbenzenesulphonate	3.32	Method not given	Low potential for bioaccumulation	
disodium trisilicate	No data available		Not relevant, does not bioaccumulate	
sodium percarbonate	No data available			
Limestone	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium sulphate	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
sodium alkylbenzenesulphonate	2-1000		Method not given	High potential for bioaccumulation	
disodium trisilicate	No data available				
sodium percarbonate	No data available				
Limestone	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
sodium sulphate	No data available				Potential for mobility in soil, soluble in water
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium alkylbenzenesulphonate	No data available				
disodium trisilicate	No data available				
sodium percarbonate	No data available				High potential for mobility in soil
Limestone	No data available				

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

### 12.7 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

## SECTION 14: Transport information

**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

- 14.1 UN number or ID number: Non-dangerous goods  
 14.2 UN proper shipping name: Non-dangerous goods  
 14.3 Transport hazard class(es): Non-dangerous goods  
 14.4 Packing group: Non-dangerous goods  
 14.5 Environmental hazards: Non-dangerous goods  
 14.6 Special precautions for user: Non-dangerous goods  
 14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

anionic surfactants	5 - 15 %
non-ionic surfactants, phosphonatesoxygen-based bleaching agents, polycarboxylates, soap perfumes , optical brighteners, enzymes, Benzyl Salicylate, Hexyl Cinnamal	< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Seveso - Classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1003562

**Version:** 03.1

**Revision:** 2023-05-04

**Reason for revision:**

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 8, 9, 11, 12, 15, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage

**Omo Professional White**

- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H272 - May intensify fire; oxidiser.
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**