

### Safety Data Sheet

According to Regulation (EC) No 1907/2006

### **TASKI Tapi Shampoo C2c**

Revision: 2024-08-02 Version: 03.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: TASKI Tapi Shampoo C2c

UFI: QUKH-81J2-N00X-PPHT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Carpet / Upholstery cleaner.

For professional use only.
Uses other than those identified are not recommended. Uses advised against:

# $\begin{array}{l} \textbf{SWED - Sector-specific worker exposure description:} \\ \textbf{AISE\_SWED\_PW\_8a\_1} \\ \textbf{AISE\_SWED\_PW\_8b\_1} \end{array}$

AISE\_SWED\_PW\_4\_1 AISE\_SWED\_PW\_10\_1 AISE\_SWED\_PW\_11\_1 AISE\_SWED\_PW\_19\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

#### **Contact details**

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin irritation, Category 2 (H315)

#### 2.2 Label elements



Signal word: Warning.

Contains 2-phenoxyethanol (Phenoxyethanol)

#### Hazard statements:

H315 - Causes skin irritation.

#### 2.3 Other hazards

No other hazards known.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
			number			percent
Butanedioic acid, 2(or 3)-sulfo-,	939-648-2	75081-73-1	01-212088384	Skin irritation, Category 2 (H315)		3-10
4-[2-[(1-oxododecyl)amino]ethyl]ester,			2-43	Eye irritation, Category 2 (H319)		
disodium salt						
sulphuric acid, mono-C12-14-alkyl	287-809-4	85586-07-8	01-211948946	Acute toxicity - Oral, Category 4 (H302)		3-10
esters, sodium salts			3-28	Skin irritation, Category 2 (H315)		
				Serious eye damage, Category 1 (H318)		
				Chronic aquatic toxicity, Category 3 (H412)		

#### Specific concentration limits

Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt:
• Eye irritation, Category 2 (H319) >= 40%
sulphuric acid, mono-C12-14-alkyl esters, sodium salts:

• Serious eye damage, Category 1 (H318) >= 20% > Eye irritation, Category 2 (H319) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice or attention.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion:

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

#### 4.2 Most important symptoms and effects, both acute and delayed

No known effects or symptoms in normal use. Inhalation:

Causes irritation. Skin contact:

Eye contact: No known effects or symptoms in normal use. Ingestion: No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Repeated or prolonged contact:. Wear suitable gloves.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

#### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL** and **PNEC** values

#### **Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

	Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
	Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	-	-	-	2.21
Ī	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	24

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Butanedioic acid, 2(or 3)-sulfo-,	-	-	=	165.44
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	4060

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)		Short term - Systemic	•	Long term - Systemic
	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
Butanedioic acid, 2(or 3)-sulfo-,	-	-	-	99.26
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	2440

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Butanedioic acid, 2(or 3)-sulfo-,	-	-	-	233.36
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	285

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecvl)aminolethyllester, disodium salt	-	-	-	69.05
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	-	-	-	85

#### **Environmental exposure**

Liviloilileitai exposure - FINEC				
Ingredient(s)	Surface water fresh	Surface water marine	Intermittent (mg/l)	Sewage treatment

	(mg/l)	(mg/l)		plant (mg/l)
Butanedioic acid, 2(or 3)-sulfo-,	0.072	0.072	0.19	5
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	0.131	0.013	0.036	1.35

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater		Soil (mg/kg)	Air (mg/m³)
	(mg/kg)	(mg/kg)		
Butanedioic acid, 2(or 3)-sulfo-,	0.42	0.042	0.042	-
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	4.61	0.461	0.846	-

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8b_1	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321 / EN 166).

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific

local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

oe chosen.

**Body protection:**No special requirements under normal use conditions.
Respiratory protection:
No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls: Provide a good standard of general ventilation. Ensure that foam equipment does not generate

respirable particles.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

··=- ·· · · · · · · · · · · · · · · · ·					
	SWED	LCS	PROC	Duration (min)	ERC
Machine application Manual application by brushing, wiping or mopping	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Foam spraying Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection:

Hand protection:

No special requirements under normal use conditions.

Respiratory protection: Trigger spray bottle application: No special requirements under normal use conditions. Apply

technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** No special requirements under normal use conditions.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Colourless Odour: Product specific Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	240	OECD 103 (EU A.2)	1013
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	> 100	Method not given	

#### Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 93 °C Sustained combustion: The product does not sustain combustion

( UN Manual of Tests and Criteria, section 32, L.2 )

closed cup Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

ISO 4316

ISO 4316

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

**pH**:  $\approx 6$  (neat) **Dilution pH:** ≈ 7 (10 %)

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	Soluble	OECD 105 (EU A.6)	20
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow); see subsection 12.3

### Method / remark

Vapour pressure: Not determined

Relative density: ≈ 1.03 (20 °C)

Particle characteristics: No data available.

Relative vapour density: -.

See substance data

Substance data, vapour pressure

Ingredient(s)	Value	Method	Temperature
	(Pa)		(°C)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	≤ 0.074	OECD 104 (EU A.4)	20
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available		

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

#### **Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
Butanedioic acid, 2(or 3)-sulfo-,	LD 50	> 2000	Rat	OECD 423 (EU B.1 tris)		Not established
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt						
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 1800	Rat	Method not given		1800

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
Butanedioic acid, 2(or 3)-sulfo-,		No data				Not established
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt		available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LD 50	> 2000	Rabbit	Method not given		66000

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt		No data available			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data available			

Acute inhalative toxicity, continued

	Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
	Butanedioic acid, 2(or 3)-sulfo-,	Not established	Not established	Not established	Not established
	4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt				
Ī	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Not established	Not established	Not established	Not established

#### Irritation and corrosivity

Skin irritation and corrosivity

etan intation and concernity				
Ingredient(s)	Result	Species	Method	Exposure time
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester,	Irritant		OECD 439	
disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester,	Irritant	Rabbit	OECD 405 (EU B.5)	
disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Severe damage	Rabbit	OECD 405 (EU B.5)	_

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester,	No data available			
disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available			

**Sensitisation**Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester,	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
disodium salt			GPMT	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester,	No data available			
disodium salt				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	No data available		No data available	
		OECD 471 (EU B.12/13) OECD 476 (Mouse lymphoma)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Carcinogenicity	
Ingredient(s)	Effect
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium	No data available
salt	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)ami no]ethyl]ester, disodium salt			No data available				.cps.tts
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEL	Teratogenic effects Developmental toxicity	250	Rat	OECD 414 (EU B.31), oral		

### Repeated dose toxicity

Sub-acute of Sub-critoric oral toxicity						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)	,		time (days)	affected
Butanedioic acid, 2(or 3)-sulfo-,		No data				
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt		available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOAEL	488		OECD 408 (EU	90	
				B 26)		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Butanedioic acid, 2(or 3)-sulfo-,		No data				
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt		available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)aminolethyllester, disodium salt		No data available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)ami no]ethyl]ester, disodium salt			No data available					
sulphuric acid, mono-C12-14-alkyl esters, sodium salts			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium	No data available
salt	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium	No data available
salt	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available

#### **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	LC 50	> 32	Brachydanio rerio	OECD 203, semi-static	
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	LC 50	3.6	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester,	EC 50	19	Daphnia	OECD 202, static	48
disodium salt			magna Straus		
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 50	4.7	Daphnia	84/449/EEC, C2	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	EC 50	> 26	Desmodesmus subspicatus	OECD 201, static	72

ſ	sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Er C 50	> 20	Not specified	88/302/EEC, Part C,	72
					static	

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (days)
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester,		No data			
disodium salt		available			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data			
		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt		No data available			
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	EC 10	1084	Bacteria	DIN 38412 / Part 8	16 hour(s)

Aquatic long-term toxicity
Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt		No data available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	1.357	Pimephales promelas	OECD 210	34 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Butanedioic acid, 2(or 3)-sulfo-,	NOEC	3.6	Daphnia	OECD 211,	21 day(s)	
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt			magna	semi-static		
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	NOEC	0.508	Daphnia sp.	Method not	7 day(s)	
				given		

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Butanedioic acid, 2(or 3)-sulfo-,		No data				
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt		available				
sulphuric acid, mono-C12-14-alkyl esters, sodium salts		No data				
		available				

**Terrestrial toxicity**Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

### 12.2 Persistence and degradability

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

- thiodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt	Activated sludge, aerobe	CO <sub>2</sub> production	94% in 28 day(s)	OECD 301B	Readily biodegradable
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	Activated sludge, aerobe	Oxygen depletion	> 90% in 28 day(s)	OECD 301D	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

#### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Butanedioic acid, 2(or 3)-sulfo-,	-5.371	OECD 107	No bioaccumulation expected	
4-[2-[(1-oxododecyl)amino]ethyl]ester,				
disodium salt				
sulphuric acid, mono-C12-14-alkyl	< -2.42	Method not given	No bioaccumulation expected	
esters, sodium salts				

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Butanedioic acid, 2(or 3)-sulfo-, 4-[2-[(1-oxododecyl)ami no]ethyl]ester, disodium salt					
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available				

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Butanedioic acid, 2(or 3)-sulfo-,	No data available				
4-[2-[(1-oxododecyl)amino]ethyl]ester, disodium salt					
sulphuric acid, mono-C12-14-alkyl esters, sodium salts	No data available				

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

#### 12.7 Other adverse effects

No other adverse effects known.

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods

Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:** 20 01 29\* - detergents containing dangerous substances.

**Empty packaging** 

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

#### SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods

**14.2 UN proper shipping name:** Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
  Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to Detergents Regulation

anionic surfactants 5 - 15 %

perfumes, Phenoxyethanol, Hexyl Cinnamal, Benzisothiazolinone, Laurylamine Dipropylenediamine

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

#### **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1003807 Version: 03.0 Revision: 2024-08-02

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 1, 2, 3, 4, 6, 7, 8, 9, 11, 12, 15, 16

#### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
   DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
  LD50 Lethal Dose, 50% / Median Lethal dose
  NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
   PROC Process categories
- REACH number REACH registration number, without supplier specific part
   vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**