

Dilacfoam VF71

Revision: 2025-04-25

Version: 04.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Dilacfoam VF71

UFI: AG9A-30W6-900C-3NSU

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Descaling agent.
Open plant cleaning chemical.
For professional and industrial use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_1
AISE_SWED_PW_4_2
AISE_SWED_PW_11_2
AISE_SWED_PW_19_2
AISE_SWED_IS_4_1
AISE_SWED_IS_7_4
AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B (H314)
Serious eye damage, Category 1 (H318)
Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains phosphoric acid (Phosphoric Acid), alkylbenzenesulphonic acid (Dodecylbenzene Sulfonic Acid), glycolic acid (Glycolic Acid), oxalic acid (Oxalic Acid)

Hazard statements:

H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P260 - Do not breathe vapours.
P280 - Wear protective gloves, protective clothing and eye or face protection.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Dilacfoam VF71

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

Regulated explosives precursor - Control of Poisons and Explosives Precursors Regulations 2015

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
phosphoric acid	231-633-2	7664-38-2	01-211948592 4-24	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Corrosive to metals, Category 1 (H290)		30-50
alkylbenzenesulphonic acid	287-494-3	85536-14-7	01-211949023 4-40	Skin corrosion, Category 1C (H314) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		3-10
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	01-211945001 1-60	Not classified as hazardous		3-10
glycolic acid	201-180-5	79-14-1	01-211948557 9-17	Skin corrosion, Category 1B (H314) Acute toxicity - Inhalation, Category 4 (H332) Serious eye damage, Category 1 (H318)		1-3
sodium cumenesulphonate	239-854-6	15763-76-5	01-211948941 1-37	Eye irritation, Category 2 (H319)		1-3
oxalic acid	205-634-3	-	01-211953457 6-33	Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Dermal, Category 4 (H312) Serious eye damage, Category 1 (H318)		1-3

Specific concentration limits

phosphoric acid:

- Serious eye damage, Category 1 (H318) >= 25% > Eye irritation, Category 2 (H319) >= 10%
- Skin corrosion, Category 1B (H314) >= 25% > Skin irritation, Category 2 (H315) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
phosphoric acid	1 mg/m ³	2 mg/m ³
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m ³	150 ppm 924 mg/m ³
oxalic acid	1 mg/m ³	2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
---------------	----------------------------	-------------------------------	---------------------------	------------------------------

phosphoric acid	-	-	-	0.1
alkylbenzenesulphonic acid	-	-	-	0.425
(2-methoxymethylethoxy)propanol	-	-	-	36
glycolic acid	-	-	-	0.75
sodium cumenesulphonate	-	-	-	3.8
oxalic acid	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
phosphoric acid	No data available	-	No data available	-
alkylbenzenesulphonic acid	-	-	-	85
(2-methoxymethylethoxy)propanol	No data available	-	No data available	283
glycolic acid	-	-	-	57.69
sodium cumenesulphonate	-	-	-	136.25
oxalic acid	No data available	-	No data available	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
phosphoric acid	No data available	-	No data available	-
alkylbenzenesulphonic acid	-	-	-	42.5
(2-methoxymethylethoxy)propanol	No data available	-	No data available	15
glycolic acid	-	-	-	28.85
sodium cumenesulphonate	-	-	-	68.1
oxalic acid	No data available	-	No data available	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
phosphoric acid	-	-	2.92	1
alkylbenzenesulphonic acid	-	-	-	6
(2-methoxymethylethoxy)propanol	-	-	-	308
glycolic acid	9.2	9.2	1.53	10.56
sodium cumenesulphonate	-	-	-	26.9
oxalic acid	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
phosphoric acid	-	-	0.73	-
alkylbenzenesulphonic acid	-	-	-	1.5
(2-methoxymethylethoxy)propanol	-	-	-	37.2
glycolic acid	-	2.3	2.3	2.6
sodium cumenesulphonate	-	-	-	6.6
oxalic acid	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
phosphoric acid	-	-	-	-
alkylbenzenesulphonic acid	0.268	0.027	0.017	3.43
(2-methoxymethylethoxy)propanol	19	1.9	190	4168
glycolic acid	0.0312	0.0031	0.312	7
sodium cumenesulphonate	0.23	0.023	2.3	100
oxalic acid	0.1622	-	1.622	1550

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
phosphoric acid	-	-	-	-
alkylbenzenesulphonic acid	8.1	6.8	35	-
(2-methoxymethylethoxy)propanol	70.2	7.02	2.74	190
glycolic acid	0.115	0.0115	0.007	-
sodium cumenesulphonate	0.862	0.0862	0.037	-
oxalic acid	-	-	-	-

8.2 Exposure controls

Dilacfoam VF71

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

- Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.
- Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (EN 16321). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.

- Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 10

- Appropriate engineering controls:** Provide a good standard of general ventilation. Ensure that foam equipment does not generate respirable particles.

- Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Foam spraying	AISE_SWED_IS_7_4	IS	PROC 7	480	ERC4
Spray application	AISE_SWED_IS_7_5				
Foam spraying	AISE_SWED_PW_11_2	PW	PROC 11	60	ERC8a
Spray application					
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_2	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection:

Goggles (EN 16321). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection:

Chemical-resistant protective gloves (EN 374) are always recommended for foam applications. Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Dilacfoam VF71

Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	Apply technical measures to comply with the occupational exposure limits, if available. If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities.
Environmental exposure controls:	No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear , Pale , Yellow	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
phosphoric acid	158	Method not given	1013
alkylbenzenesulphonic acid	190	Method not given	
(2-methoxymethylethoxy)propanol	189.6	Method not given	1013
glycolic acid	112	Method not given	1013
sodium cumenesulphonate	No data available		
oxalic acid	No data available		

	Method / remark
Flammability (solid, gas): Not applicable to liquids	
Flammability (liquid): Not flammable.	
Flash point (°C): > 100 °C	closed cup
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
(2-methoxymethylethoxy)propanol	1.1	14

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: ≤ 2 (neat)	ISO 4316
Dilution pH: < 2 (10 %)	ISO 4316
Kinematic viscosity: Not determined	DM-006 Viscosity - Additional
Solubility in / Miscibility with water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
phosphoric acid	Soluble		
alkylbenzenesulphonic acid	> 10	Method not given	20
(2-methoxymethylethoxy)propanol	Soluble	Method not given	20
glycolic acid	> 300	Method not given	22
sodium cumenesulphonate	493 Soluble	Method not given	20
oxalic acid	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

	Method / remark
Vapour pressure: Not determined	See substance data

Substance data, vapour pressure

Ingredient(s)	Value	Method	Temperature
---------------	-------	--------	-------------

	(Pa)		(°C)
phosphoric acid	4	Method not given	20
alkylbenzenesulphonic acid	0.15		20
(2-methoxymethylethoxy)propanol	37.1	Method not given	20
glycolic acid	0.41	Method not given	25
sodium cumenesulphonate	No data available		
oxalic acid	No data available		

Relative density: ≈ 1.32 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

Acid reserve: ≈ -15.5 (g NaOH / 100g; pH=4)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with alkali. Keep away from products containing chlorine-based bleaching agents or sulphites.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
phosphoric acid	LD ₅₀	> 300-5000	Rat	OECD 423 (EU B.1 tris)		2600
alkylbenzenesulphonic acid	LD ₅₀	1470	Rat	OECD 401 (EU B.1)		1470
(2-methoxymethylethoxy)propanol	LD ₅₀	> 5000	Rat	OECD 401 (EU B.1)		Not established
glycolic acid	LD ₅₀	2040	Rat	EPA OPP 81-1		Not established
sodium cumenesulphonate	LD ₅₀	> 7000	Rat	Method not given		Not established
oxalic acid	LD ₅₀	375	Rat	Method not given		375

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
phosphoric acid	LD ₅₀	2740	Rabbit	Method not given		Not established
alkylbenzenesulphonic acid	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
(2-methoxymethylethoxy)propanol	LD ₅₀	9510	Rabbit	Method not given		Not established
glycolic acid		No data available				Not established
sodium cumenesulphonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
oxalic acid	LD ₅₀	20000	Rabbit	Method not given		20000

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	LC ₅₀	850	Rat	Method not given	2
alkylbenzenesulphonic acid		No data available			
(2-methoxymethylethoxy)propanol	LC ₀	> 1.667 (vapour) No mortality observed	Rat		7
glycolic acid	LC ₅₀	3.6 (mist) (dust)	Rat	OECD 403 (EU B.2)	4
sodium cumenesulphonate	LC ₅₀	> 5 (mist) No mortality observed	Rat	Read across	3.87
oxalic acid		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
phosphoric acid	Not established	Not established	Not established	Not established
alkylbenzenesulphonic acid	Not established	Not established	Not established	Not established
(2-methoxymethylethoxy)propanol	Not established	Not established	Not established	Not established
glycolic acid	Not established	3.6	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established
oxalic acid	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkylbenzenesulphonic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
glycolic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
oxalic acid	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	Severe damage	Rabbit	Method not given	
alkylbenzenesulphonic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
glycolic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
oxalic acid	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	No data available			
alkylbenzenesulphonic acid	No data available			
(2-methoxymethylethoxy)propanol	No data available			
glycolic acid	No data available			
sodium cumenesulphonate	No data available			
oxalic acid	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
phosphoric acid	Not sensitising	Human	Human experience	
alkylbenzenesulphonic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
glycolic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
oxalic acid	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	No data available			
alkylbenzenesulphonic acid	No data available			
(2-methoxymethylethoxy)propanol	No data available			
glycolic acid	No data available			
sodium cumenesulphonate	No data available			
oxalic acid	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
phosphoric acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)	No data available	
alkylbenzenesulphonic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
(2-methoxymethylethoxy)propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
glycolic acid	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476	No evidence for mutagenicity No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
sodium cumenesulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
oxalic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
phosphoric acid	No data available
alkylbenzenesulphonic acid	No evidence for carcinogenicity, weight-of-evidence
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
glycolic acid	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results
oxalic acid	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
phosphoric acid	NOAEL	Developmental toxicity	410	Rat	OECD 422, oral	10 day(s)	No evidence for reproductive toxicity No evidence for developmental toxicity
alkylbenzenesulphonic acid	NOAEL	Teratogenic effects	300	Rat	Read across	20 day(s)	
(2-methoxymethylethoxy)propanol			No data available				No evidence for reproductive toxicity
glycolic acid			No data available				No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards
oxalic acid			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid	NOAEL	250	Rat	OECD 422,		

Dilacfoam VF71

				oral		
alkylbenzenesulphonic acid		No data available				
(2-methoxymethylethoxy)propanol		No data available				
glycolic acid	NOAEL	150 300	Rat	OECD 408 (EU B.26)	90	No adverse effects observed
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed
oxalic acid		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid		No data available				
alkylbenzenesulphonic acid		No data available				
(2-methoxymethylethoxy)propanol		No data available				
glycolic acid		No data available				
sodium cumenesulphonate		No data available				
oxalic acid	LOAEL	150	Rat	Method not given		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid		No data available				
alkylbenzenesulphonic acid		No data available				
(2-methoxymethylethoxy)propanol		No data available				
glycolic acid		No data available				
sodium cumenesulphonate		No data available				
oxalic acid		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
phosphoric acid			No data available					
alkylbenzenesulphonic acid	Oral	NOAEL	85	Rat	Read across	9 month(s)		
(2-methoxymethylethoxy)propanol			No data available					
glycolic acid			No data available					
sodium cumenesulphonate			No data available					
oxalic acid			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
phosphoric acid	No data available
alkylbenzenesulphonic acid	No data available
(2-methoxymethylethoxy)propanol	No data available
glycolic acid	No data available
sodium cumenesulphonate	Not applicable
oxalic acid	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
phosphoric acid	No data available
alkylbenzenesulphonic acid	No data available
(2-methoxymethylethoxy)propanol	No data available
glycolic acid	No data available
sodium cumenesulphonate	Not applicable

oxalic acid	No data available
-------------	-------------------

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	LC ₅₀	138	<i>Gambusia affinis</i>	Method not given	96
alkylbenzenesulphonic acid	LC ₅₀	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
(2-methoxymethylethoxy)propanol	LC ₅₀	> 1000	<i>Poecilia reticulata</i>	Method not given	96
glycolic acid	LC ₅₀	114.8	<i>Pimephales promelas</i>	Method not given	96
sodium cumenesulphonate	LC ₅₀	> 1000	Fish	EPA-OPPTS 850.1075	96
oxalic acid	LC ₅₀	160	<i>Carassius auratus</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	EC ₅₀	> 100	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
alkylbenzenesulphonic acid	EC ₅₀	1 - 10	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
(2-methoxymethylethoxy)propanol	EC ₅₀	1919	<i>Daphnia magna</i> Straus	Method not given	48
glycolic acid	EC ₅₀	99.6	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
sodium cumenesulphonate	EC ₅₀	> 1000	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
oxalic acid	EC ₅₀	162.2	<i>Daphnia magna</i> Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	EC ₅₀	> 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
alkylbenzenesulphonic acid	EC ₅₀	10 - 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
(2-methoxymethylethoxy)propanol	EC ₅₀	> 969	<i>Selenastrum capricornutum</i>	Method not given	72
glycolic acid	E _r C ₅₀	31.2	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72
sodium cumenesulphonate	E _b C ₅₀	> 230	Not specified	EPA OPPTS 850.5400	96
oxalic acid	IC ₅₀	80		Method not given	192

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
phosphoric acid		No data			

Dilacfoam VF71

		available			
alkylbenzenesulphonic acid		No data available			
(2-methoxymethylethoxy)propanol		No data available			
glycolic acid		No data available			
sodium cumenesulphonate		No data available			
oxalic acid		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
phosphoric acid	EC ₅₀	270	Activated sludge	Method not given	
alkylbenzenesulphonic acid		No data available			
(2-methoxymethylethoxy)propanol	EC ₁₀	4168	<i>Pseudomonas putida</i>	Method not given	
glycolic acid		No data available			
sodium cumenesulphonate	E _r C ₅₀	> 1000	Bacteria	OECD 209	3 hour(s)
oxalic acid	EC ₅₀	1550		Method not given	16 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid	NOEC	0.1 - 1	<i>Lepomis macrochirus</i>	Read across	28 day(s)	
(2-methoxymethylethoxy)propanol		No data available				
glycolic acid		No data available				
sodium cumenesulphonate		No data available				
oxalic acid		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid	NOEC	1 - 10	Not specified	Read across	32 day(s)	
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	<i>Daphnia magna</i>	Method not given	22 day(s)	
glycolic acid		No data available				
sodium cumenesulphonate		No data available				
oxalic acid		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid		No data available				
(2-methoxymethylethoxy)propanol		No data available				
glycolic acid		No data available				
sodium cumenesulphonate		No data available				
oxalic acid		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Dilacfoam VF71

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid	LD ₅₀	> 1000	<i>Eisenia fetida</i>	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid	EC ₅₀	167		OECD 208	21	
oxalic acid	EC ₅₀	1				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkylbenzenesulphonic acid		No data available				

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
phosphoric acid	No data available			
alkylbenzenesulphonic acid	No data available			
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
phosphoric acid	No data available			
alkylbenzenesulphonic acid	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
phosphoric acid		No data available			
alkylbenzenesulphonic acid		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
phosphoric acid					Not applicable (inorganic substance)
alkylbenzenesulphonic acid			94 % in 28 day(s)	OECD 301A	Readily biodegradable
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
glycolic acid	Activated sludge, aerobe	CO ₂ production	78 % in 11 day(s)	OECD 301B	Readily biodegradable
sodium cumenesulphonate		CO ₂ production	103 - 109% in 28	OECD 301B	Readily biodegradable

Dilacfoam VF71

			day(s)		
oxalic acid			89 % in 20 day(s)	Method not given	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
phosphoric acid					No data available
alkylbenzenesulphonic acid					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
phosphoric acid					No data available
alkylbenzenesulphonic acid					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
phosphoric acid	No data available		No bioaccumulation expected	
alkylbenzenesulphonic acid	3.2	Method not given	Low potential for bioaccumulation	
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
glycolic acid	-1.07	Method not given	No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	
oxalic acid	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
phosphoric acid	No data available			No bioaccumulation expected	
alkylbenzenesulphonic acid	2 - 500		Method not given	Low potential for bioaccumulation	
(2-methoxymethylethoxy)propanol	No data available				
glycolic acid	3.162		QSAR	Low potential for bioaccumulation	
sodium cumenesulphonate	No data available				
oxalic acid	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
phosphoric acid	No data available				Potential for mobility in soil, soluble in water
alkylbenzenesulphonic acid	No data available				Low mobility in soil
(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
glycolic acid	No data available				
sodium cumenesulphonate	No data available				
oxalic acid	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
20 01 14* - acids.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Dilacfoam VF71

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1805

14.2 UN proper shipping name:

Phosphoric acid, solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C1

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Control of Poisons and Explosives Precursors Regulations 2015
- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

anionic surfactants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Dilacfoam VF71**SDS code:** MS1004085**Version:** 04.0**Revision:** 2025-04-25**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 1, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H332 - Harmful if inhaled.
- H402 - Harmful to aquatic life.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet