

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# **Divos ACP E1 VM52**

Revision: 2024-10-30

Version: 02.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Divos ACP E1 VM52

UFI: VHFF-U09U-N005-9RMT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Cleaning in place chemical.

Uses advised against:

Cleaning in place chemical. For industrial use only.. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE\_SWED\_IS\_1\_1 AISE\_SWED\_IS\_8b\_2 AISE\_SWED\_IS\_1\_1

**1.3 Details of the supplier of the safety data sheet** Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

#### **Contact details**

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Not classified as hazardous

#### 2.2 Label elements

Contains subtilisin (Subtilisin)

#### Hazard statements:

EUH208 - May produce an allergic reaction. EUH210 - Safety data sheet available on request.

#### 2.3 Other hazards

Concentrated enzymatic liquid products are dust free preparations. However, inappropriate handling may cause formation of dust or aerosols which may induce sensitization and may cause allergic reactions in sensitized individuals.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
propane-1,2-diol	200-338-0	57-55-6	01-211945680 9-23	Not classified as hazardous		10-20
glycerol	200-289-5	56-81-5	01-211947198 7-18	Not classified as hazardous		1-3
subtilisin	232-752-2	9014-01-1	4-38	Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Single exposure, Category 3 (H335) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Respiratory sensitisation, Category 1 (H334)		0.1-1

				Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)		
--	--	--	--	--	--	--

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures Inhalation: Get medical attention or advice if you feel unwell. Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention. Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical Eye contact: attention. Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell. Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. 4.2 Most important symptoms and effects, both acute and delayed Inappropriate handling may cause formation of dust or aerosols which may induce sensitization and Inhalation: may cause allergic reactions in sensitized individuals. Skin contact: No known effects or symptoms in normal use. Eye contact: No known effects or symptoms in normal use. Ingestion: No known effects or symptoms in normal use.

# **4.3 Indication of any immediate medical attention and special treatment needed** No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Warning: concentrated enzymatic product. Spillages should be removed immediately to avoid formation of dust from dried product. Use a cloth wetted with a chlorine bleach to clean up product spillage. Flush remainder carefully with plenty of water. Avoid splashing and high pressure washing (do not remove product spillage in procedures likely to give rise to aerosols).

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures to prevent aerosol and dust generation:

Do not apply via trigger spray or other device which creates aerosols.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
propane-1,2-diol	150 ppm total vapour	450 ppm total vapour
	and particulates	and particulates
	474 mg/m3 total vapour	1422 mg/m <sup>3</sup> total
	and particulates	vapour and particulates
	10 mg/m <sup>3</sup> particulates	30 mg/m <sup>3</sup> particulate
glycerol	10 mg/m <sup>3</sup> mist	30 mg/m <sup>3</sup> mist
subtilisin	0.00004 mg/m <sup>3</sup>	0.00012 mg/m <sup>3</sup>

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL and PNEC values**

# Human exposure DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propane-1,2-diol	-	-	-	-
glycerol	-	-	-	229
subtilisin	-	3.6	-	1.8

#### DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propane-1,2-diol	-	-	-	-
glycerol	No data available	-	No data available	-
subtilisin	0.2 %	-	-	-

#### DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
propane-1,2-diol	-		-	-
glycerol	No data available	-	No data available	-
subtilisin	0.2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
	effects	effects	effects	effects
propane-1,2-diol	-	-	10	168
glycerol	-	-	56	56
subtilisin	-	-	0.00006	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
propane-1,2-diol	-	-	10	50
glycerol	-	-	-	33
subtilisin	-	-	0.000015	-

#### **Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
propane-1,2-diol	260	26	183	20000
glycerol	0.885	0.0885	8.85	1000

	subtilisin	0.00006	0.000006	-	65
--	------------	---------	----------	---	----

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
propane-1,2-diol	572	57.2	50	-
glycerol	3.3	0.33	0.141	-
subtilisin	-	-	-	-

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:No special requirements under normal use conditions.Appropriate organisational controls:No special requirements under normal use conditions.

#### REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4
Automatic transfer and dilution	AISE_SWED_IS_8b_2	IS	PROC 8b	60	ERC4

#### Personal protective equipment

Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 1

Appropriate engineering controls:	No special requirements under normal use conditions.
Appropriate organisational controls:	No special requirements under normal use conditions.

#### REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4

#### Personal protective equipment

Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear , Pale , Yellow Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined Method / remark

Not relevant to classification of this product See substance data

#### Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
propane-1,2-diol	185-190	Method not given	1013
glycerol	290	Method not given	1013
subtilisin	No data available		

#### Flammability (solid, gas): Not applicable to liquids Flammability (liquid): Not flammable. Flash point (°C): > 93 °C Sustained combustion: Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
propane-1,2-diol	2.6	12.6
glycerol	2.7	19
subtilisin	-	-

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH:  $\approx$  6 (neat) Dilution pH:  $\approx$  6 (1 %) Kinematic viscosity: Not determined Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
propane-1,2-diol	Soluble	Method not given	
glycerol	500	Method not given	20
subtilisin	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Vapour pressure: Not determined

#### Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
propane-1,2-diol	18.6	Method not given	20
glycerol	< 1	Method not given	20
subtilisin	Not applicable		

Relative density: ≈ 1.03 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

#### 9.2.2 Other safety characteristics

No other relevant information available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

# Method / remark

closed cup

See substance data

# Method / remark

ISO 4316 ISO 4316

#### Method / remark

Method / remark

See substance data

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids. No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### **10.5 Incompatible materials**

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

#### Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
propane-1,2-diol	LD 50	> 10000	Rat	Method not given		Not established
glycerol	LD 50	12600	Mouse	Method not given		Not established
subtilisin	LD 50	1800	Rat	OECD 401 (EU B.1)		1800

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
propono 1 0 dial	LD 50	> 2000	Rabbit	Mathed not siven		Not established
propane-1,2-diol	LD 50	> 2000	Rabbil	Method not given		Not established
glycerol	LD 50	> 10000	Rabbit	Method not given		Not established
subtilisin		No data				Not established
		available				

#### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
propane-1,2-diol	LC 50	> 317 (mist) No	Rabbit	Non guideline test	
		mortality		-	
		observed			
glycerol		> 2.75	Rat	Weight of evidence	4 Hrs.
subtilisin		-		Weight of evidence	

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
propane-1,2-diol	Not established	Not established	Not established	Not established
glycerol	Not established	Not established	Not established	Not established
subtilisin	Not established	Not established	Not established	Not established

#### Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	Not irritant	Rabbit	OECD 404 (EU B.4)	
glycerol	Not irritant		OECD 404 (EU B.4)	
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	Not corrosive or	Rabbit	OECD 405 (EU B.5)	
	irritant			
glycerol	Not corrosive or		Method not given	
	irritant			

subtilisin	Not corrosive or	Rabbit	OECD 405 (EU B.5)	
	irritant			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	No data available			
glycerol	No data available			
subtilisin	Irritating to respiratory tract			

#### Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
propane-1,2-diol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
			GPMT	
glycerol	Not sensitising	Human	Human repeated patch	
			test	
subtilisin	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
propane-1,2-diol	No data available			
glycerol	No data available			
subtilisin	Sensitising		Weight of evidence	

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
propane-1,2-diol	No evidence for mutagenicity, negative test results	Method not given	No data available	
glycerol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
subtilisin		OECD 471 (EU B.12/13) OECD 473 OECD 476 (Chinese Hamster Ovary)		

#### Carcinogenicity

Ingredient(s)	Effect
propane-1,2-diol	No evidence for carcinogenicity, negative test results
glycerol	No evidence for carcinogenicity, negative test results
subtilisin	No data available

# Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
propane-1,2-diol			No data				No evidence for reproductive
			available				toxicity
glycerol			No data				Not toxic for reproduction
			available				
subtilisin			No data				
			available				

#### Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
propane-1,2-diol		No data				
		available				
glycerol		No data				
		available				
subtilisin		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
propane-1,2-diol		No data				
		available				
glycerol		No data				

	available		
subtilisin	No data		
	available		

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
propane-1,2-diol		No data				
		available				
glycerol		No data				
		available				
subtilisin		No data				
	1	available				

#### Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
propane-1,2-diol			No data					
			available					
glycerol			No data					
			available					
subtilisin			No data					
			available					

#### STOT-single exposure

Ingredient(s)	Affected organ(s)
propane-1,2-diol	No data available
glycerol	No data available
subtilisin	Respiratory tract

#### STOT-repeated exposure

Ingredient(s)	Affected organ(s)
propane-1,2-diol	No data available
glycerol	No data available
subtilisin	No data available

#### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propane-1,2-diol	LC 50	> 1000	Fish	Method not given	24
glycerol	LC 50	54000	Oncorhynchus mykiss	Method not given	96
subtilisin	LC 50	8.2	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propane-1,2-diol	EC 50	> 100	Daphnia	Method not given	48
glycerol	EC 50	> 10000	Daphnia	Method not given	24

			magna Straus		
subtilisin	EC 50	0.586	Daphnia	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
propane-1,2-diol	EC 50	24200	Desmodesmus subspicatus	OECD 201 (EU C.3)	72
glycerol		2900			
subtilisin	Er C 50	0.830	Not specified	OECD 201 (EU C.3)	72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
propane-1,2-diol		No data available			
glycerol		No data available			
subtilisin		No data available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
propane-1,2-diol	EC o	> 20000	Pseudomonas putida	Method not given	18 hour(s)
glycerol	EC 50	> 10000	Pseudomonas putida	Method not given	16 hour(s)
subtilisin		No data available			

# Aquatic long-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propane-1,2-diol		No data available				
glycerol		No data available				
subtilisin		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
propane-1,2-diol	NOEC	13020	Ceriodaphnia dubia	Method not given	7 day(s)	
glycerol		No data available				
subtilisin		No data available				

# Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		sediment)				
propane-1,2-diol		No data				
		available				
glycerol		No data				
		available				
subtilisin		No data				
		available				

#### **Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

Evaluation

Potential for mobility in soil, soluble in water

Potential for mobility in soil, soluble in water

#### 12.2 Persistence and degradability

#### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

# Biodegradation

Ready biodegradability - aerobic conditions						
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation	
propane-1,2-diol			> 70 % in 28 day(s)	OECD 301A	Readily biodegradable	
glycerol			60% in 28 day(s)	Method not given	Readily biodegradable	
subtilisin				OECD 301B	Readily biodegradable	

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

#### 12.3 Bioaccumulative potential Partition coefficient n-octan ol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
propane-1,2-diol	-1.07	Method not given	No bioaccumulation expected	
glycerol	-1.76	Method not given	No bioaccumulation expected	
subtilisin	< 0			

**Bioconcentration factor (BCF)** 

Ingredient(s)	Value	Species	Method	Evaluation	Remark
propane-1,2-diol	No data available				
glycerol	No data available				
subtilisin	-	-		Not relevant, does not bioaccumulate	

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment				
Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type
propane-1,2-diol	No data available			

No data available

No data available

#### 12.5 Results of PBT and vPvB assessment

glycerol

subtilisin

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

SECTION 12: Disposal considerations

#### 12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations				
13.1 Waste treatment methods Waste from residues / unused	The concentrated contents or contaminated packaging should be disposed of by a certified handler			
products: European Waste Catalogue:	or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 20 01 30 - detergents other than those mentioned in 20 01 29.			
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.			

# SECTION 14: Transport information

Revision: 2024-10-30

#### Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

- 14.1 UN number or ID number: Non-dangerous goods
- 14.2 UN proper shipping name: Non-dangerous goods
- 14.3 Transport hazard class(es): Non-dangerous goods
- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods
- 14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

#### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
   Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- · International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

# Ingredients according to Detergents Regulation

enzymes

Comah - classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

### SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Version: 02.0

SDS code: MS1004209

#### Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 8, 11, 12, 16

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories • EUH - CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
   LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- · OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
  PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

- H302 Harmful if swallowed.
  H315 Causes skin irritation.
  H318 Causes serious eye damage.
  H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
  H335 May cause respiratory irritation.
  H400 Very toxic to aquatic life.
  H411 Toxic to aquatic life with long lasting effects.

End of Safety Data Sheet