

**TASKI Sprint Spitfire Plus**

Revision: 2024-08-03

Version: 01.2

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name: TASKI Sprint Spitfire Plus

UFI: KQYG-D1MJ-C00K-5JKE

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Product use:** Hard surface cleaner.  
For professional use only.  
**Uses advised against:** Uses other than those identified are not recommended.

**SWED - Sector-specific worker exposure description :**

AISE\_SWED\_PW\_11\_1  
AISE\_SWED\_PW\_19\_1

**1.3 Details of the supplier of the safety data sheet**

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

**Contact details**

Tandur Hf.  
Hesthálsi 12, 110 Reykjavík  
Tel. 5101200, Email: tandur@tandur.is

**1.4 Emergency telephone number**

Seek medical advice (show the label or safety data sheet where possible).  
Poison Center: (+354) 543-2222  
Emergency services: 112.

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Eye irritation, Category 2 (H319)

**2.2 Label elements**



**Signal word:** Warning.

**Hazard statements:**

H319 - Causes serious eye irritation.

**2.3 Other hazards**

No other hazards known.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
2-butoxyethanol	203-905-0	111-76-2	01-211947510 8-36	Acute toxicity - Inhalation, Category 3 (H331) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Eye irritation, Category 2 (H319)		3-10
sodium carbonate	207-838-8	497-19-8	01-211948549 8-19	Acute toxicity - Oral, Category 4 (H302) Eye irritation, Category 2 (H319)		1-3

## TASKI Sprint Sprintfire Plus

sodium alkylbenzenesulphonate	290-656-6	90194-45-9	[1]	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)	1-3
-------------------------------	-----------	------------	-----	--	-----

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Inhalation:</b>	Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	No known effects or symptoms in normal use.
<b>Eye contact:</b>	Causes severe irritation.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

## TASKI Sprint Spitfire Plus

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
2-butoxyethanol	20 ppm 100 mg/m <sup>3</sup> 25 ppm	50 ppm 246 mg/m <sup>3</sup>

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	-	26.7	-	6.3
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	-	-	-	0.425

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
2-butoxyethanol	-	89	-	125
sodium carbonate	-	-	No data available	-
sodium alkylbenzenesulphonate	No data available	-	No data available	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
2-butoxyethanol	-	89	-	75
sodium carbonate	No data available	-	No data available	-
sodium alkylbenzenesulphonate	No data available	-	No data available	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	246	1091	-	98
sodium carbonate	-	-	10	-
sodium alkylbenzenesulphonate	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
2-butoxyethanol	147	426	-	59
sodium carbonate	10	-	-	-
sodium alkylbenzenesulphonate	-	-	-	-

**Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)

## TASKI Sprint Spitfire Plus

2-butoxyethanol	8.8	0.88	9.1	463
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
2-butoxyethanol	34.6	3.46	2.33	-
sodium carbonate	-	-	-	-
sodium alkylbenzenesulphonate	-	-	-	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** Provide a good standard of general ventilation.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Trigger spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

## Personal protective equipment

**Eye / face protection:** Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical state:</b> Liquid	
<b>Colour:</b> Clear , Blue	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
2-butoxyethanol	168-172	Method not given	1013
sodium carbonate	1600	Method not given	1013
sodium alkylbenzenesulphonate	No data available		

	Method / remark
<b>Flammability (solid, gas):</b> Not applicable to liquids	
<b>Flammability (liquid):</b> Not flammable.	
<b>Flash point (°C):</b> > 60 °C	closed cup
<b>Sustained combustion:</b> Not applicable. ( UN Manual of Tests and Criteria, section 32, L.2 )	
<b>Lower and upper explosion limit/flammability limit (%):</b> Not determined	See substance data

## TASKI Sprint Spitfire Plus

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
2-butoxyethanol	1.1	10.6

## Method / remark

**Autoignition temperature:** Not determined**Decomposition temperature:** Not applicable.**pH:** >= 11.5 (neat)

ISO 4316

**Kinematic viscosity:** Not determined**Solubility in / Miscibility with water:** Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
2-butoxyethanol	Soluble	Method not given	20
sodium carbonate	210-215	Method not given	20
sodium alkylbenzenesulphonate	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

## Method / remark

**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
2-butoxyethanol	89	Method not given	20
sodium carbonate	Negligible		
sodium alkylbenzenesulphonate	No data available		

## Method / remark

**Relative density:** ≈ 1.03 (20 °C)**Relative vapour density:** -**Particle characteristics:** No data available.

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes****Explosive properties:** Not explosive.**Oxidising properties:** Not oxidising.**Corrosion to metals:** Not corrosive**9.2.2 Other safety characteristics****Alkali reserve:** ≈ 0.7 (g NaOH / 100g; pH=10)**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): &gt;2000

ATE - Inhalatory, vapours (mg/l): &gt;20

**Eye irritation and corrosivity****Result:** Eye irritant 2**Species:** Not applicable.**Method:** Weight of evidence

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
2-butoxyethanol	LD <sub>50</sub>	1746	Rat	ATE - Acute Toxicity Estimate		1200
sodium carbonate	LD <sub>50</sub>	2800	Rat	OECD 401 (EU B.1)		2800
sodium alkylbenzenesulphonate	LD <sub>50</sub>	> 1470	Rat	OECD 401 (EU B.1)		1470

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
2-butoxyethanol	LD <sub>50</sub>	6411		Method not given		Not established
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
sodium alkylbenzenesulphonate		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 2 (mist) No mortality observed	Rat	Method not given	4
sodium carbonate	LC <sub>50</sub>	> 2.3 (dust)		Weight of evidence	2
sodium alkylbenzenesulphonate		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
2-butoxyethanol	Not established	Not established	3	Not established
sodium carbonate	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 404 (EU B.4)	24; 48; 72 hour(s)
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	Irritant	Rabbit	OECD 405 (EU B.5)	24; 48; 72 hour(s)
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium alkylbenzenesulphonate	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	No data available			

**Sensitisation**

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
2-butoxyethanol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
sodium carbonate	Not sensitising		Method not given	

## TASKI Sprint Spitfire Plus

sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
-------------------------------	-----------------	------------	--------------------------	--

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
2-butoxyethanol	No data available			
sodium carbonate	No data available			
sodium alkylbenzenesulphonate	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
2-butoxyethanol	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476 (Chinese Hamster Ovary)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium carbonate	No data available		No data available	
sodium alkylbenzenesulphonate	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
2-butoxyethanol	No evidence for carcinogenicity, negative test results
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium alkylbenzenesulphonate	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
2-butoxyethanol			No data available				
sodium carbonate			No data available				
sodium alkylbenzenesulphonate			No data available				

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
2-butoxyethanol		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
2-butoxyethanol			No data available					

## TASKI Sprint Spfire Plus

sodium carbonate			No data available				
sodium alkylbenzenesulphonate			No data available				

## STOT-single exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
sodium carbonate	Not applicable
sodium alkylbenzenesulphonate	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
2-butoxyethanol	No data available
sodium carbonate	Not applicable
sodium alkylbenzenesulphonate	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	LC <sub>50</sub>	> 100	<i>Oncorhynchus mykiss</i>	OECD 203, static	96
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96
sodium alkylbenzenesulphonate	LC <sub>50</sub>	1.67	<i>Lepomis macrochirus</i>	EPA-OPPTS 850.1075	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Daphnia magna</i> Straus	OECD 202, static	48
sodium carbonate	EC <sub>50</sub>	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
sodium alkylbenzenesulphonate	EC <sub>50</sub>	1.62	<i>Daphnia magna</i> Straus		48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
2-butoxyethanol	EC <sub>50</sub>	> 100	<i>Pseudokirchneriella subcapitata</i>	OECD 201, static	72
sodium carbonate	EC <sub>50</sub>	> 800	<i>Selenastrum capricornutum</i>		72
sodium alkylbenzenesulphonate	EC <sub>50</sub>	29	<i>Selenastrum capricornutum</i>		96

Aquatic short-term toxicity - marine species



## TASKI Sprint Spitfire Plus

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
2-butoxyethanol		No data available			
sodium carbonate		No data available			
sodium alkylbenzenesulphonate		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
2-butoxyethanol	EC <sub>0</sub>	700	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
sodium carbonate		No data available			
sodium alkylbenzenesulphonate		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	> 100	<i>Danio rerio</i>	OECD 204	21 day(s)	
sodium carbonate		No data available				
sodium alkylbenzenesulphonate	NOEC	> 2.5-1		Method not given		

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
2-butoxyethanol	NOEC	100	<i>Daphnia magna</i>	OECD 211	21 day(s)	
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
2-butoxyethanol		No data available				
sodium carbonate		No data available				
sodium alkylbenzenesulphonate		No data available				

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

## Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

## Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed

## TASKI Sprint Sprintfire Plus

sodium carbonate		No data available				
------------------	--	-------------------	--	--	--	--

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
2-butoxyethanol		CO <sub>2</sub> production	90.4 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO <sub>2</sub> production	85% in 29 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available

**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
2-butoxyethanol	0.81	OECD 107	Low potential for bioaccumulation	
sodium carbonate	No data available		No bioaccumulation expected	
sodium alkylbenzenesulphonate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
2-butoxyethanol	No data available				
sodium carbonate	No data available			No bioaccumulation expected	
sodium alkylbenzenesulphonate	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
2-butoxyethanol	No data available				Potential for mobility in soil, soluble in water
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium alkylbenzenesulphonate	No data available				

## TASKI Sprint Spitfire Plus

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number or ID number:** Non-dangerous goods

**14.2 UN proper shipping name:** Non-dangerous goods

**14.3 Transport hazard class(es):** Non-dangerous goods

**14.4 Packing group:** Non-dangerous goods

**14.5 Environmental hazards:** Non-dangerous goods

**14.6 Special precautions for user:** Non-dangerous goods

**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 648/2004 - Detergents regulation
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

anionic surfactants, non-ionic surfactants  
perfumes

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Seveso - Classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**TASKI Sprint Spitfire Plus****SDS code:** MS1005167**Version:** 01.2**Revision:** 2024-08-03**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 6, 8, 11, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H331 - Toxic if inhaled.
- H332 - Harmful if inhaled.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**