

## Quatdet Clear

Revision: 2024-08-06

Version: 01.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Quatdet Clear

UFI: 39K1-90RW-D00Y-DAXT

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Product use:</b>	Surface disinfectant. for food contact surface disinfection For industrial use only..
<b>Uses advised against:</b>	Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_IS\_8b\_1  
AISE\_SWED\_IS\_4\_1  
AISE\_SWED\_IS\_7\_2  
AISE\_SWED\_IS\_7\_5  
AISE\_SWED\_IS\_13\_3

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

#### Contact details

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin corrosion, Category 1B (H314)  
Specific target organ toxicity - Repeated exposure, Category 2 (H373)  
Serious eye damage, Category 1 (H318)  
Acute aquatic toxicity, Category 1 (H400)  
Chronic aquatic toxicity, Category 2 (H411)  
Corrosive to metals, Category 1 (H290)

#### 2.2 Label elements



**Signal word:** Danger.

Contains tetrasodium ethylene diamine tetraacetate (Tetrasodium EDTA), n-alkyl dimethyl benzyl ammonium chloride (Benzalkonium Chloride), Alcohols, C10-16, ethoxylated (7-<15 EO) (C12-15 Pareth-7)

#### Hazard statements:

H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.  
H373 - May cause damage to organs through prolonged or repeated exposure.  
H410 - Very toxic to aquatic life with long lasting effects.

#### Precautionary statements:

## Quatdet Clear

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

### 2.3 Other hazards

No other hazards known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
tetrasodium ethylene diamine tetraacetate	200-573-9	64-02-8	01-211948676 2-27	Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Inhalation, Category 4 (H332) Specific target organ toxicity - Repeated exposure, Category 2 (H373) Serious eye damage, Category 1 (H318)		10-20
n-alkyl dimethyl benzyl ammonium chloride	270-325-2	68424-85-1	[6]	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Dermal, Category 4 (H312) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		3-10
Alcohols, C10-16, ethoxylated (7-<15 EO)	[4]	68002-97-1	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		1-3
sodium chloride	231-598-3	7647-14-5	[1]	Not classified as hazardous		1-3
sodium hydroxide	215-185-5	1310-73-2	01-211945789 2-27	Skin corrosion, Category 1A (H314) Corrosive to metals, Category 1 (H290)		0.1-1

#### Specific concentration limits

sodium hydroxide:

- Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%
- Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General Information:

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

#### Inhalation:

Get medical attention or advice if you feel unwell.

#### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

#### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

#### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

#### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Inhalation:

No known effects or symptoms in normal use.

#### Skin contact:

Causes severe burns.

#### Eye contact:

Causes severe or permanent damage.

#### Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

### 4.3 Indication of any immediate medical attention and special treatment needed

## Quatdet Clear

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep from freezing. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100

Comah - Upper Tier requirements (tonnes): 200

### 7.3 Specific end use(s)

No specific advice for end use available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m <sup>3</sup>

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects</b>
tetrasodium ethylene diamine tetraacetate	-	-	-	25
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	3.4
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
sodium chloride	-	126.65	-	126.65
sodium hydroxide	-	-	-	-

DNEL/DMEL dermal exposure - Worker

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects (mg/kg bw)</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects (mg/kg bw)</b>
tetrasodium ethylene diamine tetraacetate	-	-	-	-
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	5.7
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	No data available	-
sodium chloride	No data available	295.52	-	295.52
sodium hydroxide	2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects (mg/kg bw)</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects (mg/kg bw)</b>
tetrasodium ethylene diamine tetraacetate	-	-	-	-
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	3.4
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	No data available	-
sodium chloride	No data available	126.65	No data available	126.65
sodium hydroxide	2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects</b>
tetrasodium ethylene diamine tetraacetate	3	3	1.5	1.5
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	3.96
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
sodium chloride	-	2068.62	-	2068.62
sodium hydroxide	-	-	1	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects</b>
tetrasodium ethylene diamine tetraacetate	1.2	1.2	0.6	-
n-alkyl dimethyl benzyl ammonium chloride	-	-	-	1.64
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
sodium chloride	-	443.28	-	443.28
sodium hydroxide	-	-	1	-

**Environmental exposure**

Environmental exposure - PNEC

<b>Ingredient(s)</b>	<b>Surface water, fresh (mg/l)</b>	<b>Surface water, marine (mg/l)</b>	<b>Intermittent (mg/l)</b>	<b>Sewage treatment plant (mg/l)</b>
tetrasodium ethylene diamine tetraacetate	2.2	0.22	1.2	43
n-alkyl dimethyl benzyl ammonium chloride	0.0009	0.00096	0.00016	0.4
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
sodium chloride	5	-	19	500
sodium hydroxide	-	-	-	-

Environmental exposure - PNEC, continued

<b>Ingredient(s)</b>	<b>Sediment, freshwater (mg/kg)</b>	<b>Sediment, marine (mg/kg)</b>	<b>Soil (mg/kg)</b>	<b>Air (mg/m<sup>3</sup>)</b>
tetrasodium ethylene diamine tetraacetate	-	-	0.72	-
n-alkyl dimethyl benzyl ammonium chloride	12.27	13.09	7	-
Alcohols, C10-16, ethoxylated (7-<15 EO)	-	-	-	-
sodium chloride	-	-	4.86	-
sodium hydroxide	-	-	-	-

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

## Quatdet Clear

Recommended safety measures for handling the undiluted product:

- Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.
- Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**REACH use scenarios considered for the undiluted product:**

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4

**Personal protective equipment**

**Eye / face protection:**

Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

No special requirements under normal use conditions. Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:**

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.

- Environmental exposure controls:** No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

**Recommended maximum concentration (% w/w):** 5

- Appropriate engineering controls:** Provide a good standard of general ventilation.
- Appropriate organisational controls:** Employees and/or livestock should not be present in the treated facility during fogging.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4
Manual application by dipping, soaking, pouring	AISE_SWED_IS_13_3	IS	PROC 13	240	ERC4
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Fogging	AISE_SWED_IS_7_2	IS	PROC 7	480	ERC4
Spray application	AISE_SWED_IS_7_5				

**Personal protective equipment**

**Eye / face protection:**

No special requirements under normal use conditions.

**Hand protection:**

No special requirements under normal use conditions.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

Spraying/fogging by machine application: If exposure to liquid particles cannot be avoided use: self-contained or compressed air breathing apparatus (EN 137 / EN 138) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

- Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

#### Method / remark

**Physical state:** Liquid

**Colour:** Clear , Colourless

**Odour:** Product specific

**Odour threshold:** Not applicable

**Melting point/freezing point (°C):** Not determined

**Initial boiling point and boiling range (°C):** Not determined

Not relevant to classification of this product  
See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
tetrasodium ethylene diamine tetraacetate	No data available	Non-experimental data	
n-alkyl dimethyl benzyl ammonium chloride	> 107	Method not given	
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available		
sodium chloride	1461	Method not given	1013
sodium hydroxide	> 990	Method not given	

#### Method / remark

**Flammability (solid, gas):** Not applicable to liquids

**Flammability (liquid):** Not flammable.

**Flash point (°C):** > 100 °C

**Sustained combustion:** Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

closed cup

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
n-alkyl dimethyl benzyl ammonium chloride	-	-

#### Method / remark

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**pH:** ≈ 10 (neat)

**Kinematic viscosity:** ≈ 10 mPa.s (20 °C)

**Solubility in / Miscibility with water:** Not miscible or difficult to mix

ISO 4316

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
tetrasodium ethylene diamine tetraacetate	500	Method not given	20
n-alkyl dimethyl benzyl ammonium chloride	Soluble	Method not given	
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available		
sodium chloride	328	Method not given	20
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Method / remark

**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
tetrasodium ethylene diamine tetraacetate	0.0000000002	Read across	25
n-alkyl dimethyl benzyl ammonium chloride	2300	Method not given	20
Alcohols, C10-16, ethoxylated (7-<15 EO)	< 0.15		20
sodium chloride	No data available		
sodium hydroxide	< 1330	Method not given	20

#### Method / remark

**Relative density:** ≈ 1.08 (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** No data available.

OECD 109 (EU A.3)  
Not relevant to classification of this product  
Not applicable to liquids.

## 9.2 Other information

### 9.2.1 Information with regard to physical hazard classes

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Corrosive

### 9.2.2 Other safety characteristics

No other relevant information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

May be corrosive to metals.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

Substance data: where relevant and available, are listed below:.

#### Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	1780	Rat	OECD 401 (EU B.1)		1780
n-alkyl dimethyl benzyl ammonium chloride	LD <sub>50</sub>	304.5	Rat			304.5
Alcohols, C10-16, ethoxylated (7-<15 EO)	LD <sub>50</sub>	300-2000	Rat	Weight of evidence		1000
sodium chloride	LD <sub>50</sub>	3000	Rat	Method not given		3000
sodium hydroxide		No data available				Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	> 5000	Rabbit	Method not given		Not established
n-alkyl dimethyl benzyl ammonium chloride	LD <sub>50</sub>	3412	Rabbit	Method not given		3412
Alcohols, C10-16, ethoxylated (7-<15 EO)	LD <sub>50</sub>	> 2000		Method not given		Not established
sodium chloride	LD <sub>50</sub>	> 10000	Rabbit	Method not given		Not established
sodium hydroxide	LD <sub>50</sub>	1350	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC <sub>50</sub>	≥ 1-5 (dust)	Rat	OECD 403 (EU B.2)	6
n-alkyl dimethyl benzyl ammonium chloride		No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available			
sodium chloride	LC <sub>50</sub>	> 42	Rat	Method not given	1
sodium hydroxide		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
---------------	------------------------	------------------------	-------------------	-----------------------

	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
tetrasodium ethylene diamine tetraacetate	Not established	13	Not established	Not established
n-alkyl dimethyl benzyl ammonium chloride	Not established	Not established	Not established	Not established
Alcohols, C10-16, ethoxylated (7-<15 EO)	Not established	Not established	Not established	Not established
sodium chloride	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	OECD 404 (EU B.4)	
n-alkyl dimethyl benzyl ammonium chloride	Corrosive	Rabbit	Method not given	
Alcohols, C10-16, ethoxylated (7-<15 EO)	Not irritant	Rabbit	Method not given	
sodium chloride	Not irritant		Method not given	
sodium hydroxide	Corrosive	Rabbit	Method not given	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	
n-alkyl dimethyl benzyl ammonium chloride	Severe damage		Method not given	
Alcohols, C10-16, ethoxylated (7-<15 EO)	Severe damage	Rabbit	Method not given	
sodium chloride	Not corrosive or irritant		Method not given	
sodium hydroxide	Corrosive	Rabbit	Method not given	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available			
sodium chloride	No data available			
sodium hydroxide	No data available			

**Sensitisation**

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
n-alkyl dimethyl benzyl ammonium chloride	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
Alcohols, C10-16, ethoxylated (7-<15 EO)	Not sensitising	Guinea pig	Method not given	
sodium chloride	Not sensitising		Method not given	
sodium hydroxide	Not sensitising		Human repeated patch test	

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available			
sodium chloride	No data available			
sodium hydroxide	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
n-alkyl dimethyl benzyl ammonium chloride	No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13) OECD 476 OECD 473	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
Alcohols, C10-16, ethoxylated (7-<15 EO)	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	Method not given
sodium chloride	No data available		No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

## Quatdet Clear

## Carcinogenicity

<b>Ingredient(s)</b>	<b>Effect</b>
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
n-alkyl dimethyl benzyl ammonium chloride	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	No evidence for carcinogenicity, weight-of-evidence
sodium chloride	No data available
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

<b>Ingredient(s)</b>	<b>Endpoint</b>	<b>Specific effect</b>	<b>Value (mg/kg bw/d)</b>	<b>Species</b>	<b>Method</b>	<b>Exposure time</b>	<b>Remarks and other effects reported</b>
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity
n-alkyl dimethyl benzyl ammonium chloride			No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)			No data available		Literature		No evidence for teratogenic effects No evidence for reproductive toxicity
sodium chloride			No data available				
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

<b>Ingredient(s)</b>	<b>Endpoint</b>	<b>Value (mg/kg bw/d)</b>	<b>Species</b>	<b>Method</b>	<b>Exposure time (days)</b>	<b>Specific effects and organs affected</b>
tetrasodium ethylene diamine tetraacetate		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
sodium chloride		No data available				
sodium hydroxide		No data available				

## Sub-chronic dermal toxicity

<b>Ingredient(s)</b>	<b>Endpoint</b>	<b>Value (mg/kg bw/d)</b>	<b>Species</b>	<b>Method</b>	<b>Exposure time (days)</b>	<b>Specific effects and organs affected</b>
tetrasodium ethylene diamine tetraacetate		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
sodium chloride		No data available				
sodium hydroxide		No data available				

## Sub-chronic inhalation toxicity

<b>Ingredient(s)</b>	<b>Endpoint</b>	<b>Value (mg/kg bw/d)</b>	<b>Species</b>	<b>Method</b>	<b>Exposure time (days)</b>	<b>Specific effects and organs affected</b>
tetrasodium ethylene diamine tetraacetate		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
sodium chloride		No data available				
sodium hydroxide		No data available				

## Chronic toxicity

<b>Ingredient(s)</b>	<b>Exposure route</b>	<b>Endpoint</b>	<b>Value (mg/kg bw/d)</b>	<b>Species</b>	<b>Method</b>	<b>Exposure time</b>	<b>Specific effects and organs affected</b>	<b>Remark</b>
tetrasodium ethylene diamine tetraacetate			No data available					
n-alkyl dimethyl benzyl ammonium chloride			No data available					
Alcohols, C10-16,			No data					

## Quatdet Clear

ethoxylated (7-<15 EO)			available					
sodium chloride			No data available					
sodium hydroxide			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	No data available
n-alkyl dimethyl benzyl ammonium chloride	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available
sodium chloride	No data available
sodium hydroxide	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
tetrasodium ethylene diamine tetraacetate	Respiratory tract
n-alkyl dimethyl benzyl ammonium chloride	No data available
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available
sodium chloride	No data available
sodium hydroxide	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	LC <sub>50</sub>	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96
n-alkyl dimethyl benzyl ammonium chloride	LC <sub>50</sub>	0.515	<i>Fish</i>	Method not given	96
Alcohols, C10-16, ethoxylated (7-<15 EO)	LC <sub>50</sub>	> 1-10	<i>Brachydanio rerio</i>	Method not given	96
sodium chloride	LC <sub>50</sub>	> 5840	<i>Lepomis macrochirus</i>	Method not given	
sodium hydroxide	LC <sub>50</sub>	35	<i>Various species</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	EC <sub>50</sub>	140	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48
n-alkyl dimethyl benzyl ammonium chloride	EC <sub>50</sub>	0.016	<i>Daphnia</i>	Method not given	48
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>50</sub>	> 1-10	<i>Daphnia magna Straus</i>	Method not given	48
sodium chloride	EC <sub>50</sub>	> 3000	<i>Daphnia magna Straus</i>	Method not given	24
sodium hydroxide	EC <sub>50</sub>	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48

Aquatic short-term toxicity - algae

## Quatdet Clear

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
tetrasodium ethylene diamine tetraacetate	EC <sub>50</sub>	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72
n-alkyl dimethyl benzyl ammonium chloride	EC <sub>50</sub>	0.02	<i>Selenastrum capricornutum</i>	OECD 201 (EU C.3)	72
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>50</sub>	> 1-10	<i>Desmodesmus subspicatus</i>	Method not given	72
sodium chloride	EC <sub>50</sub>	2430		Method not given	120
sodium hydroxide	EC <sub>50</sub>	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
tetrasodium ethylene diamine tetraacetate		No data available			
n-alkyl dimethyl benzyl ammonium chloride		No data available			
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available			
sodium chloride		No data available			
sodium hydroxide		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
tetrasodium ethylene diamine tetraacetate	EC <sub>20</sub>	> 500	Activated sludge	OECD 209	0.5 hour(s)
n-alkyl dimethyl benzyl ammonium chloride	EC <sub>20</sub>	5	Activated sludge	OECD 209	0.5 hour(s)
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>50</sub>	140	Activated sludge	Method not given	
sodium chloride		No data available			
sodium hydroxide		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	> 25.7	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	
n-alkyl dimethyl benzyl ammonium chloride		No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
sodium chloride		No data available				
sodium hydroxide		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	
n-alkyl dimethyl benzyl ammonium chloride	NOEC	0.025	<i>Daphnia magna</i>	OECD 211	21 day(s)	
Alcohols, C10-16, ethoxylated (7-<15 EO)	EC <sub>10</sub>	> 0.1-1	<i>Daphnia sp.</i>	OECD 211		
sodium chloride		No data available				
sodium hydroxide		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate		No data available				
n-alkyl dimethyl benzyl ammonium chloride		No data available				

## Quatdet Clear

Alcohols, C10-16, ethoxylated (7-<15 EO)		No data available				
sodium chloride		No data available				
sodium hydroxide		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	156	<i>Eisenia fetida</i>	OECD 207	14	
n-alkyl dimethyl benzyl ammonium chloride		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	
n-alkyl dimethyl benzyl ammonium chloride		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
n-alkyl dimethyl benzyl ammonium chloride		No data available				
sodium hydroxide		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	No data available			
n-alkyl dimethyl benzyl ammonium chloride	No data available			
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate		No data available			
n-alkyl dimethyl benzyl		No data available			

## Quatdet Clear

ammonium chloride					
sodium hydroxide		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrasodium ethylene diamine tetraacetate				Weight of evidence	Not readily biodegradable.
n-alkyl dimethyl benzyl ammonium chloride		Oxygen depletion	> 60%	Read across	Readily biodegradable
Alcohols, C10-16, ethoxylated (7-<15 EO)	Activated sludge, aerobe	Method not given	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium chloride					Not applicable (inorganic substance)
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available
n-alkyl dimethyl benzyl ammonium chloride					No data available
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
tetrasodium ethylene diamine tetraacetate					No data available
n-alkyl dimethyl benzyl ammonium chloride					No data available
sodium hydroxide					No data available

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	-3.86	Method not given	No bioaccumulation expected	
n-alkyl dimethyl benzyl ammonium chloride	0.004	Method not given	No bioaccumulation expected	at 20 °C
Alcohols, C10-16, ethoxylated (7-<15 EO)	3.55	QSAR	No bioaccumulation expected	
sodium chloride	No data available			
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	OECD 305	Low potential for bioaccumulation	
n-alkyl dimethyl benzyl ammonium chloride	79	<i>Lepomis macrochirus</i>		Low potential for bioaccumulation	
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available				
sodium chloride	No data available				
sodium hydroxide	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
n-alkyl dimethyl benzyl ammonium chloride	No data available				
Alcohols, C10-16, ethoxylated (7-<15 EO)	No data available				
sodium chloride	No data available				
sodium hydroxide	No data available				Mobile in soil

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

16 03 05\* - organic wastes containing dangerous substances.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number or ID number:** 3267

**14.2 UN proper shipping name:**

Corrosive liquid, basic, organic, n.o.s. ( alkyl dimethylbenzyl ammonium chloride )

**14.3 Transport hazard class(es):**

Transport hazard class (and subsidiary risks): 8

**14.4 Packing group:** II**14.5 Environmental hazards:**

Marine pollutant: Yes

**14.6 Special precautions for user:****14.7 Maritime transport in bulk according to IMO instruments:**

**Classification code:** C7

**Tunnel restriction code:** (E)

**Hazard identification number:** 80

**EmS:** F-A, S-B

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Comah - classification:** E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**Quatdet Clear****SDS code:** MS1005518**Version:** 01.0**Revision:** 2024-08-06**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 1, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H332 - Harmful if inhaled.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**