

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Divos 116 VM19

Revision: 2024-08-07 Version: 12.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Divos 116 VM19

UFI: MYV3-X03D-5006-QDHP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Cleaning in place chemical. Product use: For industrial use only.

Uses other than those identified are not recommended. Uses advised against:

\mbox{SWED} - Sector-specific worker exposure description : $\mbox{AISE_SWED_IS_8b_1}$ $\mbox{AISE_SWED_IS_4_1}$

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1A (H314) Specific target organ toxicity - Repeated exposure, Category 2 (H373) Serious eye damage, Category 1 (H318) Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains tetrasodium ethylene diamine tetraacetate (Tetrasodium EDTA), sodium hydroxide (Sodium Hydroxide), potassium hydroxide (Potassium Hydroxide)

Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|--|-----------|------------|-----------------|---|-------|----------------|
| tetrasodium ethylene diamine tetraacetate | 200-573-9 | 64-02-8 | 2-27 | Acute toxicity - Oral, Category 4 (H302) Acute toxicity - Inhalation, Category 4 (H332) Specific target organ toxicity - Repeated exposure, Category 2 (H373) Serious eye damage, Category 1 (H318) | | 10-20 |
| sodium hydroxide | 215-185-5 | 1310-73-2 | | Skin corrosion, Category 1A (H314) Corrosive to metals, Category 1 (H290) | | 3-10 |
| potassium hydroxide | 215-181-3 | 1310-58-3 | 6-33 | Skin corrosion, Category 1A (H314) Acute toxicity - Oral, Category 4 (H302) Corrosive to metals, Category 1 (H290) | | 1-3 |

Specific concentration limits

sodium hydroxide:

- Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%
- Skin corrosion, Category 1Ă (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5% potassium hydroxide:
- Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 1%
- Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: Symptoms of intoxication may even occur after several hours. It is recommended to continue

medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with

plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get

medical advice or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|---------------------|----------------------------|--------------------------|
| sodium hydroxide | | 2 mg/m ³ |
| potassium hydroxide | | 2 mg/m³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| tetrasodium ethylene diamine tetraacetate | - | - | - | 25 |
| sodium hydroxide | - | - | - | - |
| potassium hydroxide | - | - | - | - |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|----------------------------|--|---------------------------|---|
| tetrasodium ethylene diamine tetraacetate | - | - | - | - |
| sodium hydroxide | 2 % | - | - | - |

| potassium hydroxide | No data available | - | No data available | - |
|---------------------|-------------------|---|-------------------|---|
|---------------------|-------------------|---|-------------------|---|

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|---|----------------------------|--|---------------------------|---|
| tetrasodium ethylene diamine tetraacetate | - | - | - | - |
| sodium hydroxide | 2 % | - | - | - |
| potassium hydroxide | No data available | - | No data available | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m3)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| tetrasodium ethylene diamine tetraacetate | 3 | 3 | 1.5 | 1.5 |
| sodium hydroxide | - | - | 1 | - |
| potassium hydroxide | = | - | 1 | = |

DNEL/DMEL inhalatory exposure - Consumer (mg/m3)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|---|----------------------------|-------------------------------|---------------------------|------------------------------|
| tetrasodium ethylene diamine tetraacetate | 1.2 | 1.2 | 0.6 | - |
| sodium hydroxide | - | - | 1 | - |
| potassium hydroxide | - | - | 1 | - |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|---|-----------------------------|------------------------------|---------------------|-------------------------------|
| tetrasodium ethylene diamine tetraacetate | 2.2 | 0.22 | 1.2 | 43 |
| sodium hydroxide | - | - | - | - |
| potassium hydroxide | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|---|------------------------------|-----------------------------|--------------|-------------|
| tetrasodium ethylene diamine tetraacetate | - | - | 0.72 | - |
| sodium hydroxide | - | - | - | - |
| potassium hydroxide | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

| TENTE ACC COCHAINCE CONCINCION TO THE ANAMATON | product. | | | | |
|--|------------------------|-----|---------|----------|------|
| | SWED - Sector-specific | LCS | PROC | Duration | ERC |
| | worker exposure | | | (min) | |
| | description | | | | |
| Automatic transfer and dilution | AISE SWED IS 8b 1 | IS | PROC 8b | 60 | ERC4 |

Personal protective equipment Eye / face protection:

Hand protection:

Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: \geq 480 min Material thickness: \geq 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: No special requirements under normal use conditions. Wear chemical-resistant clothing and boots

in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 5

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| ::=::::::::::::::::::::::::::::::::::: | | | | | |
|---|------------------|-----|--------|----------|-------|
| | SWED | LCS | PROC | Duration | ERC |
| | | | | (min) | |
| Automatic application in a dedicated system | AISE_SWED_IS_4_1 | IS | PROC 4 | 480 | ERC8a |

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Pale , Yellow Odour: Product specific Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|---|-----------------------------------|-----------------------|----------------------------|
| tetrasodium ethylene diamine tetraacetate | No data available | Non-experimental data | |
| sodium hydroxide | > 990 | Method not given | |
| potassium hydroxide | Not applicable to solids or gases | Method not given | |

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): ≈ 100 °C

Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

closed cup Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: >= 11.5 (neat) ISO 4316 **Dilution pH**: > 11 (5 %) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data. solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) | |
|---|-------------------|------------------|---------------------|--|
| tetrasodium ethylene diamine tetraacetate | 500 | Method not given | 20 | |
| sodium hydroxide | 1000 | Method not given | 20 | |
| potassium hydroxide | No data available | | _ | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark See substance data

Vapour pressure: Not determined

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|---|---------------|------------------|---------------------|
| tetrasodium ethylene diamine tetraacetate | 0.0000000002 | Read across | 25 |
| sodium hydroxide | < 1330 | Method not given | 20 |
| potassium hydroxide | Negligible | Method not given | |

Method / remark

OECD 109 (EU A.3)

Relative vapour density: No data available.
Particle characteristics: No data available. Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

Relative density: ≈ 1.21 (20 °C)

Corrosion to metals: Corrosive Weight of evidence

9.2.2 Other safety characteristics

Alkali reserve: ≈ 7.8 (g NaOH / 100g; pH=10)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Oral (mg/kg) |
|---|----------|----------------------|---------|-------------------|-------------------|---------------------|
| tetrasodium ethylene diamine tetraacetate | LD 50 | 1780 | Rat | OECD 401 (EU B.1) | | 1780 |
| sodium hydroxide | | No data available | | | | Not established |
| potassium hydroxide | LD 50 | 333 | Rat | OECD 425 | | 333 |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Dermal (mg/kg) |
|---|----------|------------------|---------|------------------|-------------------|--------------------|
| tetrasodium ethylene diamine tetraacetate | LD 50 | > 5000 | Rabbit | Method not given | | Not established |
| sodium hydroxide | LD 50 | 1350 | Rabbit | Method not given | | Not established |
| potassium hydroxide | | No data | | | | Not established |
| | | available | | | | |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|----------------------|---------|-------------------|-------------------|
| tetrasodium ethylene diamine tetraacetate | LC 50 | ≥ 1-5 (dust) | Rat | OECD 403 (EU B.2) | 6 |
| sodium hydroxide | | No data available | | | |
| potassium hydroxide | | No data available | _ | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|---|-------------------------------|-------------------------------|------------------------------------|------------------------------|
| tetrasodium ethylene diamine tetraacetate | Not established | 12 | Not established | Not established |
| sodium hydroxide | Not established | Not established | Not established | Not established |
| potassium hydroxide | Not established | Not established | Not established | Not established |

Irritation and corrosivity Skin irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|--------------|---------|-------------------|---------------|
| tetrasodium ethylene diamine tetraacetate | Not irritant | Rabbit | OECD 404 (EU B.4) | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |
| potassium hydroxide | Corrosive | Rabbit | Draize test | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|---------------|---------|------------------|---------------|
| tetrasodium ethylene diamine tetraacetate | Severe damage | | Method not given | |
| sodium hydroxide | Corrosive | Rabbit | Method not given | |
| potassium hydroxide | Corrosive | Rabbit | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|-------------------|---------|--------|---------------|
| tetrasodium ethylene diamine tetraacetate | No data available | | | |
| sodium hydroxide | No data available | | | |
| potassium hydroxide | No data available | | | |

Sensitisation

Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|---|-----------------|------------|----------------------|-------------------|
| tetrasodium ethylene diamine tetraacetate | Not sensitising | Guinea pig | OECD 406 (EU B.6) / | |
| | | | GPMT | |
| sodium hydroxide | Not sensitising | | Human repeated patch | |
| · | _ | | test | |
| potassium hydroxide | Not sensitising | Guinea pig | Method not given | |

Sensitisation by inhalation

| Conditionation by initialation | | | | |
|---|-------------------|---------|--------|---------------|
| Ingredient(s) | Result | Species | Method | Exposure time |
| tetrasodium ethylene diamine tetraacetate | No data available | | | |
| sodium hydroxide | No data available | | | |
| potassium hydroxide | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Ingredient(s) Result (in-vitro) | | Result (in-vivo) | Method |
|---|--|-----------------|--|---------------|
| | | (in-vitro) | | (in-vivo) |
| tetrasodium ethylene diamine tetraacetate | No evidence for mutagenicity, negative | Method not | No evidence of genotoxicity, negative | Method not |
| | test results | given | test results | given |
| sodium hydroxide | No evidence for mutagenicity, negative | DNA repair test | No evidence for mutagenicity, negative | OECD 474 (EU |
| | test results | on rat | test results | B.12) OECD |
| | | hepatocytes | | 475 (EU B.11) |
| | | OECD 473 | | |
| potassium hydroxide | No evidence for mutagenicity, negative | Method not | No data available | |

| test results | given | | |
|--------------|-------|--|--|
|--------------|-------|--|--|

Carcinogenicity

| Ingredient(s) | Effect |
|---|--|
| tetrasodium ethylene diamine tetraacetate | No evidence for carcinogenicity, weight-of-evidence |
| sodium hydroxide | No evidence for carcinogenicity, weight-of-evidence |
| potassium hydroxide | No evidence for carcinogenicity, negative test results |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--|----------|-----------------|-----------------------|---------|--------|---------------|--|
| tetrasodium ethylene diamine tetraacetate | | | No data available | | | l | No evidence for reproductive toxicity |
| sodium hydroxide | | | No data available | | | | No evidence for developmental toxicity No evidence for reproductive toxicity |
| potassium hydroxide | | | No data available | | | | No evidence for reproductive toxicity |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Specific effects and organs |
|---|----------|--------------|---------|--------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| tetrasodium ethylene diamine tetraacetate | | No data | | | | |
| • | | available | | | | |
| sodium hydroxide | | No data | | | | |
| · | | available | | | | |
| potassium hydroxide | | No data | | | | |
| · | | available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|---|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| tetrasodium ethylene diamine tetraacetate | | No data | | | | |
| | | available | | | | |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |
| potassium hydroxide | | No data | | | | |
| | | available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value | Species | Method | | Specific effects and organs |
|---|----------|--------------|---------|--------|-------------|-----------------------------|
| | | (mg/kg bw/d) | | | time (days) | affected |
| tetrasodium ethylene diamine tetraacetate | | No data | | | | |
| | | available | | | | |
| sodium hydroxide | | No data | | | | |
| - | | available | | | | |
| potassium hydroxide | | No data | | | | |
| | | available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure | Endpoint | Value | Species | Method | Exposure | Specific effects and | Remark |
|----------------------|----------|----------|--------------|---------|--------|----------|----------------------|--------|
| | route | | (mg/kg bw/d) | | | time | organs affected | |
| tetrasodium ethylene | | | No data | | | | | |
| diamine tetraacetate | | | available | | | | | |
| sodium hydroxide | | | No data | | | | | |
| | | | available | | | | | |
| potassium hydroxide | | | No data | | | | | |
| | | | available | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| tetrasodium ethylene diamine tetraacetate | No data available |
| sodium hydroxide | No data available |
| potassium hydroxide | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|---|-------------------|
| tetrasodium ethylene diamine tetraacetate | Respiratory tract |
| sodium hydroxide | No data available |
| potassium hydroxide | No data available |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|------------------------|------------------------|-------------------|
| tetrasodium ethylene diamine tetraacetate | LC 50 | > 100 | Lepomis macrochirus | OPP 72-1, static (EPA) | 96 |
| sodium hydroxide | LC 50 | 35 | Various species | Method not given | 96 |
| potassium hydroxide | LC 50 | 80 | Various species | Weight of evidence | 24 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|-------------------------|--------------------|-------------------|
| tetrasodium ethylene diamine tetraacetate | EC 50 | 140 | Daphnia magna Straus | DIN 38412, Part 11 | 48 |
| sodium hydroxide | EC 50 | 40.4 | Ceriodaphnia sp. | Method not given | 48 |
| potassium hydroxide | EC 50 | 30 - 1000 | Daphnia magna Straus | Weight of evidence | |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|----------------------|-----------------------------------|-------------------------------|-------------------|
| tetrasodium ethylene diamine tetraacetate | EC 50 | > 100 | Scenedesmus obliquus | 88/302/EEC, Part C, static | 72 |
| sodium hydroxide | EC 50 | 22 | Photobacteriu m phosphoreum | Method not given | 0.25 |
| potassium hydroxide | | No data available | | | |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|---|----------|----------------------|---------|--------|----------------------|
| tetrasodium ethylene diamine tetraacetate | | No data available | | | |
| sodium hydroxide | | No data available | | | |
| potassium hydroxide | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|---|----------|-------------------|-----------------------------------|------------------|-----------------|
| tetrasodium ethylene diamine tetraacetate | EC 20 | > 500 | Activated sludge | OECD 209 | 0.5 hour(s) |
| sodium hydroxide | | No data available | | | |
| potassium hydroxide | EC 50 | 22 | Photobacteriu m phosphoreum | Method not given | 15 minute(s) |

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|----------------------|----------------------|----------|---------------|------------------|
| tetrasodium ethylene diamine tetraacetate | NOEC | > 25.7 | Brachydanio rerio | OECD 210 | 35 day(s) | |
| sodium hydroxide | | No data available | | | | |
| potassium hydroxide | | No data available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|----------------------|------------------|----------|---------------|------------------|
| tetrasodium ethylene diamine tetraacetate | NOEC | 25 | Daphnia magna | OECD 211 | 21 day(s) | |
| sodium hydroxide | | No data available | | | | |
| potassium hydroxide | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---|----------|-----------|---------|--------|-------------|------------------|
| | | (mg/kg dw | | | time (days) | |
| | | sediment) | | | | |
| tetrasodium ethylene diamine tetraacetate | | No data | | | | |
| | | available | | | | |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |
| potassium hydroxide | | No data | | | | |
| · | | available | | | | |

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|-----------------------------|----------------|----------|----------------------|------------------|
| tetrasodium ethylene diamine tetraacetate | LD 50 | 156 | Eisenia fetida | OECD 207 | 14 | |
| sodium hydroxide | | No data available | | | | |
| potassium hydroxide | | No data available | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|-----------------------------|---------|--------|----------------------|------------------|
| tetrasodium ethylene diamine tetraacetate | NOEC | 0.25 - 1.25 | | | 21 | |
| sodium hydroxide | | No data available | | | | |
| potassium hydroxide | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|------------------|----------|-----------|---------|--------|----------------------|------------------|
| sodium hydroxide | | No data | | | | |
| 1 | | available | l | ĺ | I | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---------------------|----------|--------------------|---------|--------|-------------|------------------|
| | | (mg/kg dw soil) | | | time (days) | |
| | | _ | | | | |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |
| potassium hydroxide | | No data | | | | |
| | | available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---------------------|----------|--------------------|---------|--------|-------------|------------------|
| | | (mg/kg dw soil) | | | time (days) | |
| | | | | | | |
| sodium hydroxide | | No data | | | | |
| | | available | | | | |
| potassium hydroxide | | No data | | | | |
| | | available | | | | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|---|-------------------|------------------|-------------------------|--------|
| tetrasodium ethylene diamine tetraacetate | No data available | | | |
| sodium hydroxide | 13 second(s) | Method not given | Rapidly photodegradable | |
| potassium hydroxide | No data available | | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|---|-------------------------------|--------|------------|--------|
| tetrasodium ethylene diamine tetraacetate | No data available | | | |
| sodium hydroxide | No data available | | | |
| potassium hydroxide | No data available | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Туре | Half-life time | Method | Evaluation | Remark |
|----------------------|------|-------------------|--------|------------|--------|
| tetrasodium ethylene | | No data available | | | |
| diamine tetraacetate | | | | | |
| sodium hydroxide | | No data available | | | |
| potassium hydroxide | | No data available | | | |

BiodegradationReady biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|---|----------|-------------------|-------|--------------------|--------------------------------------|
| tetrasodium ethylene diamine tetraacetate | | | | Weight of evidence | Not readily biodegradable. |
| sodium hydroxide | | | | | Not applicable (inorganic substance) |
| potassium hydroxide | | | | | Not applicable (inorganic substance) |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|---|---------------|-------------------|-------|--------|-------------------|
| tetrasodium ethylene diamine tetraacetate | | | | | No data available |
| sodium hydroxide | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|---|---------------|-------------------|-------|--------|-------------------|
| tetrasodium ethylene diamine tetraacetate | | | | | No data available |
| sodium hydroxide | | | | | No data available |
| potassium hydroxide | | | | | No data available |

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|------------------------------|-------------------|------------------|-----------------------------|--------|
| tetrasodium ethylene diamine | -3.86 | Method not given | No bioaccumulation expected | |
| tetraacetate | | | | |
| sodium hydroxide | No data available | | Not relevant, does not | |
| | | | bioaccumulate | |
| potassium hydroxide | No data available | | Not relevant, does not | |
| | | | bioaccumulate | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|----------------------|-------------------|-------------|----------|-----------------------------------|--------|
| tetrasodium ethylene | 1.8 | Lepomis | OECD 305 | Low potential for bioaccumulation | |
| diamine tetraacetate | | macrochirus | | | |
| sodium hydroxide | No data available | | | | |
| potassium hydroxide | No data available | | _ | | |

12.4 Mobility in soil

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|---|--------------------------------------|---|--------|-----------------------|--|
| tetrasodium ethylene diamine tetraacetate | No data available | | | | Adsorption to solid soil phase is not expected |
| sodium hydroxide | No data available | | | | Mobile in soil |
| potassium hydroxide | No data available | | | | Low potential for adsorption |

| | | to soil |
|--|--|---------|
| | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 15* - alkalines.

Empty packaging

Recommendation: Suitable cleaning agents: Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1824 14.2 UN proper shipping name: Sodium hydroxide solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II 14.5 Environmental hazards: Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5 Tunnel restriction code: (E) Hazard identification number: 80

IMO/IMDG

EmS: F-A. S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)

- Regulation (EC) 1272/2008 CLP (UK amended)
 Regulation (EC) 648/2004 Detergents regulation (UK amended)
 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
 Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

EDTA and salts thereof 5 - 15 % anionic surfactants, phosphonates, phosphates < 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS1303 Version: 12.1 Revision: 2024-08-07

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 4, 6, 7, 8, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development

- PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- · H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H373 May cause damage to organs through prolonged or repeated exposure.

End of Safety Data Sheet