

Oxofoam VF5

Revision: 2025-05-31

Version: 11.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Oxofoam VF5

UFI: KKW3-F0X5-900N-CSM4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Open plant cleaning chemical.

For professional and industrial use only.

Uses advised against: Uses other than those identified are not recommended.**SWED - Sector-specific worker exposure description :**

AISE_SWED_PW_8b_1

AISE_SWED_IS_8b_1

AISE_SWED_PW_4_2

AISE_SWED_PW_11_2

AISE_SWED_PW_19_2

AISE_SWED_IS_4_1

AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1A (H314)

Serious eye damage, Category 1 (H318)

Acute aquatic toxicity, Category 1 (H400)

Chronic aquatic toxicity, Category 2 (H411)

Corrosive to metals, Category 1 (H290)

2.2 Label elements

**Signal word:** Danger.

Contains potassium hydroxide (Potassium Hydroxide), sodium hypochlorite (active chlorine) (Sodium Hypochlorite), amines, C12-14 (even numbered)-alkyldimethyl, N-oxides (Lauramine oxide), sulphonlic acids, C14-17-sec-alkane, sodium salts (Sodium C14-17 Alkyl Sec Sulfonate)

Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P260 - Do not breathe vapours.

Oxofoam VF5

P280 - Wear protective gloves, protective clothing and eye or face protection.
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
potassium hydroxide	215-181-3	1310-58-3	01-211948713 6-33	Skin corrosion, Category 1A (H314) Acute toxicity - Oral, Category 4 (H302) Corrosive to metals, Category 1 (H290)		10-20
sodium hypochlorite (active chlorine)	231-668-3	7681-52-9	01-211948815 4-34	EUH031 Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) Corrosive to metals, Category 1 (H290)		1-3
sodium cumeresulphonate	239-854-6	15763-76-5	01-211948941 1-37	Eye irritation, Category 2 (H319)		1-3
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	931-292-6	308062-28-4	01-211949006 1-47	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)		1-3
sulphonic acids, C14-17-sec-alkane, sodium salts	307-055-2	97489-15-1	01-211948992 4-20	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		1-3

Specific concentration limits

potassium hydroxide:

- Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%
- Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

sodium hypochlorite (active chlorine):

- EUH031 >= 5%

sulphonic acids, C14-17-sec-alkane, sodium salts:

- Serious eye damage, Category 1 (H318) >= 15% > Eye irritation, Category 2 (H319) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

May cause bronchospasm in chlorine sensitive individuals.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling**Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters**Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
potassium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:**Additional exposure limits under the conditions of use, if available:****DNEL/DMEL and PNEC values**

Oxofoam VF5

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
potassium hydroxide	-	-	-	-
sodium hypochlorite (active chlorine)	-	-	-	0.26
sodium cumeresulphonate	-	-	-	3.8
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	0.44
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	7.1

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
potassium hydroxide	No data available	-	No data available	-
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
sodium cumeresulphonate	-	-	-	136.25
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	11
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	5

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
potassium hydroxide	No data available	-	No data available	-
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
sodium cumeresulphonate	-	-	-	68.1
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available	-	- %	5.5
sulphonic acids, C14-17-sec-alkane, sodium salts	2.8 mg/cm ² skin	-	2.8 mg/cm ² skin	3.57

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
potassium hydroxide	-	-	1	-
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
sodium cumeresulphonate	-	-	-	26.9
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	6.2
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	35

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
potassium hydroxide	-	-	1	-
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
sodium cumeresulphonate	-	-	-	6.6
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	-	-	-	1.53
sulphonic acids, C14-17-sec-alkane, sodium salts	-	-	-	12.4

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
potassium hydroxide	-	-	-	-
sodium hypochlorite (active chlorine)	0.00021	0.000042	0.00026	0.03
sodium cumeresulphonate	0.23	0.023	2.3	100
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	0.0335	0.00335	0.0335	24
sulphonic acids, C14-17-sec-alkane, sodium salts	0.04	0.004	0.06	600

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
potassium hydroxide	-	-	-	-
sodium hypochlorite (active chlorine)	-	-	-	-
sodium cumeresulphonate	0.862	0.0862	0.037	-
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	5.24	0.524	1.02	-
sulphonic acids, C14-17-sec-alkane, sodium salts	9.4	0.94	9.4	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4
Automatic transfer and dilution	AISE_SWED_PW_8b_1	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 16321). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection: If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) or full-face mask (EN 136) with particle filter P2 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls: Provide a good standard of general ventilation. Ensure that foam equipment does not generate respirable particles.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Spray application	AISE_SWED_IS_7_5	IS	PROC 7	480	ERC4
Foam spraying					
Spray application	AISE_SWED_PW_11_2	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_2	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_2	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321). Safety glasses or goggles (EN 16321) are always recommended for foam applications.

Hand protection: Chemical-resistant protective gloves (EN 374) are always recommended for foam applications. Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection: No special requirements under normal use conditions.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Clear , Pale , Yellow

Odour: Chlorine

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
potassium hydroxide	Not applicable to solids or gases	Method not given	
sodium hypochlorite (active chlorine)	Product decomposes before boiling	Method not given	1013
sodium cumeresulphonate	No data available		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	> 100	Method not given	
sulphonic acids, C14-17-sec-alkane, sodium salts	> 100	Method not given	

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 100 °C

closed cup

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
sodium hypochlorite (active chlorine)	-	-

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: >= 11.5 (neat)

ISO 4316

Dilution pH: > 11 (10 %)

ISO 4316

Kinematic viscosity: Not determined

DM-006 Viscosity - Additional

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
potassium hydroxide	No data available		
sodium hypochlorite (active chlorine)	Soluble		
sodium cumeresulphonate	493 Soluble	Method not given	20
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	409.5 Soluble	Method not given	20
sulphonic acids, C14-17-sec-alkane, sodium salts	500	Method not given	25

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
potassium hydroxide	Negligible	Method not given	
sodium hypochlorite (active chlorine)	Negligible		
sodium cumeresulphonate	No data available		

amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< 10	Method not given	25
sulphonic acids, C14-17-sec-alkane, sodium salts	3000	Method not given	25

Relative density: ≈ 1.21 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

Alkali reserve: ≈ 5.8 (g NaOH / 100g; pH=10)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids. Reacts with acids releasing toxic chlorine gas.

10.6 Hazardous decomposition products

Chlorine.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data: where relevant and available, are listed below.:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
potassium hydroxide	LD ₅₀	333	Rat	OECD 425		333
sodium hypochlorite (active chlorine)	LD ₅₀	1100	Rat	OECD 401 (EU B.1)	90	Not established
sodium cumeresulphonate	LD ₅₀	> 7000	Rat	Method not given		Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD ₅₀	1064	Rat	OECD 401 (EU B.1)		1064
sulphonic acids, C14-17-sec-alkane, sodium salts	LD ₅₀	> 500-2000	Rat	OECD 401 (EU B.1)		500

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
potassium hydroxide		No data available				Not established
sodium hypochlorite (active chlorine)	LD ₅₀	> 20000	Rabbit	OECD 402 (EU B.3)		Not established
sodium cumeresulphonate	LD ₅₀	> 2000	Rabbit	Method not given		Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD ₅₀	> -	Rat	OECD 402 (EU B.3)		Not established
sulphonic acids, C14-17-sec-alkane, sodium salts	LD ₅₀	> 2000	Mouse	Weight of evidence		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide		No data available			
sodium hypochlorite (active chlorine)	LC ₅₀	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
sodium cumeresulphonate	LC ₅₀	> 5 (mist) No mortality observed	Rat	Read across	3.87
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
potassium hydroxide	Not established	Not established	Not established	Not established
sodium hypochlorite (active chlorine)	Not established	Not established	Not established	Not established
sodium cumeresulphonate	Not established	Not established	Not established	Not established
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not established	Not established	Not established	Not established
sulphonic acids, C14-17-sec-alkane, sodium salts	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	Corrosive	Rabbit	Draize test	
sodium hypochlorite (active chlorine)	Corrosive	Rabbit	OECD 404 (EU B.4)	
sodium cumeresulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Irritant	Rabbit	OECD 404 (EU B.4)	
sulphonic acids, C14-17-sec-alkane, sodium salts	Irritant	Rabbit	OECD 404 (EU B.4)	Read across

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	Corrosive	Rabbit	Method not given	
sodium hypochlorite (active chlorine)	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium cumeresulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Severe damage	Rabbit	OECD 405 (EU B.5)	
sulphonic acids, C14-17-sec-alkane, sodium salts	Severe damage		OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	No data available			
sodium hypochlorite (active chlorine)	Irritating to respiratory tract			
sodium cumeresulphonate	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
potassium hydroxide	Not sensitising	Guinea pig	Method not given	
sodium hypochlorite (active chlorine)	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium cumeresulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sulphonic acids, C14-17-sec-alkane, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	Read across

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	No data available			
sodium hypochlorite (active chlorine)	Not sensitising			
sodium cumeresulphonate	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			

Oxofoam VF5

sulphonic acids, C14-17-sec-alkane, sodium salts	No data available		
--	-------------------	--	--

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
potassium hydroxide	No evidence for mutagenicity, negative test results	Method not given	No data available	
sodium hypochlorite (active chlorine)	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
sodium cumeresulphonate	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for mutagenicity, negative test results	Method not given	No evidence for mutagenicity, negative test results	Method not given

Carcinogenicity

Ingredient(s)	Effect
potassium hydroxide	No evidence for carcinogenicity, negative test results
sodium hypochlorite (active chlorine)	No evidence for carcinogenicity, negative test results
sodium cumeresulphonate	No evidence for carcinogenicity, negative test results
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for carcinogenicity, negative test results
sulphonic acids, C14-17-sec-alkane, sodium salts	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
potassium hydroxide			No data available				No evidence for reproductive toxicity
sodium hypochlorite (active chlorine)	NOAEL	Developmental toxicity Impaired fertility	5 (Cl)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity
sodium cumeresulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	Teratogenic effects	25	Rat	Non guideline test		
sulphonic acids, C14-17-sec-alkane, sodium salts			No data available				No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)	NOAEL	50	Rat	OECD 408 (EU B.26)	90	
sodium cumeresulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU B.26)		No effects observed
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	-		OECD 422, oral		
sulphonic acids, C14-17-sec-alkane, sodium salts	NOAEL	200	Rat	Method not given		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)		No data available				
sodium cumeresulphonate		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
---------------	----------	--------------------	---------	--------	----------------------	--------------------------------------

Oxofoam VF5

potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)		No data available				
sodium cumeresulphonate		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
potassium hydroxide			No data available					
sodium hypochlorite (active chlorine)			No data available					
sodium cumeresulphonate			No data available					
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			No data available					
sulphonic acids, C14-17-sec-alkane, sodium salts	Oral	NOAEL	> 4000	Rat	Method not given			

STOT-single exposure

Ingredient(s)	Affected organ(s)
potassium hydroxide	No data available
sodium hypochlorite (active chlorine)	Not applicable
sodium cumeresulphonate	Not applicable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
potassium hydroxide	No data available
sodium hypochlorite (active chlorine)	Not applicable
sodium cumeresulphonate	Not applicable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide	LC ₅₀	80	Various species	Weight of evidence	24
sodium hypochlorite (active chlorine)	LC ₅₀	0.06	<i>Oncorhynchus mykiss</i>	Method not given	96
sodium cumeresulphonate	LC ₅₀	> 1000	<i>Fish</i>	EPA-OPPTS 850.1075	96

Oxofoam VF5

amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LC ₅₀	2.67-3.46	<i>Pimephales promelas</i>	Similar to OECD 203	96
sulphonic acids, C14-17-sec-alkane, sodium salts	LC ₅₀	1 - 10	<i>Brachydanio rerio</i>	OECD 203, static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide	EC ₅₀	30 - 1000	<i>Daphnia magna Straus</i>	Weight of evidence	
sodium hypochlorite (active chlorine)	EC ₅₀	0.035	<i>Ceriodaphnia dubia</i>	OECD 202 (EU C.2)	48
sodium cumenesulphonate	EC ₅₀	> 1000	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC ₅₀	3.1	<i>Daphnia magna Straus</i>	OECD 202, static	48
sulphonic acids, C14-17-sec-alkane, sodium salts	EC ₅₀	9.81	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide		No data available			
sodium hypochlorite (active chlorine)	NOEC	0.0021	<i>Not specified</i>	Method not given	168
sodium cumenesulphonate	E _b C ₅₀	> 230	<i>Not specified</i>	EPA OPPTS 850.5400	96
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	E _r C ₅₀	0.143	<i>Pseudokirchneriella subcapitata</i>	Method not given	72
sulphonic acids, C14-17-sec-alkane, sodium salts	EC ₅₀	> 61	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
potassium hydroxide		No data available			
sodium hypochlorite (active chlorine)	EC ₅₀	0.026	<i>Crassostrea virginica</i>	Method not given	2
sodium cumenesulphonate		No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
potassium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	15 minute(s)
sodium hypochlorite (active chlorine)		0.375	<i>Activated sludge</i>	Method not given	
sodium cumenesulphonate	E _r C ₅₀	> 1000	<i>Bacteria</i>	OECD 209	3 hour(s)
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC ₁₀	> -	<i>Bacteria</i>	Non guideline test	- hour(s)
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	600	<i>Pseudomonas putida</i>	DIN 38412 / Part 8	16 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)	NOEC	0.04	<i>Menidia peninsulae</i>	Method not given	96 hour(s)	
sodium cumenesulphonate		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.42	<i>Pimephales promelas</i>	Method not given	302 day(s)	
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.85	<i>Oncorhynchus mykiss</i>	OECD 204	28 day(s)	

Oxofoam VF5

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)	NOEC	0.007	<i>Crassostrea virginica</i>	Method not given	15 day(s)	
sodium cumeresulphonate		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.7	<i>Daphnia magna</i>	OECD 211, flow-through	21 day(s)	
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	0.36	<i>Daphnia magna</i>	OECD 202	22 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)		No data available				
sodium cumeresulphonate		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)		No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts	NOEC	470	<i>Eisenia fetida</i>	OECD 222	56	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available				
sodium hypochlorite (active chlorine)		No data available				

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
potassium hydroxide				
sodium hypochlorite (active chlorine)				

Oxofoam VF5

potassium hydroxide	No data available			
sodium hypochlorite (active chlorine)	115 day(s)	Indirect photo-oxidation		

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
potassium hydroxide	No data available			
sodium hypochlorite (active chlorine)	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
potassium hydroxide		No data available			
sodium hypochlorite (active chlorine)		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
potassium hydroxide					Not applicable (inorganic substance)
sodium hypochlorite (active chlorine)					Not applicable (inorganic substance)
sodium cumeresulphonate		CO ₂ production	103 - 109% in 28 day(s)	OECD 301B	Readily biodegradable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Activated sludge, aerobe	CO ₂ production	90 % in 28 day(s)	OECD 301B	Readily biodegradable
sulphonic acids, C14-17-sec-alkane, sodium salts	Activated sludge, aerobe	DOC reduction	89 % in 28 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
potassium hydroxide					No data available
sodium hypochlorite (active chlorine)					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
potassium hydroxide	No data available		Not relevant, does not bioaccumulate	
sodium hypochlorite (active chlorine)	-3.42	Method not given	No bioaccumulation expected	
sodium cumeresulphonate	-1.1	Method not given	No bioaccumulation expected	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< -	Method not given	No bioaccumulation expected	
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available		No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
potassium hydroxide	No data available				
sodium hypochlorite (active chlorine)	No data available				
sodium cumeresulphonate	No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc(des)}	Method	Soil/sediment type	Evaluation
potassium hydroxide	No data available				Low potential for adsorption

sodium hypochlorite (active chlorine)	1.12			to soil
sodium cumeresulphonate	No data available			High potential for mobility in soil
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			Low mobility in soil
sulphonic acids, C14-17-sec-alkane, sodium salts	No data available			

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

20 01 15* - alkalines.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1719

14.2 UN proper shipping name:

Caustic alkali liquid, n.o.s. (sodium hypochlorite , potassium hydroxide)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

phosphates, chlorine-based bleaching agents, non-ionic surfactants, anionic surfactants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS1491

Version: 11.0

Revision: 2025-05-31

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 7, 8

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.
- EUH031 - Contact with acids liberates toxic gas.

End of Safety Data Sheet