

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Superfoam VF3

Revision: 2022-05-15 **Version:** 11.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Superfoam VF3

UFI: C4Y3-K0C9-T00J-8X39

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:

Open plant cleaning chemical. For industrial use only..

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_IS_8b_1 AISE_SWED_IS_4_1 AISE_SWED_IS_7_4 AISE_SWED_IS_7_5 AISE_SWED_IS_13_3

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide), sodium alkylbenzenesulphonate (Sodium Dodecylbenzenesulfonate), Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO) (Sodium Laureth Sulfate), tetrasodium ethylene diamine tetraacetate (Tetrasodium EDTA)

Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hydroxide	215-185-5	1310-73-2	01-2119457892-27	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		3-10
sodium alkylbenzenesulphonate	290-656-6	90194-45-9	[1]	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318)		3-10
propan-2-ol	200-661-7	67-63-0	01-2119457558-25	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		3-10
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	[4]	68585-34-2	[4]	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		1-3
tetrasodium ethylene diamine tetraacetate	200-573-9	64-02-8	01-2119486762-27	Acute Tox. 4 (H302) Acute Tox. 4 (H332) STOT RE 2 (H373) Eye Dam. 1 (H318)		1-3
sodium cumenesulphonate	239-854-6	15763-76-5	01-2119489411-37	Eye Irrit. 2 (H319)		1-3

Specific concentration limits

sodium hydroxide:

- Eye Dam. 1 (H318) >= 3% > Eye Irrit. 2 (H319) >= 0.5%
- Skin Corr. 1A (H314) >= 5% > Skin Corr. 1B (H314) >= 2% > Skin Irrit. 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with

plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get

medical advice or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m ³
propan-2-ol	400 ppm 999 mg/m³	500 ppm 1250 mg/m³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

므	NEL/DIVIEL drai exposure - Consumer (mg/kg bw)				
	Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
		effects	effects	effects	effects
		CHECIS	ellecto	CHECIS	Ellecto

sodium alkylbenzenesulphonate	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	26
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	-	-	-	25
sodium cumenesulphonate	-	-	-	3.8

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
sodium alkylbenzenesulphonate	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	888
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	-	-	-	-
sodium cumenesulphonate	-	-	-	136.25

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
sodium alkylbenzenesulphonate	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	319
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	-	-	-	-
sodium cumenesulphonate	-	-	-	68.1

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
sodium alkylbenzenesulphonate	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	500
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	3	3	1.5	1.5
sodium cumenesulphonate	-	-	-	26.9

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local	Short term - Systemic	•	Long term - Systemic
	effects	effects	effects	effects
sodium hydroxide	•	-	1	-
sodium alkylbenzenesulphonate	No data available	No data available	No data available	No data available
propan-2-ol	-	-	-	89
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	1.2	1.2	0.6	-
sodium cumenesulphonate	-	-	-	6.6

Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hydroxide	-	-	-	-
sodium alkylbenzenesulphonate	No data available	No data available	No data available	No data available
propan-2-ol	140.9	140.9	140.9	2251
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	2.2	0.22	1.2	43
sodium cumenesulphonate	0.23	0.023	2.3	100

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium hydroxide	-	-	-	-
sodium alkylbenzenesulphonate	No data available	No data available	No data available	No data available
propan-2-ol	552	552	28	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available
tetrasodium ethylene diamine tetraacetate	-	-	0.72	-
sodium cumenesulphonate	0.862	0.0862	0.037	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure	LCS	PROC	Duration (min)	ERC
	description				
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is

strongly recommended when handling open containers or if splashes may occur.

Hand protection: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle

filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical

measures to comply with the occupational exposure limits, if available

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls: Provide a good standard of general ventilation. Ensure that foam equipment does not generate

respirable particles.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the diluted product:

READIT doc occidinos considered for the dilated product:							
	SWED	LCS	PROC	Duration	ERC		
				(min)			
Manual application by dipping, soaking, pouring	AISE_SWED_IS_13_3	IS	PROC 13	240	ERC4		
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a		
Foam spraying	AISE_SWED_IS_7_4	IS	PROC 7	480	ERC4		
Spray application	AISE_SWED_IS_7_5						

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 166). Safety glasses or goggles (EN 166) are

always recommended for foam applications.

Hand protection: Chemical-resistant protective gloves (EN 374) are always recommended for foam applications.

Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and

temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: No special requirements under normal use conditions.

Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or Respiratory protection:

aerosols should be avoided.

No special requirements under normal use conditions. **Environmental exposure controls:**

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Pale , Yellow Odour: Product specific

Odour threshold: Not applicable

Not relevant to classification of this product Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hydroxide	> 990	Method not given	
sodium alkylbenzenesulphonate	No data available		
propan-2-ol	82	Method not given	1013
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
tetrasodium ethylene diamine tetraacetate	No data available	Non-experimental data	
sodium cumenesulphonate	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): ≈ 56 °C Sustained combustion: The product does not sustain combustion

(UN Manual of Tests and Criteria, section 32, L.2)

closed cup Weight of evidence

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit	Upper limit
	(% vol)	(% vol)
propan-2-ol	2	13

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

ISO 4316 **pH:** >= 11.5 (neat) **Dilution pH:** > 11 (10 %) ISO 4316

Kinematic viscosity: Not determined
Solubility in / Miscibility with Water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hydroxide	1000	Method not given	20
sodium alkylbenzenesulphonate	No data available		
propan-2-ol	Soluble	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		
tetrasodium ethylene diamine tetraacetate	500	Method not given	20
sodium cumenesulphonate	493 Soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data Vapour pressure: Not determined

Substance data vanour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20
sodium alkylbenzenesulphonate	No data available		
propan-2-ol	4200	Method not given	20
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		

tetrasodium ethylene diamine tetraacetate	0.0000000002	Read across	25
sodium cumenesulphonate	No data available		

Method / remark

OECD 109 (EU A.3)

Relative vapour density: No data available. Particle characteristics: No data available.

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising.

Relative density: ≈ 1.11 (20 °C)

Corrosion to metals: Corrosive Weight of evidence

9.2.2 Other safety characteristics

Alkali reserve: ~ 5.9 (g NaOH / 100g; pH=10)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000 ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide		No data available				Not established
sodium alkylbenzenesulphonate	LD 50	> 1470	Rat	OECD 401 (EU B.1)		12000
propan-2-ol	LD 50	5840	Rat	OECD 401 (EU B.1)		Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 401 (EU B.1)		Not established
tetrasodium ethylene diamine tetraacetate	LD 50	1780	Rat	OECD 401 (EU B.1)		25000
sodium cumenesulphonate	LD 50	> 7000	Rat	Method not given		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium hydroxide	LD 50	1350	Rabbit	Method not given		Not established
sodium alkylbenzenesulphonate		No data available				Not established

propan-2-ol	LD 50	> 2000	Rabbit	Method not given	Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 402 (EU B.3)	Not established
tetrasodium ethylene diamine tetraacetate	LD 50	> 5000	Rabbit	Method not given	Not established
sodium cumenesulphonate	LD 50	> 2000	Rabbit	Method not given	Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide		No data available			
sodium alkylbenzenesulphonate		No data available			
propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available			
tetrasodium ethylene diamine tetraacetate	LC 50	≥ 1-5 (dust)	Rat	OECD 403 (EU B.2)	6
sodium cumenesulphonate	LC 50	> 5 (mist) No mortality observed	Rat	Read across	3.87

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
sodium hydroxide	Not established	Not established	Not established	Not established
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
propan-2-ol	Not established	Not established	Not established	Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not established	Not established	Not established	Not established
tetrasodium ethylene diamine tetraacetate	Not established	30	Not established	Not established
sodium cumenesulphonate	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
sodium alkylbenzenesulphonate	No data available			
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Irritant	Rabbit	OECD 404 (EU B.4)	
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium cumenesulphonate	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
sodium alkylbenzenesulphonate	No data available			
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Severe damage	Rabbit	OECD 405 (EU B.5)	
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	
sodium cumenesulphonate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
sodium alkylbenzenesulphonate	No data available			
propan-2-ol	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			
sodium cumenesulphonate	No data available			

Sensitisation Sensitisation by skin contact

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch	
			test	
sodium alkylbenzenesulphonate	No data available			
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
	1		Buehler test	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not sensitising	Guinea pig	OECD 406 (EU B.6)	
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	

			GPMT	
sodium cumenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
	_		GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
sodium alkylbenzenesulphonate	No data available			
propan-2-ol	No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			
sodium cumenesulphonate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

	ta			

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
sodium alkylbenzenesulphonate	No data available		No data available	
	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		No data available	
1	No evidence for mutagenicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
·	No evidence for mutagenicity, negative test results		No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
sodium alkylbenzenesulphonate	No data available
propan-2-ol	No evidence for carcinogenicity, negative test results
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence
sodium cumenesulphonate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
sodium alkylbenzenesulphonat e			No data available				
propan-2-ol			No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available				
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity
sodium cumenesulphonate	NOAEL	Teratogenic effects	> 936	Rat	Non guideline test		No known significant effects or critical hazards

Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	
sodium hydroxide		No data available				
sodium alkylbenzenesulphonate		No data available				
propan-2-ol		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	NOAEL	No data available	Rat	OECD 408 (EU B.26)	90	
tetrasodium ethylene diamine tetraacetate		No data available				
sodium cumenesulphonate	NOAEL	763 - 3534	Rat	OECD 408 (EU		No effects observed

		D 00)	1
, , , , , , , , , , , , , , , , , , ,		B.26)	1
, , , , , , , , , , , , , , , , , , ,		2.20)	1

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data				
		available				
sodium alkylbenzenesulphonate		No data				
		available				
propan-2-ol		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				
tetrasodium ethylene diamine tetraacetate		No data				
		available				
sodium cumenesulphonate		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
sodium alkylbenzenesulphonate		No data available				
propan-2-ol		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
sodium cumenesulphonate		No data available				

Chronic toxicity	_			•		I - I		
Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					
sodium alkylbenzenesulphonat e			No data available					
propan-2-ol			No data available					
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available					
tetrasodium ethylene diamine tetraacetate			No data available					
sodium cumenesulphonate			No data available	_				

STOT-single exposure

e re r elligie expectate	
Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
sodium alkylbenzenesulphonate	No data available
propan-2-ol	Central nervous system
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
tetrasodium ethylene diamine tetraacetate	No data available
sodium cumenesulphonate	Not applicable

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
sodium alkylbenzenesulphonate	No data available
propan-2-ol	No data available
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available
tetrasodium ethylene diamine tetraacetate	Respiratory tract
sodium cumenesulphonate	Not applicable

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC 50	35	Various species	Method not given	96
sodium alkylbenzenesulphonate	LC 50	No data available			
propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LC 50	> 1 - 10	Brachydanio rerio	OECD 203, flow-through	96
tetrasodium ethylene diamine tetraacetate	LC 50	> 100	Lepomis macrochirus	OPP 72-1, static (EPA)	96
sodium cumenesulphonate	LC 50	> 1000	Fish	EPA-OPPTS 850.1075	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48
sodium alkylbenzenesulphonate	EC 50	1.62	Daphnia magna Straus		48
propan-2-ol	EC 50	> 100	Daphnia magna Straus	Method not given	48
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10	Daphnia magna Straus	OECD 202, static	48
tetrasodium ethylene diamine tetraacetate	EC 50	140	Daphnia magna Straus	DIN 38412, Part 11	48
sodium cumenesulphonate	EC 50	> 1000	Daphnia magna Straus	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu m	Method not given	0.25
			phosphoreum		
sodium alkylbenzenesulphonate	EC 50	29	Selenastrum capricornutum		96
propan-2-ol	EC 50	> 100	Scenedesmus quadricauda	Method not given	72
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10		OECD 201, static	72
tetrasodium ethylene diamine tetraacetate	EC 50	> 100	Scenedesmus obliquus	88/302/EEC, Part C, static	72
sodium cumenesulphonate	Еь С 50	> 230	Not specified	EPA OPPTS 850.5400	96

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hydroxide		No data available			
sodium alkylbenzenesulphonate		No data available			
propan-2-ol		No data available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available			

tetrasodium ethylene diamine tetraacetate	No data available		
sodium cumenesulphonate	No data		
	available		

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hydroxide		No data available			
sodium alkylbenzenesulphonate		No data available			
propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 10	> 10000	Pseudomonas putida		
tetrasodium ethylene diamine tetraacetate	EC 20	> 500	Activated sludge	OECD 209	0.5 hour(s)
sodium cumenesulphonate	Er C 50	> 1000	Bacteria	OECD 209	3 hour(s)

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data available				
sodium alkylbenzenesulphonate		No data available				
propan-2-ol		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	> 25.7	Brachydanio rerio	OECD 210	35 day(s)	
sodium cumenesulphonate		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hydroxide		No data				
		available				
sodium alkylbenzenesulphonate		No data				
		available				
propan-2-ol		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				
tetrasodium ethylene diamine tetraacetate	NOEC	25	Daphnia	OECD 211	21 day(s)	
			magna			
sodium cumenesulphonate		No data				-
		available				

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
sodium alkylbenzenesulphonate		No data available				
propan-2-ol		No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				
sodium cumenesulphonate		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

refrestrial toxicity - soil invertebrates, including earthworn	iis, ii avaliabi	е.				
Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		soil)			, , ,	
sodium hydroxide		No data				
		available				
propan-2-ol		No data				

		available				
tetrasodium ethylene diamine tetraacetate	LD 50	156	Eisenia fetida	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
propan-2-ol		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
propan-2-ol		No data available		·		

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				
propan-2-ol		No data available				

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	
propan-2-ol	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			
propan-2-ol	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			
propan-2-ol		No data available			
tetrasodium ethylene diamine tetraacetate		No data available			

BiodegradationReady biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
sodium alkylbenzenesulphonate				OECD 301B	Readily biodegradable
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
Alcohols, C10-16, ethoxylated, sulfated, sodium salts			> 60 % in 28	OECD 301B	Readily biodegradable

(3 EO)		day(s)		
tetrasodium ethylene diamine tetraacetate			Weight of	Not readily biodegradable.
			evidence	Inherently biodegradable.
sodium cumenesulphonate	CO ₂ production	103 - 109% in 28	OECD 301B	Readily biodegradable
		day(s)		

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide		metriou			No data available
propan-2-ol					No data available
tetrasodium ethylene diamine tetraacetate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available
propan-2-ol					No data available
tetrasodium ethylene diamine tetraacetate					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not	
			bioaccumulate	
sodium alkylbenzenesulphonate	No data available			
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			
tetrasodium ethylene diamine tetraacetate	-3.86	Method not given	No bioaccumulation expected	
sodium cumenesulphonate	-1.1	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
sodium alkylbenzenesulphonat e	No data available				
propan-2-ol	No data available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				
tetrasodium ethylene diamine tetraacetate	1.8	Lepomis macrochirus	OECD 305	Low potential for bioaccumulation	
sodium cumenesulphonate	No data available				

12.4 Mobility in soilAdsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
sodium alkylbenzenesulphonate	No data available				
propan-2-ol	No data available				Potential for mobility in soil, soluble in water
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected
sodium cumenesulphonate	No data available	_			

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting propertiesEndocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

20 01 15* - alkalines. **European Waste Catalogue:**

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Water, if necessary with cleaning agent. Suitable cleaning agents:

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: 1824

14.2 UN proper shipping name:

Sodium hydroxide solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II

14.5 Environmental hazards: Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5 Tunnel restriction code: E Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
 International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

anionic surfactants 5 - 15 % EDTA and salts thereof < 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS1596 Version: 11.2 Revision: 2022-05-15

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 3, 4, 8, 11, 12, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H225 Highly flammable liquid and vapour. H290 May be corrosive to metals.
- · H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- · H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
 EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet