

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Aciclean VK39

Revision: 2024-08-07 **Version:** 12.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Aciclean VK39

UFI: N204-40XP-6000-JPH0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Open plant cleaning chemical. For industrial use only..

Uses advised against: Uses other than those identified are not recommended.

\mbox{SWED} - Sector-specific worker exposure description : $\mbox{AISE_SWED_PW_8a_1}$ $\mbox{AISE_SWED_IS_1_1}$

AISE_SWED_PW_8a_ AISE_SWED_IS_1_1 AISE_SWED_IS_8b_1 AISE_SWED_IS_4_1 AISE_SWED_IS_7_4 AISE_SWED_IS_13_3

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains phosphoric acid (Phosphoric Acid), alkyl alcohol ethoxylate (Trideceth 7-10)

Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

Regulated explosives precursor - Control of Poisons and Explosives Precursors Regulations 2015

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
phosphoric acid	231-633-2	7664-38-2	4-24	Skin corrosion, Category 1B (H314) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Corrosive to metals, Category 1 (H290)		50-75
alkyl alcohol ethoxylate	[4]	69011-36-5		Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)		3-10
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	[4]	68909-67-1	[4]	Skin irritation, Category 2 (H315)		1-3
alkyl alcohol ethoxylate	[4]	69011-36-5	[4]	Eye irritation, Category 2 (H319) Chronic aquatic toxicity, Category 3 (H412)		1-3

Specific concentration limits

phosphoric acid:

- Serious eye damage, Category 1 (H318) >= 25% > Eye irritation, Category 2 (H319) >= 10%
- Skin corrosion, Category 1B (H314) >= 25% > Skin irritation, Category 2 (H315) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off

immediately all contaminated clothing and wash it before reuse. Immediately call a POISON

CENTRE, doctor or physician.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
phosphoric acid	1 mg/m ³	2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
phosphoric acid	-	-	-	0.1
alkyl alcohol ethoxylate	-	-	-	-
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	25

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
phosphoric acid	No data available	-	No data available	-
alkyl alcohol ethoxylate	-	-	-	-
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-,	No data available	No data available	No data available	No data available

mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates				
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
phosphoric acid	No data available	-	No data available	-
alkyl alcohol ethoxylate	-	-	-	-
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
phosphoric acid	-	-	2.92	1
alkyl alcohol ethoxylate	-	-	-	-
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	=	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m3)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
phosphoric acid	-	-	0.73	-
alkyl alcohol ethoxylate	-	-	-	-
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-

Environmental exposure

Environmental exposure - PNF

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
phosphoric acid	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
phosphoric acid	-	-	-	-
alkyl alcohol ethoxylate	-	-	-	-
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available	No data available	No data available	No data available
alkyl alcohol ethoxylate	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

KEAON ase seenanes considered for the analiated p	KEACH doe occidence considered for the districted product.								
	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC				
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4				
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4				
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a				

Personal protective equipment Eye / face protection:

Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face

protection is strongly recommended when handling open containers or if splashes may occur. Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

he chosen

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle Respiratory protection:

filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical

measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 5

Appropriate engineering controls: Provide a good standard of general ventilation. Ensure that foam equipment does not generate

respirable particles.

Appropriate organisational controls: Users are advised to consider national Occupational Exposure Limits or other equivalent values, if

available.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application by dipping, soaking, pouring	AISE_SWED_IS_13_3	IS	PROC 13	240	ERC4
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a
Foam spraying	AISE_SWED_IS_7_4	IS	PROC 7	480	ERC4

Personal protective equipment

Safety glasses or goggles (EN 16321 / EN 166) are always recommended for foam applications. Eye / face protection: Hand protection:

Chemical-resistant protective gloves (EN 374) are always recommended for foam applications. Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and

temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: No special requirements under normal use conditions. No special requirements under normal use conditions. Respiratory protection:

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Yellow Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Gubertairee data, bening penin			
Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
phosphoric acid	158	Method not given	1013
alkyl alcohol ethoxylate	> 200	Method not given	
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	> 100	Method not given	

alkyl alcohol ethoxylate No data available

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 100 °C Sustained combustion: Not applicable. closed cup

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined **Decomposition temperature:** Not applicable.

pH: = < 2 (neat) ISO 4316 **Dilution pH:** < 2 (5 %) ISO 4316

Kinematic viscosity: ≈ 15 mPa.s (20 °C) Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
phosphoric acid	Soluble		
alkyl alcohol ethoxylate	Soluble	Method not given	20
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available		
alkyl alcohol ethoxylate	Partly soluble	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data

Method / remark OECD 109 (EU A.3)

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
phosphoric acid	4	Method not given	20
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available		
alkyl alcohol ethoxylate	< 100		

Relative density: ~ 1.39 (20 °C)

Relative vapour density: No data available.

Not relevant to classification of this product Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising. Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with alkali. Keep away from products containing chlorine-based bleaching agents or sulphites.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

louid ordin toxiony									
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)			
phosphoric acid	LD 50	> 300-5000	Rat	OECD 423 (EU B.1 tris)		2600			
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	OECD 423 (EU B.1 tris)		Not established			
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				Not established			
alkyl alcohol ethoxylate	LD 50	> 2000	Rat	OECD 423 (EU B.1 tris)		Not established			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
phosphoric acid	LD 50	2740	Rabbit	Method not given		2740
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given		Not established
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				Not established
alkyl alcohol ethoxylate	LD 50	> 2000	Rat	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	LC 50	850	Rat	Method not given	2
alkyl alcohol ethoxylate		No data			
		available			
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and		No data			
C18-unsatd. alkyl) ethers, phosphates		available			
alkyl alcohol ethoxylate		No data			
		available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
phosphoric acid	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	Not established	Not established	Not established	Not established
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	Irritant		Method not given	
alkyl alcohol ethoxylate	Not irritant	Rabbit	Weight of evidence Non guideline test	

Eye irritation and corrosivity

Lye initation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	Severe damage	Rabbit	Method not given	

alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available			
alkyl alcohol ethoxylate	Severe damage	Rabbit	Weight of evidence Non guideline test	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	No data available			
alkyl alcohol ethoxylate	No data available			
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available			
alkyl alcohol ethoxylate	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
phosphoric acid	Not sensitising	Human	Human experience	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available			
alkyl alcohol ethoxylate	Not sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
phosphoric acid	No data available			
alkyl alcohol ethoxylate	No data available			
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available			
alkyl alcohol ethoxylate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
phosphoric acid		OECD 471 (EU B.12/13) OECD 473 OECD 476 (Mouse lymphoma)		
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	Method not given
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available		No data available	
alkyl alcohol ethoxylate	No evidence for mutagenicity	,	No evidence for mutagenicity, negative test results	Weight of evidence

Carcinogenicity

Carcinogenicity	
Ingredient(s)	Effect
phosphoric acid	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
phosphoric acid	NOAEL	Developmental toxicity	410	Rat	OECD 422, oral	10 day(s)	No evidence for reproductive toxicity No evidence for developmental toxicity
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
Poly(oxy-1,2-ethanediyl), .alphahydroomega hydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates			No data available				
alkyl alcohol ethoxylate			-		Weight of evidence		No evidence for reproductive toxicity No evidence for teratogenic effects

Repeated dose toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid	NOAEL	250	Rat	OECD 422, oral		
alkyl alcohol ethoxylate		No data available				
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				
alkyl alcohol ethoxylate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid		No data available				
alkyl alcohol ethoxylate		No data available				
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				
alkyl alcohol ethoxylate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
phosphoric acid		No data available				
alkyl alcohol ethoxylate		No data available				
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				
alkyl alcohol ethoxylate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
phosphoric acid			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
Poly(oxy-1,2-ethanediyl), .alphahydroomega hydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates			No data available					
alkyl alcohol ethoxylate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
phosphoric acid	No data available
alkyl alcohol ethoxylate	Not applicable
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and	No data available
C18-unsatd. alkyl) ethers, phosphates	
alkyl alcohol ethoxylate	Not applicable

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
phosphoric acid	No data available
alkyl alcohol ethoxylate	Not applicable
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and	No data available
C18-unsatd. alkyl) ethers, phosphates	
alkyl alcohol ethoxylate	Not applicable

 $\begin{tabular}{lll} \textbf{Aspiration hazard} \\ \textbf{Substances with an aspiration hazard (H304), if any, are listed in section 3.} \end{tabular}$

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	LC 50	138	Gambusia affinis	Method not given	96
alkyl alcohol ethoxylate	LC 50	> 1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available			
alkyl alcohol ethoxylate	LC 50	> 1 - 10	Cyprinus carpio	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	EC 50	> 100	Daphnia magna Straus	OECD 202 (EU C.2)	48
alkyl alcohol ethoxylate	EC 50	1 - 10	Daphnia magna Straus	OECD 202, static	48
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	EC 50	> 1 - 10	Daphnia magna Straus	Read across	48
alkyl alcohol ethoxylate	EC 50	> 1 - 10	Daphnia magna Straus	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
phosphoric acid	EC 50	> 100	Desmodesmus subspicatus	OECD 201 (EU C.3)	72
alkyl alcohol ethoxylate	EC 50	1 - 10	Desmodesmus subspicatus	OECD 201, static	72
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available			
alkyl alcohol ethoxylate	EC 50	> 1 - 10	Desmodesmus subspicatus	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
phosphoric acid		No data available			
alkyl alcohol ethoxylate		No data available			
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available			
alkyl alcohol ethoxylate		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
phosphoric acid	EC 50	270	Activated sludge	Method not given	
alkyl alcohol ethoxylate	EC 10	> 10000	Activated sludge	DIN 38412 / Part 8	17 hour(s)
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and		No data			

C18-unsatd. alkyl) ethers, phosphates		available			
alkyl alcohol ethoxylate	EC 50	140	Activated	Weight of evidence	17 hour(s)
			sludge		

Aquatic long-term toxicity
Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
phosphoric acid		No data available				
alkyl alcohol ethoxylate		No data available				
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				
alkyl alcohol ethoxylate	NOEC	1.73	Not specified	QSAR Weight	96 hour(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
phosphoric acid		No data available				
alkyl alcohol ethoxylate		No data available				
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				
alkyl alcohol ethoxylate	NOEC	1.36	Daphnia magna Not specified	QSAR Weight of evidence	21 day(s)	

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkyl alcohol ethoxylate		No data available				
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		No data available				
alkyl alcohol ethoxylate		No data available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkyl alcohol ethoxylate	NOEC	220	Eisenia fetida			
alkyl alcohol ethoxylate	LD 50	> 1000	Eisenia fetida	OECD 207	14	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				
alkyl alcohol ethoxylate	NOEC	10	Lepidium sativum	OECD 208		
alkyl alcohol ethoxylate	EC 50	> 100	Triticum aestivum Lepidium sativum Brassica alba	OECD 208		

Terrestrial toxicity - birds, if available:

Terrestrial textory birds, il available.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
phosphoric acid		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ir	ngredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
ph	osphoric acid		No data available				

Terrestrial toxicity - soil bacteria, if available:

Endpo	nt Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
d l	No data				
	d Endpoi	(mg/kg dw soil)	(mg/kg dw soil) d No data	(mg/kg dw soil) d No data	(mg/kg dw soil) time (days) d No data

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

minute and an arrangement of the control of the con				
Ingredient(s)	Half-life time	Method	Evaluation	Remark
phosphoric acid	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
phosphoric acid	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
phosphoric acid		No data available			

Biodegradation

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
phosphoric acid					Not applicable (inorganic substance)
alkyl alcohol ethoxylate	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates		Oxygen depletion	> 60 % in 28 day(s)	Method not given	Readily biodegradable
alkyl alcohol ethoxylate		CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
phosphoric acid					No data available
alkyl alcohol ethoxylate					Biodegradable

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
phosphoric acid					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
phosphoric acid	No data available		No bioaccumulation expected	
alkyl alcohol ethoxylate	4.09	QSAR	No bioaccumulation expected	
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available		No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
phosphoric acid	No data available	Орослос		No bioaccumulation expected	
alkyl alcohol ethoxylate	-			No bioaccumulation expected	
Poly(oxy-1,2-ethanediyl), .alphahydroomega					

hydroxy-, mono(C8-18 and C18-unsatd. alkyl)			
ethers, phosphates			
alkyl alcohol ethoxylate	No data available		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
phosphoric acid	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol ethoxylate	No data available				Immobile in soil or sediment
Poly(oxy-1,2-ethanediyl), .alphahydroomegahydroxy-, mono(C8-18 and C18-unsatd. alkyl) ethers, phosphates	No data available				
alkyl alcohol ethoxylate	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 14* - acids.

Empty packaging

Recommendation:Dispose of observing national or local regulations. **Suitable cleaning agents:**Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1805

14.2 UN proper shipping name:

Phosphoric acid, solution

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C1 Tunnel restriction code: (E) Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)

 Regulation (EC) 1272/2008 CLP (UK amended)

 Regulation (EC) 648/2004 Detergents regulation (UK amended)

 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code
- Control of Poisons and Explosives Precursors Regulations 2015

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

5 - 15 % non-ionic surfactants anionic surfactants < 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS1617 Version: 12.0 Revision: 2024-08-07

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 3, 4, 8, 9, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic

- PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

- H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet