

## Defoam VB2

Revision: 2024-08-07

Version: 08.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Defoam VB2

Product identifier: Alcohols, C12-15-branched and linear, ethoxylated propoxylated, CAS number: 120313-48-6

UFI: Q644-F02Q-V00S-92G3

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use:** Defoaming agent.  
Cleaning in place chemical.  
For industrial use only..  
**Uses advised against:** Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_IS\_8b\_1

AISE\_SWED\_IS\_4\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

#### Contact details

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin irritation, Category 2 (H315)  
Acute aquatic toxicity, Category 1 (H400)  
Chronic aquatic toxicity, Category 3 (H412)

#### 2.2 Label elements



**Signal word:** Warning.

#### Hazard statements:

H315 - Causes skin irritation.  
H410 - Very toxic to aquatic life with long lasting effects.

#### 2.3 Other hazards

No other hazards known.

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
---------------	-----------	------------	-------	----------------	-------	--------

## Defoam VB2

			number		percent
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	[4]	120313-48-6	[4]	Skin irritation, Category 2 (H315) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 3 (H412)	>= 75

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### Inhalation:

Get medical attention or advice if you feel unwell.

#### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

#### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.

#### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

#### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Inhalation:

No known effects or symptoms in normal use.

#### Skin contact:

Causes irritation.

#### Eye contact:

No known effects or symptoms in normal use.

#### Ingestion:

No known effects or symptoms in normal use.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Sand. Alcohol-resistant foam. Do not use water.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Repeated or prolonged contact: Wear suitable gloves.

### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

### 6.3 Methods and material for containment and cleaning up

Dike to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure

controls / Personal protection.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100

Comah - Upper Tier requirements (tonnes): 200

## 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

### DNEL/DMEL and PNEC values

#### Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

### Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

## Defoam VB2

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**REACH use scenarios considered for the undiluted product:**

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4

**Personal protective equipment****Eye / face protection:**

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).

**Hand protection:**

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.  
 Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.  
 Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm  
 Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm  
 In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 0.05

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_IS_4_1	IS	PROC 4	480	ERC8a

**Personal protective equipment****Eye / face protection:**

No special requirements under normal use conditions.

**Hand protection:**

No special requirements under normal use conditions.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

**Method / remark**

**Physical state:** Liquid

**Colour:** Clear , Colourless

**Odour:** Product specific

**Odour threshold:** Not applicable

**Melting point/freezing point (°C):** -25

**Initial boiling point and boiling range (°C):** Not determined

Not relevant to classification of this product  
 See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	> 250	Method not given	

**Method / remark**

**Flammability (solid, gas):** Not applicable to liquids

**Flammability (liquid):** Not flammable.

## Defoam VB2

**Flash point (°C):** ≈ 190 °C

closed cup

**Sustained combustion:** Not applicable.  
( UN Manual of Tests and Criteria, section 32, L.2 )**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

**Method / remark****Autoignition temperature:** Not determined**Decomposition temperature:** Not applicable.**pH:** Not applicable

ISO 4316

**Dilution pH:** ≈ 7 (0.05 %)

ISO 4316

**Kinematic viscosity:** ≈ 60 mPa.s (20 °C)**Solubility in / Miscibility with water:** Not miscible or difficult to mix

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Insoluble		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Method / remark****Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	< 10	Method not given	20

**Relative density:** ≈ 0.95 (20 °C)**Relative vapour density:** No data available.**Particle characteristics:** No data available.**Method / remark**

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes****Explosive properties:** Not explosive.**Oxidising properties:** Not oxidising.**Corrosion to metals:** Not corrosive**9.2.2 Other safety characteristics**

No other relevant information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): &gt;2000

Substance data, where relevant and available, are listed below:.**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LD <sub>50</sub>	> 2000	Rat	Method not given		2500

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not established	Not established	Not established	Not established

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Irritant	Rabbit	Draize test	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not corrosive or irritant	Rabbit	Draize test	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

**Sensitisation**

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Alcohols,			No data				

## Defoam VB2

C12-15-branched and linear, ethoxylated propoxylated			available				
--	--	--	-----------	--	--	--	--

**Repeated dose toxicity**

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information****12.1 Toxicity**Substance data, where relevant and available, are listed below:**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LC <sub>50</sub>	> 1-10	<i>Fish</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC <sub>50</sub>	≤ 1	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48

## Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC <sub>50</sub>	≤ 1	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	RM000517/ RM002677 BASF EU RSDS 2021

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	NOEC	> 0.1-1	<i>Daphnia magna</i>	Method not given	21 day(s)	

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

## Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

## 12.2 Persistence and degradability

## Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

## Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Activated sludge, aerobe	CO <sub>2</sub> production	> 60% in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:



**12.3 Bioaccumulative potential**

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

16 03 05\* - organic wastes containing dangerous substances.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number or ID number:** 3082**14.2 UN proper shipping name:**

Environmentally hazardous substance, liquid, n.o.s. ( alkyl alcohol alkoxyate )

**14.3 Transport hazard class(es):**

Transport hazard class (and subsidiary risks): 9

**14.4 Packing group:** III**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

**14.6 Special precautions for user:** None known.**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: M6

Tunnel restriction code: (-)

Hazard identification number: 90

## Defoam VB2

## IMO/IMDG

EmS: F-A, S-F

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to Detergents Regulation**

non-ionic surfactants

&gt;= 30 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Comah - classification:** E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the substance

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MSDS1847**Version:** 08.0**Revision:** 2024-08-07**Reason for revision:**

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006. This data sheet contains changes from the previous version in section(s): 2, 3, 4, 6, 7, 8, 9, 16

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H315 - Causes skin irritation.
- H400 - Very toxic to aquatic life.
- H412 - Harmful to aquatic life with long lasting effects.

**End of Safety Data Sheet**