

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Divo WWS VB8

Revision: 2022-04-24

Version: 06.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Divo WWS VB8

UFI: G954-101V-V006-WH1X

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Cleaning in place chemical. Bottle wash. For industrial use only..

Uses advised against:

Bottle wash. For industrial use only.. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE_SWED_IS_1_1 AISE_SWED_IS_8b_1 AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin Corr. 1A (H314) Eye Dam. 1 (H318) Met. Corr. 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sulphuric acid (Sulfuric Acid), 1-hydroxyethane-1,1-diphosphonic acid (Etidronic Acid)

Hazard statements:

H290 - May be corrosive to metals. H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P260 - Do not breathe vapours.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

Regulation (EU) 2019/1148 - restricted explosives precursor.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sulphuric acid	231-639-5	7664-93-9	01-2119458838-20	Skin Corr. 1A (H314) Met. Corr. 1 (H290)		50-75
1-hydroxyethane-1,1-diphosphonic acid	220-552-8	2809-21-4	01-2119510391-53	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Met. Corr. 1 (H290)		3-10
nitrilotrimethylenetris(phosphonic acid)	229-146-5	6419-19-8	01-2119487988-08	Eye Irrit. 2 (H319) Met. Corr. 1 (H290)		3-10

Specific concentration limits

sulphuric acid:

• Eye Dam. 1 (H318) >= 15% > Eye Irrit. 2 (H319) >= 5%

• Skin Corr. 1A (H314) >= 15% > Skin Irrit. 2 (H315) >= 5%

Workplace exposure limit(s), if available, are listed in subsection 8.1. ATE, if available, are listed in section 11.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is General Information: irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell. Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with Skin contact: plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention. Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove Eye contact: contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician. Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician. Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2. 4.2 Most important symptoms and effects, both acute and delayed Inhalation: No known effects or symptoms in normal use. Skin contact: Causes severe burns. Eye contact: Causes severe or permanent damage. Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of Ingestion:

4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

oesophagus and stomach.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sulphuric acid	0.05 mg/m ³ mist	0.15 mg/m ³ mist

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphuric acid	-	-	-	-
1-hydroxyethane-1,1-diphosphonic acid	-	6.5	-	6.5
nitrilotrimethylenetris(phosphonic acid)	-	1.38	-	1.38

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphuric acid	No data available	-	No data available	-
1-hydroxyethane-1,1-diphosphonic acid	No data available	-	No data available	-
nitrilotrimethylenetris(phosphonic acid)	-	2.75	-	2.75

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sulphuric acid	No data available	-	No data available	-
1-hydroxyethane-1,1-diphosphonic acid	No data available	-	No data available	-
nitrilotrimethylenetris(phosphonic acid)	-	1.38	-	1.38

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphuric acid	0.1	-	0.05	-
1-hydroxyethane-1,1-diphosphonic acid	-	-	-	-
nitrilotrimethylenetris(phosphonic acid)	-	9.7	-	9.7

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sulphuric acid	-	-	-	-
1-hydroxyethane-1,1-diphosphonic acid	-	-	-	-
nitrilotrimethylenetris(phosphonic acid)	-	2.39	-	2.39

Environmental exposure

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sulphuric acid	0.0025	0.00025	-	8.8
1-hydroxyethane-1,1-diphosphonic acid	0.136	0.0136	-	20
nitrilotrimethylenetris(phosphonic acid)	0.46	0.046	-	20

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sulphuric acid	0.002	0.002	-	-
1-hydroxyethane-1,1-diphosphonic acid	59	5.9	96	-
nitrilotrimethylenetris(phosphonic acid)	150	15	244	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

Appropriate organisational controls:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4
Automatic transfer and dilution	AISE_SWED_IS_8b_1	IS	PROC 8b	60	ERC4

Personal protective equipment

Eye / face	protection:
------------	-------------

Eye / face protection:	Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is
	strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and
	breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such
	as risk of splashes, cuts, contact time and temperature.
	Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
	Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
	In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local

use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available

Should not reach sewage water or drainage ditch undiluted or unneutralised. Environmental exposure controls:

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.01

Appropriate engineering controls:	Provide a good standard of general ventilation.
Appropriate organisational controls:	No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Automatic application in a dedicated closed system	AISE_SWED_IS_1_1	IS	PROC 1	480	ERC4

Personal protective equipment

Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.
Environmental exposure controls:	No special requirements under normal use conditions.

Environmental exposure controls:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Liquid Colour: Clear , Colourless Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Temperature

(°C)

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sulphuric acid	310-335	Method not given	
1-hydroxyethane-1,1-diphosphonic acid	105	Method not given	
nitrilotrimethylenetris(phosphonic acid)	> 104	Method not given	

Flammability (solid, gas): Not applicable to liquids	Wethod / Tenia		
Flammability (liquid): Not flammable. Flash point (°C): > 100 °C Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	closed cup		
Lower and upper explosion limit/flammability limit (%): Not determi	ned See substance	data	
Substance data, flammability or explosive limits, if available:			
Ingredient(s)	Lower limit (% vol)	U	pper limit (% vol)
nitrilotrimethylenetris(phosphonic acid)	-		-
Autoignition temperature: Not determined Decomposition temperature: Not applicable.	Method / rema	ark	
pH: =< 2 (neat) Dilution pH: \approx 7 (0.01 %)	ISO 4316 ISO 4316		
Kinematic viscosity: Not determined Solubility in / Miscibility with Water: Fully miscible			
Substance data, solubility in water			_
Ingredient(s)	Value (g/l)	Method	Temp (°

Method / remark

Method / remark

sulphuric acid	No data available		
1-hydroxyethane-1,1-diphosphonic acid	No data available		
nitrilotrimethylenetris(phosphonic acid)	610	Method not given	25

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sulphuric acid	10	Method not given	20
1-hydroxyethane-1,1-diphosphonic acid	< 0.00001	Method not given	25
nitrilotrimethylenetris(phosphonic acid)	10000	Method not given	20

Relative density: ≈ 1.59 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information
9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Corrosive

Weight of evidence

Method / remark See substance data

Method / remark

OECD 109 (EU A.3)

Not applicable to liquids.

Not relevant to classification of this product

9.2.2 Other safety characteristics Acid reserve: ≈ -39.3 (g NaOH / 100g; pH=4)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with alkali. Keep away from products containing chlorine-based bleaching agents or sulphites.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sulphuric acid	LD 50	2140	Rat	OECD 401 (EU B.1)		Not established
1-hydroxyethane-1,1-diphosphonic acid	LD 50	1878	Rat	Method not given		26000
nitrilotrimethylenetris(phosphonic acid)	LD 50	2100	Rat	EPA OPP 81-1		35000

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sulphuric acid		No data available				Not established
1-hydroxyethane-1,1-diphosphonic acid	LD 50	> 5000	Rabbit	Method not given		Not established
nitrilotrimethylenetris(phosphonic acid)	LD 50	> 6310	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid	LC 50	0.375 (mist)	Rat	OECD 403 (EU B.2)	
1-hydroxyethane-1,1-diphosphonic acid		No data available			
nitrilotrimethylenetris(phosphonic acid)		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sulphuric acid	Not established	Not established	Not established	Not established
1-hydroxyethane-1,1-diphosphonic acid	Not established	Not established	Not established	Not established
nitrilotrimethylenetris(phosphonic acid)	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid	Corrosive	Rabbit	Method not given	
1-hydroxyethane-1,1-diphosphonic acid	Not irritant	Rabbit	Method not given	
nitrilotrimethylenetris(phosphonic acid)	Not irritant	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid	Corrosive	Rabbit	Method not given	
1-hydroxyethane-1,1-diphosphonic acid	Severe damage	Rabbit	Non guideline test	
nitrilotrimethylenetris(phosphonic acid)	Irritant	Rabbit	Non guideline test	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid	No data available			
1-hydroxyethane-1,1-diphosphonic acid	No data available			
nitrilotrimethylenetris(phosphonic acid)	No data available			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sulphuric acid	Not sensitising			
1-hydroxyethane-1,1-diphosphonic acid	Not sensitising		Read across	
nitrilotrimethylenetris(phosphonic acid)	Not sensitising	Guinea pig	Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sulphuric acid	No data available			
1-hydroxyethane-1,1-diphosphonic acid	No data available			
nitrilotrimethylenetris(phosphonic acid)	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
sulphuric acid	No data available		No data available	
	No evidence for mutagenicity, negative test results	· · ·	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
nitrilotrimethylenetris(phosphonic acid)	No evidence for mutagenicity, negative	/	No data available	

lymphoma) OFCD 473	
0100	

Carcinogenicity

Ingredient(s)	Effect
sulphuric acid	No evidence for carcinogenicity, negative test results
1-hydroxyethane-1,1-diphosphonic acid	No evidence for carcinogenicity, negative test results
nitrilotrimethylenetris(phosphonic acid)	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
			(mg/kg bw/d)			time	reported
sulphuric acid			No data				
			available				
1-hydroxyethane-1,1-di			No data				No evidence for developmental
phosphonic acid			available				toxicity
nitrilotrimethylenetris(ph			No data				No evidence for reproductive
osphonic acid)			available				toxicity

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphuric acid	NOAEL	150	Rat	Method not given	60	
1-hydroxyethane-1,1-diphosphonic acid	NOAEL	1724	Rat	Method not given	90	
nitrilotrimethylenetris(phosphonic acid)	NOAEL	> 1000	Rat			

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sulphuric acid		No data				
		available				
1-hydroxyethane-1,1-diphosphonic acid		No data				
		available				
nitrilotrimethylenetris(phosphonic acid)		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sulphuric acid	TCL₀	3	Human	Method not given		
1-hydroxyethane-1,1-diphosphonic acid		No data available				
nitrilotrimethylenetris(phosphonic acid)		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sulphuric acid	Toule		No data available			time	organs anected	
1-hydroxyethane-1,1-di phosphonic acid	Oral	NOAEL	1583	Rat	Non guideline test			
nitrilotrimethylenetris(ph osphonic acid)		NOAEL	> 500	Rat		24 month(s)		

STOT-single exposure

Ingredient(s)	Affected organ(s)
sulphuric acid	No data available
1-hydroxyethane-1,1-diphosphonic acid	No data available
nitrilotrimethylenetris(phosphonic acid)	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sulphuric acid	No data available
1-hydroxyethane-1,1-diphosphonic acid	No data available
nitrilotrimethylenetris(phosphonic acid)	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid	LC 50	16 - 28	Lepomis macrochirus	Method not given	96
1-hydroxyethane-1,1-diphosphonic acid	LC 50	195	Oncorhynchus mykiss	Method not given	96
nitrilotrimethylenetris(phosphonic acid)	LC 50	160	Oncorhynchus mykiss	APHA 1995	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
sulphuric acid	EC 50	29	Daphnia	Method not given	24
			magna Straus		
1-hydroxyethane-1,1-diphosphonic acid	EC 50	527	Daphnia	OECD 202 (EU C.2)	48
			magna Straus		
nitrilotrimethylenetris(phosphonic acid)	EC 50	297	Daphnia	OECD 202 (EU C.2)	48
			magna Straus		

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sulphuric acid	EC 50	> 100	Desmodesmus subspicatus	Method not given	72
1-hydroxyethane-1,1-diphosphonic acid	EC 50	3	Pseudokirchner iella subcapitata	Method not given	96
nitrilotrimethylenetris(phosphonic acid)	EC 50	19.6	Pseudokirchner iella subcapitata	OECD 201 (EU C.3)	96

Aquatic short-term toxicity - marine species					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sulphuric acid		No data available			
1-hydroxyethane-1,1-diphosphonic acid		No data available			
nitrilotrimethylenetris(phosphonic acid)		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value	Inoculum	Method	Exposure
		(mg/l)			time
sulphuric acid	EC 50	58	Activated sludge	Method not given	120 hour(s)
1-hydroxyethane-1,1-diphosphonic acid	EC o	1000	Pseudomonas putida	DIN 38412, Part 27	30 minute(s)
nitrilotrimethylenetris(phosphonic acid)		No data available			

Aquatic long-term toxicity

Effects observed

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sulphuric acid	NOEC	0.31	Salvelinus fontinalis	Method not given		
1-hydroxyethane-1,1-diphosphonic acid	NOEC	180	Oncorhynchus mykiss	OECD 204	14 day(s)	
nitrilotrimethylenetris(phosphonic acid)	NOEC	23	Not specified	Method not given	60 day(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
sulphuric acid	NOEC	0.15	Daphnia	Method not		
			magna	given		
1-hydroxyethane-1,1-diphosphonic acid	NOEC	6.75	Daphnia	OECD 211	28 day(s)	
			magna			
nitrilotrimethylenetris(phosphonic acid)	NOEC	> 25	Daphnia	Method not	28 day(s)	
			magna	aiven		

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid		No data available				
1-hydroxyethane-1,1-diphosphonic acid		No data available				
nitrilotrimethylenetris(phosphonic acid)		No data available				

Terrestrial toxicity Terrestrial toxicity - soil

Terrestrial toxicity - soil invertebrates, including earthworr	ns, if availabl	e:			
Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)

sulphuric acid No data available

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sulphuric acid		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sulphuric acid		No data				
		available				

12.2 Persistence and degradability

Abiotic degradation

A	Abiotic degradation - photodegradation in air, if available:							
	Ingredient(s)	Half-life time	Method	Evaluation	Remark			
	sulphuric acid	No data available						

Abiotic degradation - hyd	rolysis if available.
Abiolic degradation - nyu	i oiysis, ii avallable.

Ingredient(s)	Ingredient(s) Half-life time in fresh		Evaluation	Remark
	water			

sulphuric acid I No data availat	
	,

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sulphuric acid		No data available			

Biodegradation

Ready biodegradability - aerobic conditions							
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation		
sulphuric acid					Not applicable (inorganic substance)		
1-hydroxyethane-1,1-diphosphonic acid			22.88 % in 5 day(s)	OECD 301D	Not readily biodegradable.		
nitrilotrimethylenetris(phosphonic acid)	Activated sludge, aerobe	DOC reduction	0% in 28 day(s)	OECD 301E	Not readily biodegradable.		

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sulphuric acid					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sulphuric acid					No data available

12.3 Bioaccumulative potential Partition coefficient p-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark					
sulphuric acid	No data available		No bioaccumulation expected						
1-hydroxyethane-1,1-diphosphonic acid	-3.49	Method not given	No bioaccumulation expected						
nitrilotrimethylenetris(phosphonic acid)	-3.53	Method not given	No bioaccumulation expected						

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sulphuric acid	No data available				
1-hydroxyethane-1,1-di phosphonic acid	>7		Method not given	No bioaccumulation expected	
nitrilotrimethylenetris(ph	No data available				
osphonic acid)					

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sulphuric acid	No data available				Low potential for adsorption to soil
1-hydroxyethane-1,1-diphosphonic acid	2.8 - 4.7		Method not given		Low mobillity in soil
nitrilotrimethylenetris(phosphonic acid)	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

European Waste Catalogue:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 20 01 14* - acids.

Empty packaging

Recommendation: Suitable cleaning agents: Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR) 14.1 UN number: 1830 14.2 UN proper shipping name: Sulphuric acid, solution 14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 8 14.4 Packing group: II 14.5 Environmental hazards: Environmentally hazardous: No Marine pollutant: No 14.6 Special precautions for user: None known. 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers. Other relevant information: ADR Classification code: C1 Tunnel restriction code: E

Hazard identification number: 80 IMO/IMDG EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
 Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Control of Poisons and Explosives Precursors Regulations 2015
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
 International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation phosphonates

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS1884

Version: 06.1

Revision: 2022-04-24

5 - 15 %

Reason for revision:

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 4, 6, 8, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eve damage.
- H318 Causes serious eye damage. • H319 - Causes serious eye irritation.

- Abbreviations and acronyms: AISE The international Association for Soaps, Detergents and Maintenance Products ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- · ERC Environmental release categories • EUH - CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
- NOEL No observed effect level
- · OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
 REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet