

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

#### Suma Tab D4 Tab

**Revision:** 2023-07-07 **Version:** 12.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Tab D4 Tab

UFI: 13A4-C0Q4-000W-XMPJ

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Surface disinfectant.

for food contact surface disinfection

For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8a\_2 AISE\_SWED\_PW\_19\_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Tandur Hf.

Hesthálsi 12, 110 Reykjavík

Tel. 5101200, Email: tandur@tandur.is

# 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

Poison Center: (+354) 543-2222 Emergency services: 112.

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

EUH031 Acute Tox. 4 (H302) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)

### 2.2 Label elements





Signal word: Warning.

Contains sodium dichloroisocyanurate, dihydrate (Troclosene Sodium, Dihydrate)

#### Hazard statements:

H302 - Harmful if swallowed.

H319 - Causes serious eye irritation.

H410 - Very toxic to aquatic life with long lasting effects.

EUH031 - Contact with acids liberates toxic gas.

#### 2.3 Other hazards

No other hazards known.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium dichloroisocyanurate, dihydrate	220-767-7		[6]	EUH031 Acute Tox. 4 (H302) STOT SE 3 (H335) Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		>= 75

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

4.1 Description of first aid measures

**General Information:** Symptoms of intoxication may even occur after several hours. It is recommended to continue

medical observation for at least 48 hours after the incident.

**Inhalation:** Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. Call a POISON CENTRE, doctor or

physician if you feel unwell.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation occurs and persists, get medical attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Keep at rest. Immediately call a POISON CENTRE, doctor or physician. Get medical

attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: May cause bronchospasm in chlorine sensitive individuals.

**Skin contact:** No known effects or symptoms in normal use.

**Eye contact:** Causes severe irritation.

**Ingestion:** No known effects or symptoms in normal use.

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Flood with water. Do not use carbon dioxide, extinguishing powder or foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

#### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a dry place. Store in a closed container. Keep only in original packaging. Keep away from heat and direct sunlight. Keep at temperature not exceeding 40 °C. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Seveso - Lower Tier requirements (tonnes): 100 Seveso - Upper Tier requirements (tonnes): 200

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL** and **PNEC** values

**Human exposure** 

DNEL/DIVIEL oral exposure - Consumer (mg/kg bw)							
Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects			
sodium dichloroisocyanurate, dihydrate	•	-	-	1.15			

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Shor	t term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium dichloroisocyanurate, di	hydrate	-	-	-	2.3

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium dichloroisocyanurate, dihydrate	-	-	-	1.15

DNFI /DMFI inhalatory exposure - Worker (mg/m3)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium dichloroisocyanurate, dihydrate	-	-	-	8.11

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium dichloroisocyanurate, dihydrate	-	-	-	1.99

#### **Environmental exposure**

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium dichloroisocyanurate, dihydrate	0.00017	1.52	0.0017	0.59

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium dichloroisocyanurate, dihydrate	7.56	-	0.756	-

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

NEADIT use seemanos considered for the uni	anatea product.				
	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE SWED PW 8a 2	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.28

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted.

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Solid Appearance: Tablets Colour: Clear , White Odour: Chlorine

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product Initial boiling point and boiling range (°C): Not determined

Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium dichloroisocyanurate, dihydrate	Product decomposes before boiling	Read across	

Method / remark

Flammability (solid, gas): Not determined Flammability (liquid): Not applicable. Flash point (°C): Not applicable. Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: 40

Decomposition temperature: Not applicable.

pH: Not applicable

**Dilution pH:** ≈ 8 (0.28 %)

ISO 4316

Not applicable to solids or gases

Kinematic viscosity: Not applicable to solids or gases Solubility in / Miscibility with water: Soluble

Substance data, solubility in water			
Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium dichloroisocyanurate, dihydrate	248.2	Read across	25

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

Relative density: ≈ 1.49 (20 °C)

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium dichloroisocyanurate, dihydrate	0.006	Read across	20

Method / remark

OECD 109 (EU A.3) Relative vapour density: No data available. Not applicable to solids

Particle characteristics: Not determined. Not relevant to classification of this product.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising. After prolonged exposure above 40 °C the

product could decompose and release excessive heat.

Not oxidising, based on substance properties

Corrosion to metals: Not determined Not applicable to solids or gases

9.2.2 Other safety characteristics

No other relevant information available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

After prolonged exposure above 40 °C the product could decompose and release excessive heat.

# 10.5 Incompatible materials

Reacts with acids. Reacts with acids releasing toxic chlorine gas.

#### 10.6 Hazardous decomposition products

Chlorine.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

# Relevant calculated ATE(s): ATE - Oral (mg/kg): 2000

Substance data, where relevant and available, are listed below:.

# Acute toxicity

	Acute oral toxicity						
	Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
ŀ	sodium dichloroisocyanurate, dihydrate	LD 50	1671	Rat	EPA OPP 81-1	time (m)	1671

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium dichloroisocyanurate, dihydrate	LD 50	> 5000	Rat	EPA OPP 81-2		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LC 50	> 0.27	Rat	OECD 403 (EU B.2)	4

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium dichloroisocyanurate, dihydrate	Not established	Not established	Not established	Not established

#### Irritation and corrosivity

Ì	Ingredient(s)	Result	Species	Method	Exposure time
Ī	sodium dichloroisocyanurate, dihydrate	Not irritant		Method not given	

Eye irritation and corrosivity

j	Ingredient(s)	Result	Species	Method	Exposure time
ĺ	sodium dichloroisocyanurate, dihydrate	Irritant	-	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	Irritating to			
	respiratory tract			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	Not sensitising	Guinea pig	OECD 429 (EU B.42)	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium dichloroisocyanurate, dihydrate	No data available			

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium dichloroisocyanurate, dihydrate	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence of genotoxicity, negative	OECD 475 (EU
	test results	B.12/13)	test results	B.11)

Carcinogenicity

Ingredient(s)	Effect
sodium dichloroisocyanurate, dihydrate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

							_		
	Ingredient(s)	l Endpoint	Specific effect	Value	l Species	Method	I Exposure	Remarks and other effects	

			(mg/kg bw/d)			time	reported
sodium dichloroisocyanurate, dihydrate	NOAEL	Developmental toxicity	190	Rat	OECD 416, (EU B.35), oral		No known significant effects or critical hazards

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate	NOAEL	115	Rat	Method not given	28	

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium dichloroisocyanurate, dihydrate	NOAEL	> 31	Rat	Method not	28	
				given		

Childric toxicity								
Ingredient(s)	Exposure	Endpoint	Value	Species	Method	Exposure	Specific effects and	Remark
	route		(mg/kg bw/d)			time	organs affected	
sodium	Oral	NOAEL	1523	Mouse	OECD 453	24 month(s)		
dichloroisocyanurate,					(EU B.33)			
dihydrate								ļ

STOT-single exposure

	Ingredient(s)	Affected organ(s)
Ī	sodium dichloroisocyanurate, dihydrate	Respiratory tract

 er er repeated expectare	
Ingredient(s)	Affected organ(s)
sodium dichloroisocyanurate, dihydrate	Not applicable

### **Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

# 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	LC 50	0.23	Lepomis	Method not given	96
			macrochirus	1	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium dichloroisocyanurate, dihydrate	EC 50	0.21	Daphnia	ASTM draft method	48

		J			mag	gna Straus			
					· · ·	-	-		
quatic short-term toxicity - algae Ingredient(s)			Endpoint	Value (mg/l)		pecies		Method	Exposu time (h
sodium dichloroisocyanurate, dih	ydrate		EC 50	(Hig/I) < 0.5	Sce	nedesmus obliquus	Nor	guideline test	3
				l		Юпцииз			
quatic short-term toxicity - marine species Ingredient(s)			Endpoint	Value	e S	pecies		Method	Exposu
sodium dichloroisocyanurate, dih	ydrate			(mg/l) No da	)				time (day
•				availab	ole				
npact on sewage plants - toxicity to bacteria									
Ingredient(s)			Endpoint	Value (mg/l)		oculum		Method	Exposu time
sodium dichloroisocyanurate, dih	ydrate		EC 50	51				OECD 209	3 hour(
quatic long-term toxicity									
quatic long-term toxicity - fish Ingredient(s)	Endpoint	Value		ecies	Method		osure	Effects ob	served
sodium dichloroisocyanurate, dihydrate	NOEC	( <b>mg/l</b> ) 1000	Onco	rhynchus nykiss	OECD 2		ne lay(s)		
		1	1 11	iynioo					
quatic long-term toxicity - crustacea  Ingredient(s)	Endpoint	Value	e Sn	ecies	Method	I Expo	osure	Effects ob	served
sodium dichloroisocyanurate, dihydrate	NOEC	(mg/l) 160	) .	aphnia	OECD 2	tir	ne lay(s)		
				nagna					
quatic toxicity to other aquatic benthic organisms, in									
Ingredient(s)	Endpoint	Value (mg/kg	dw .	ecies	Method		osure (days)	Effects ob	served
sodium dichloroisocyanurate, dihydrate		No da availab	ta						
		availat	ле						
errestrial toxicity errestrial toxicity - soil invertebrates, including earth	worms, if availabl	le:							
Ingredient(s)	Endpoint	Value (mg/kg		ecies	Method		osure (days)	Effects ob	served
sodium dichloroisocyanurate, dihydrate	NOEC	soil) 1000		nia fetida	OECD 2		4		
errestrial toxicity - plants, if available: Ingredient(s)	Endpoint	Value	e Sp	ecies	Method	I Expo	sure	Effects ob	served
3		(mg/kg soil)	dw .				(days)		
sodium dichloroisocyanurate, dihydrate		No da availab							
errestrial toxicity - birds, if available: Ingredient(s)	Endpoint	Value	e Sp	ecies	Method		osure	Effects ob	served
sodium dichloroisocyanurate, dihydrate		No da				time (	(days)		
		availab	ne						
errestrial toxicity - beneficial insects, if available:  Ingredient(s)	Endpoint	Value	e Sn	ecies	Method	l Exp	osure	Effects ob	served
ing. valorit(s)	Ziidpoiiit	(mg/kg	dw .				(days)	2013 00	
sodium dichloroisocyanurate, dihydrate		No da	ta						
	1		<u> </u>						
errestrial toxicity - soil bacteria, if available: Ingredient(s)									
ingredient(s)	Endpoint	Value		ecies	Method		osure	Effects ob	served
	Endpoint	(mg/kg soil)	dw	ecies	Method		osure (days)	Effects ob	served
sodium dichloroisocyanurate, dihydrate	Endpoint	(mg/kg	dw ta	ecies	Method			Effects ob	eserved

## 12.2 Persistence and degradability

#### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

	Ingredient(s)	Half-life time	Method	Evaluation	Remark
ſ	sodium dichloroisocyanurate, dihydrate	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium		No data available			
dichloroisocyanurate,					
dihydrate					

#### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium dichloroisocyanurate, dihydrate		Oxygen depletion	2 % in 28d day(s)	OECD 301D	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium dichloroisocyanurate, dihydrate					No data available

Degradation in relevant environmental compartments, if available:

느	Degradation in relevant environmental compartments, if available.								
	Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation			
I	sodium dichloroisocyanurate, dihydrate					No data available			

# 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	-0.0056	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium	No data available				
dichloroisocyanurate, dihvdrate					

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	coefficient coefficient		Soil/sediment type	Evaluation
sodium dichloroisocyanurate, dihydrate	No data available				

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

# 12.7 Other adverse effects

No other adverse effects known.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging** 

**Recommendation:** Dispose of observing national or local regulations.

### SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 3077

14.2 UN proper shipping name:

Environmentally hazardous substance, solid, n.o.s. (sodium dichloroisocyanurate dihydrate) Environmentally hazardous substance, solid, n.o.s. (sodium dichloroisocyanurate dihydrate)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 9

14.4 Packing group: III

14.5 Environmental hazards:

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user:

Diversey does not recommend to transport this product by means of sea container.

Diversey does not recommend to transport this product by air.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

#### Other relevant information:

**ADR** 

Classification code: M7 Tunnel restriction code: (-) Hazard identification number: 90

IMO/IMDG

EmS: F-A, S-F

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082

# SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations:

- Regulation (EC) No. 1907/2006 REACH
  Regulation (EC) No 1272/2008 CLP
- Regulation (EU) No 528/2012 on biocidal products
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Seveso - Classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a quarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS2256 Version: 12.0 Revision: 2023-07-07

#### Reason for revision:

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 6, 8, 9, 11, 16

#### Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate

- DNEL Derived No Effect Limit
   EC50 effective concentration, 50%
   ERC Environmental release categories
   EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- · LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
   OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
   PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
  H400 Very toxic to aquatic life.
- + H410 Very toxic to aquatic life with long lasting effects.
  + EUH031 Contact with acids liberates toxic gas.

**End of Safety Data Sheet**