

Safety summary

Page 1 / 1 Revision: 2023-02-05

Glide VC72

Hazards for humans and the environment





Contains disodium/dipotassium metasilicate (Sodium/Potassium Metasilicate), potassium hydroxide (Potassium Hydroxide), sodium hypochlorite (active chlorine) (Sodium Hypochlorite)

Signal word: Danger.

H290 - May be corrosive to metals. Hazard statements:

H314 - Causes severe skin burns and eye damage H410 - Very toxic to aquatic life with long lasting effects

Prevention and conduct

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in

Avoid direct contact and/or splashes where possible. Train personnel.

automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Personal protective equipment

Hand protection:

Eye / face protection:

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

Chemical-resistant protective gloves (EN 374). Consider specific local use conditions, such as risk of

splashes, cuts, contact time and temperature.

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur **Body protection:**

(EN 14605). If exposure to liquid particles or splashes cannot be avoided use:. half mask (EN 140), with particle filter Respiratory protection:

P2 (EN 143). or. full-face mask (EN 136). with particle filter P1 (EN 143). Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the

occupational exposure limits, if available.

Should not reach sewage water or drainage ditch undiluted or unneutralised. **Environmental exposure controls:**

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 3

Appropriate engineering controls: Provide a good standard of general ventilation. Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. No special requirements under normal use conditions.

Body protection: Trigger spray bottle application:. No special requirements under normal use conditions. Apply technical Respiratory protection:

measures to comply with the occupational exposure limits, if available.

Environmental exposure controls: No special requirements under normal use conditions.

Emergency procedure



Suitable extinguishing media Environmental precautions

Methods for cleaning up

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand,

diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

First aid measures



Inhalation:

Ingestion:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you



Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Always check the product labels and consult the Safety Data Sheet for details. The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract.