

**Suma Active M20**

Revision: 2024-08-07

Version: 11.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trade name:** Suma Active M20

UFI: W4E4-20V0-R007-3K2T

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Product use:** Dish wash product.  
For professional use only.  
**Uses advised against:** Uses other than those identified are not recommended.

**SWED - Sector-specific worker exposure description :**

AISE\_SWED\_PW\_8a\_1  
AISE\_SWED\_PW\_1\_1  
AISE\_SWED\_PW\_4\_1

**1.3 Details of the supplier of the safety data sheet**

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

**Contact details**

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@solenis.com

**1.4 Emergency telephone number**

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Skin corrosion, Category 1B (H314)  
EUH071  
Specific target organ toxicity - Single exposure, Category 3 (H335)  
Serious eye damage, Category 1 (H318)  
Chronic aquatic toxicity, Category 3 (H412)

**2.2 Label elements**



**Signal word:** Danger.

Contains disodium metasilicate (Sodium Metasilicate)

**Hazard statements:**

H314 - Causes severe skin burns and eye damage.  
H412 - Harmful to aquatic life with long lasting effects.  
EUH071 - Corrosive to the respiratory tract.

**Precautionary statements:**

P260 - Do not breathe dust.  
P280 - Wear protective gloves, protective clothing and eye or face protection.  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## Suma Active M20

P310 - Immediately call a POISON CENTRE, doctor or physician.

### 2.3 Other hazards

No other hazards known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
disodium metasilicate	229-912-9	6834-92-0	01-211944981 1-37	Skin corrosion, Category 1B (H314) Specific target organ toxicity - Single exposure, Category 3 (H335) Serious eye damage, Category 1 (H318) Corrosive to metals, Category 1 (H290)		30-50
sodium dichloroisocyanurate, dihydrate	220-767-7	-	[6]	EUH031 Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Single exposure, Category 3 (H335) Eye irritation, Category 2 (H319) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		1-3
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	[4]	120313-48-6	[4]	Skin irritation, Category 2 (H315) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 3 (H412)		0.1-1

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General Information:

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE, doctor or physician.

#### Inhalation:

#### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.

#### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

#### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

#### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Inhalation:

Corrosive to the respiratory tract.

#### Skin contact:

Causes severe burns.

#### Eye contact:

Causes severe or permanent damage.

#### Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

## Suma Active M20

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

**6.3 Methods and material for containment and cleaning up**

Ensure adequate ventilation. Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe dust. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:**

**Additional exposure limits under the conditions of use, if available:**

**DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
disodium metasilicate	-	-	-	0.74
sodium dichloroisocyanurate, dihydrate	-	-	-	1.15
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
disodium metasilicate	No data available	-	No data available	1.49
sodium dichloroisocyanurate, dihydrate	-	-	-	2.3
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

## Suma Active M20

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
disodium metasilicate	No data available	-	No data available	0.74
sodium dichloroisocyanurate, dihydrate	-	-	-	1.15
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
disodium metasilicate	-	-	-	6.22
sodium dichloroisocyanurate, dihydrate	-	-	-	8.11
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
disodium metasilicate	-	-	-	1.55
sodium dichloroisocyanurate, dihydrate	-	-	-	1.99
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

## Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
disodium metasilicate	7.5	1	7.5	1000
sodium dichloroisocyanurate, dihydrate	0.00017	1.52	0.0017	0.59
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
disodium metasilicate	-	-	-	-
sodium dichloroisocyanurate, dihydrate	7.56	-	0.756	-
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available	No data available	No data available	No data available

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

## Personal protective equipment

Eye / face protection:

Hand protection:

Safety glasses or goggles (EN 16321 / EN 166).

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN ISO 13982-1).

Respiratory protection:

If exposure to dust cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

## Suma Active M20

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 0.5

**Appropriate engineering controls:** No special requirements under normal use conditions.

**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

**Personal protective equipment**

**Eye / face protection:**

No special requirements under normal use conditions.

**Hand protection:**

No special requirements under normal use conditions.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

**Method / remark**

**Physical state:** Solid

**Appearance:** Powder

**Colour:** Clear , White

**Odour:** Product specific

**Odour threshold:** Not applicable

**Melting point/freezing point (°C):** Not determined

Not relevant to classification of this product

**Initial boiling point and boiling range (°C):** Not determined

Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
disodium metasilicate	No data available		
sodium dichloroisocyanurate, dihydrate	Product decomposes before boiling	Read across	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	> 250	Method not given	

**Method / remark**

**Flammability (solid, gas):** Not determined

**Flammability (liquid):** Not applicable.

**Flash point (°C):** Not applicable.

**Sustained combustion:** Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

**Method / remark**

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**pH:** Not applicable

**Dilution pH:** ≈ 11 (0.5 %)

**Kinematic viscosity:** Not determined

**Solubility in / Miscibility with water:** Soluble

ISO 4316

Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
disodium metasilicate	350	Method not given	20
sodium dichloroisocyanurate, dihydrate	248.2	Read across	25
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Insoluble		

## Suma Active M20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**Vapour pressure:** Not determined

**Method / remark**

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
disodium metasilicate	No data available		
sodium dichloroisocyanurate, dihydrate	0.006	Read across	20
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	< 10	Method not given	20

**Relative density:**  $\approx 1.04$  (20 °C)

**Relative vapour density:** No data available.

**Particle characteristics:** Not determined.

**Method / remark**

OECD 109 (EU A.3)

Not applicable to solids

Not relevant to classification of this product.

**9.2 Other information****9.2.1 Information with regard to physical hazard classes**

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

**Corrosion to metals:** Not determined

Not applicable to solids or gases

**9.2.2 Other safety characteristics**

**Alkali reserve:**  $\approx 17.3$  (g NaOH / 100g; pH=10)

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

Reacts with acids.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data: .

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
disodium metasilicate	LD <sub>50</sub>	770 - 820	Mouse	Method not given	ECHA Dossier 2020	Not established
sodium dichloroisocyanurate, dihydrate	LD <sub>50</sub>	1671	Rat	EPA OPP 81-1		1671
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LD <sub>50</sub>	> 2000	Rat	Method not given		500000

## Suma Active M20

## Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
disodium metasilicate	LD <sub>50</sub>	> 5000	Rat Guinea pig	Method not given		Not established
sodium dichloroisocyanurate, dihydrate	LD <sub>50</sub>	> 5000	Rat	EPA OPP 81-2		Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				Not established

## Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	LC <sub>50</sub>	> 2.06	Rat	Method not given	
sodium dichloroisocyanurate, dihydrate	LC <sub>50</sub>	> 0.27	Rat	OECD 403 (EU B.2)	4
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

## Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
disodium metasilicate	Not established	Not established	Not established	Not established
sodium dichloroisocyanurate, dihydrate	Not established	Not established	Not established	Not established
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not established	Not established	Not established	Not established

## Irritation and corrosivity

## Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	Corrosive		Method not given	
sodium dichloroisocyanurate, dihydrate	Not irritant		Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Irritant	Rabbit	Draize test	

## Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	Corrosive		Method not given	
sodium dichloroisocyanurate, dihydrate	Irritant		Method not given	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Not corrosive or irritant	Rabbit	Draize test	

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	Irritating to respiratory tract		Method not given	
sodium dichloroisocyanurate, dihydrate	Irritating to respiratory tract			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
disodium metasilicate	Not sensitising	Mouse	OECD 429 (EU B.42)	
sodium dichloroisocyanurate, dihydrate	Not sensitising	Guinea pig	OECD 429 (EU B.42)	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
disodium metasilicate	No data available			
sodium dichloroisocyanurate, dihydrate	No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
disodium metasilicate	No data available		No data available	
sodium dichloroisocyanurate, dihydrate	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 475 (EU B.11)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available		No data available	

## Carcinogenicity

## Suma Active M20

Ingredient(s)	Effect
disodium metasilicate	No data available
sodium dichloroisocyanurate, dihydrate	No evidence for carcinogenicity, negative test results
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
disodium metasilicate			No data available				
sodium dichloroisocyanurate, dihydrate	NOAEL	Developmental toxicity	190	Rat	OECD 416, (EU B.35), oral		No known significant effects or critical hazards
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available				

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not given		
sodium dichloroisocyanurate, dihydrate	NOAEL	115	Rat	Method not given	28	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate		No data available				
sodium dichloroisocyanurate, dihydrate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
disodium metasilicate		No data available				
sodium dichloroisocyanurate, dihydrate	NOAEL	> 31	Rat	Method not given	28	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
disodium metasilicate			No data available					
sodium dichloroisocyanurate, dihydrate	Oral	NOAEL	1523	Mouse	OECD 453 (EU B.33)	24 month(s)		
Alcohols, C12-15-branched and linear, ethoxylated propoxylated			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
disodium metasilicate	Respiratory tract
sodium dichloroisocyanurate, dihydrate	Respiratory tract
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
disodium metasilicate	Not applicable
sodium dichloroisocyanurate, dihydrate	Not applicable
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available



**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**11.2 Information on other hazards****11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

**11.2.2 Other information**

No other relevant information available.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	LC <sub>50</sub>	210	<i>Brachydanio rerio</i>	Method not given	96
sodium dichloroisocyanurate, dihydrate	LC <sub>50</sub>	0.23	<i>Lepomis macrochirus</i>	Method not given	96
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	LC <sub>50</sub>	> 1-10	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	EC <sub>50</sub>	1700	<i>Daphnia</i>	Method not given	48
sodium dichloroisocyanurate, dihydrate	EC <sub>50</sub>	0.21	<i>Daphnia magna Straus</i>	ASTM draft method	48
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC <sub>50</sub>	≤ 1	<i>Daphnia magna Straus</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
disodium metasilicate	EC <sub>50</sub>	207	<i>Chlorella pyrenoidosa</i>	Method not given	72
sodium dichloroisocyanurate, dihydrate	EC <sub>50</sub>	< 0.5	<i>Scenedesmus obliquus</i>	Non guideline test	3
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	EC <sub>50</sub>	≤ 1	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	RM000517/ RM002677 BASF EU RSDS 2021

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
disodium metasilicate		No data available			
sodium dichloroisocyanurate, dihydrate		No data available			
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
disodium metasilicate	EC <sub>50</sub>	> 100	Activated sludge	Method not given	3 hour(s)
sodium dichloroisocyanurate, dihydrate	EC <sub>50</sub>	51		OECD 209	3 hour(s)
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available			

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

## Suma Active M20

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
disodium metasilicate		No data available				
sodium dichloroisocyanurate, dihydrate	NOEC	1000	<i>Oncorhynchus mykiss</i>	OECD 215	28 day(s)	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
disodium metasilicate		No data available				
sodium dichloroisocyanurate, dihydrate	NOEC	160	<i>Daphnia magna</i>	OECD 211	21 day(s)	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	NOEC	> 0.1-1	<i>Daphnia magna</i>	Method not given	21 day(s)	

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
disodium metasilicate		No data available				
sodium dichloroisocyanurate, dihydrate		No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated		No data available				

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate	NOEC	1000	<i>Eisenia fetida</i>	OECD 207	14	

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium dichloroisocyanurate, dihydrate		No data available				

## 12.2 Persistence and degradability

## Abiotic degradation

## Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available			

## Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate	No data available			

## Suma Active M20

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium dichloroisocyanurate, dihydrate		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
disodium metasilicate					Not applicable (inorganic substance)
sodium dichloroisocyanurate, dihydrate		Oxygen depletion	2 % in 28d day(s)	OECD 301D	Not readily biodegradable.
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	Activated sludge, aerobe	CO <sub>2</sub> production	> 60% in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium dichloroisocyanurate, dihydrate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium dichloroisocyanurate, dihydrate					No data available

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
disodium metasilicate	No data available			
sodium dichloroisocyanurate, dihydrate	-0.0056	Method not given	No bioaccumulation expected	
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
disodium metasilicate	No data available				
sodium dichloroisocyanurate, dihydrate	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
disodium metasilicate	No data available				
sodium dichloroisocyanurate, dihydrate	No data available				
Alcohols, C12-15-branched and linear, ethoxylated propoxylated	No data available				

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:****European Waste Catalogue:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 15\* - alkalines.

## Suma Active M20

Empty packaging  
Recommendation:

Dispose of observing national or local regulations.

## SECTION 14: Transport information



**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number or ID number:** 3253

**14.2 UN proper shipping name:**

Disodium trioxosilicate, mixture

**14.3 Transport hazard class(es):**

Transport hazard class (and subsidiary risks): 8

**14.4 Packing group:** III

**14.5 Environmental hazards:**

Environmentally hazardous: No

Marine pollutant: No

**14.6 Special precautions for user:** None known.

**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers.

**Other relevant information:**

**ADR**

Classification code: C6

Tunnel restriction code: (E)

Hazard identification number: 80

**IMO/IMDG**

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to Detergents Regulation**

phosphates

>= 30 %

chlorine-based bleaching agents, non-ionic surfactants

< 5 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Comah - classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

## SECTION 16: Other information

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product*

## Suma Active M20

*features and does not establish a legally binding contract*

**SDS code:** MSDS3371

**Version:** 11.0

**Revision:** 2024-08-07

**Reason for revision:**

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s): 1, 2, 3, 4, 6, 7, 8, 15, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.
- EUH031 - Contact with acids liberates toxic gas.

**End of Safety Data Sheet**