

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Suma Gloss K8

Revision: 2024-08-07 **Version:** 05.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Suma Gloss K8

UFI: 16E4-K0JE-100Q-RWNV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Metal cleaning agent.
Dish wash product.

For professional use only.

Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_1 AISE_SWED_PW_1_1 AISE_SWED_PW_4_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1A (H314) Serious eye damage, Category 1 (H318) Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hydroxide (Sodium Hydroxide), disodium metasilicate (Sodium Metasilicate)

Hazard statements:

H290 - May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

Precautionary statements:

P280 - Wear protective gloves, protective clothing and eye or face protection.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
			number			percent
sodium hydroxide	215-185-5	1310-73-2	01-211945789	Skin corrosion, Category 1A (H314)		3-10
			2-27	Corrosive to metals, Category 1 (H290)		
disodium metasilicate	215-687-4	1344-09-8	[1]	Skin corrosion, Category 1B (H314)		3-10
				Specific target organ toxicity - Single exposure,		
				Category 3 (H335)		
				Serious eye damage, Category 1 (H318)		
				Corrosive to metals, Category 1 (H290)		

Specific concentration limits

sodium hydroxide:

- Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%
- Skin corrosion, Category 1Ā (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

General Information: If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is

irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose

resuscitation. Use Ambu bag or ventilator.

Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Take off

immediately all contaminated clothing and wash it before reuse. Immediately call a POISON

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove Eve contact: contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or

physician.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: Causes severe burns.

Eye contact: Causes severe or permanent damage.

Ingestion: Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of

oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Use neutralising agent. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	-	-
disodium metasilicate	-	-	-	0.74

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
disodium metasilicate	No data available	-	No data available	1.49

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hydroxide	2 %	-	-	-
disodium metasilicate	No data available	-	No data available	0.74

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
disodium metasilicate	-	-	-	6.22

DNEL/DMEL inhalatory exposure - Consumer (mg/m3)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hydroxide	-	-	1	-
disodium metasilicate	-	-	-	1.55

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hydroxide	-	-	-	-
disodium metasilicate	7.5	1	7.5	1000

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium hydroxide	-	-	-	-
disodium metasilicate	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin

contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling

with automatic systems. Use tools for manual handling of product.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

Personal protective equipment

Hand protection:

Eye / face protection: Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face

protection is strongly recommended when handling open containers or if splashes may occur. Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may

occur (EN 14605).

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 1.6

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
--	------	-----	------	----------	-----

				(min)	
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE SWED PW 4 1	PW	PROC 4	480	ERC8a

No special requirements under normal use conditions.

Personal protective equipment

Environmental exposure controls:

Eye / face protection: No special requirements under normal use conditions. Hand protection: No special requirements under normal use conditions. **Body protection:** No special requirements under normal use conditions. No special requirements under normal use conditions. Respiratory protection:

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Colourless Odour: Product specific Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressur (hPa)	
sodium hydroxide	> 990	Method not given		
disodium metasilicate	No data available			

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable. Flash point (°C): Not applicable. Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined Not relevant to classification of this product

Decomposition temperature: Not applicable.

pH: >= 11.5 (neat) ISO 4316 Dilution pH: > 11 (1.6 %)
Kinematic viscosity: Not determined ISO 4316

Not relevant to classification of this product

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hydroxide	1000	Method not given	20
disodium metasilicate	350	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Method / remark

OECD 109 (EU A.3)

See substance data Vapour pressure: Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hydroxide	< 1330	Method not given	20
disodium metasilicate	No data available		

Relative density: ≈ 1.22 (20 °C)

Relative vapour density: No data available. Not relevant to classification of this product

Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

Not explosive, based on substance properties Not oxidising, based on substance properties

9.2.2 Other safety characteristics

Alkali reserve: ≈ 7.4 (g NaOH / 100g; pH=10)

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium hydroxide		No data				Not established
		available				
disodium metasilicate	LD 50	770 - 820	Mouse	Method not given		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium hydroxide	LD 50	1350	Rabbit	Method not given		1350
disodium metasilicate		No data available				Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (h)
sodium hydroxide		No data			
		available			
disodium metasilicate		No data			
		available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium hydroxide	Not established	Not established	Not established	Not established
disodium metasilicate	Not established	Not established	Not established	Not established

Irritation and corrosivity

irritation		

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
disodium metasilicate	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	Corrosive	Rabbit	Method not given	
disodium metasilicate	Corrosive		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
disodium metasilicate	Irritating to		Method not given	
	respiratory tract			

Sensitisation Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hydroxide	Not sensitising		Human repeated patch	
			test	
disodium metasilicate	No data available			

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hydroxide	No data available			
disodium metasilicate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)
sodium hydroxide	No evidence for mutagenicity, negative	DNA repair test	No evidence for mutagenicity, negative	OECD 474 (EU
	test results	on rat	test results	B.12) OECD
		hepatocytes		475 (EU B.11)
		OECD 473		
disodium metasilicate	No data available		No data available	

Carcinogenicity

- 3	parcinogerially	
	Ingredient(s)	Effect
ĺ	sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
ſ	disodium metasilicate	No data available

Toxicity for reproduction

Toxicity for reproduction							
Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
disodium metasilicate			No data available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data available				
disodium metasilicate	NOAEL	> 227 - 237	Rat	Method not given		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hydroxide		No data				
		available				
disodium metasilicate		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium hydroxide		No data				
		available				
disodium metasilicate		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hydroxide			No data available					
disodium metasilicate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
disodium metasilicate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hydroxide	No data available
disodium metasilicate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	LC 50	35	Various species	Method not given	96
disodium metasilicate	LC 50	210	Brachydanio rerio	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	40.4	Ceriodaphnia sp.	Method not given	48
disodium metasilicate	EC 50	1700	Daphnia	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hydroxide	EC 50	22	Photobacteriu	Method not given	0.25
			m		
			phosphoreum		
disodium metasilicate	EC 50	207	Chlorella	Method not given	72

						pyreno	idosa			
quatic short-term toxicity - marine species		1.		Valu		0	!		Madhad	I =
Ingredient(s)			Endpoint	Valu (mg/		Spec	ies		Method	Exposu time (da
sodium hydroxide				No da availa						
disodium metasilica	te			No da	ata					
				availa	ble					
npact on sewage plants - toxicity to bacteria										
Ingredient(s)		E	Endpoint	Valu		Inocu	lum	ı	Method	Exposu
sodium hydroxide				(mg/ No da						time
			F0	availa	ble	A .:				
disodium metasilica	te		EC 50	> 10	10	Activa slud		ivietn	od not given	3 hour(
quatic long-term toxicity										
quatic long-term toxicity - fish Ingredient(s)	Fuducint	Value	6	!	Ma	thod	Evnes		Effects of	-comred
ingredient(s)	Endpoint	(mg/l)	Sp	ecies	ivie	tnoa	Exposi time		Effects ob	servea
sodium hydroxide		No data available								
disodium metasilicate		No data						\dashv		
		available	9		<u> </u>		I			
quatic long-term toxicity - crustacea										
Ingredient(s)	Endpoint	Value	Sp	ecies	Ме	thod	Exposi		Effects ob	served
sodium hydroxide		(mg/l) No data					time			
		available No data								
disodium metasilicate		available								
quatic toxicity to other aquatic benthic organism Ingredient(s)	s, including sediment	t-dwelling or		available: ecies		thod	Expos	uro I	Effects ob	convod
ingredient(s)	Enapoint	(mg/kg d	w .	ecies	IVIE	liiou	time (da		Ellects of	serveu
sodium hydroxide		sedimen No data								
		available No data								
disodium metasilicate		available								
errestrial toxicity errestrial toxicity - soil invertebrates, including e	arthworms if available	lo:								
Ingredient(s)	Endpoint	Value		ecies	Me	thod	Expos		Effects ob	served
		(mg/kg d soil)	w				time (da	ıys)		
sodium hydroxide		No data								
		available	•							
errestrial toxicity - plants, if available:										
Ingredient(s)	Endpoint	Value		ecies	Me	thod	Exposi		Effects of	served
		(mg/kg d soil)	w				time (da	iys)		
sodium hydroxide		No data available								
	·		<u> </u>		•		•			
errestrial toxicity - birds, if available:										
Ingredient(s)	Endpoint	Value	Sp	ecies	Me	thod	Exposi time (da		Effects ob	served
sodium hydroxide		No data								
	L	available	;		<u> </u>		1			
errestrial toxicity - beneficial insects, if available	:									
Ingredient(s)	Endpoint	Value		ecies	Me	thod	Exposi		Effects ob	served
		(mg/kg d soil)	W				time (da	iys)		
sodium hydroxide		No data available								
		<u>avaliable</u>			1					
errestrial toxicity - soil bacteria, if available:										

	(mg/kg dw soil)	time (days)	
sodium hydroxide	No data		
	available		

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

[Ingredient(s)	Half-life time	Method	Evaluation	Remark
ſ	sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abjotic degradation - hydrolysis if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

Biodegradation

dability aprobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					Not applicable (inorganic substance)
disodium metasilicate					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

	Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide						No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hydroxide	No data available		Not relevant, does not	
			bioaccumulate	
disodium metasilicate	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hydroxide	No data available				
disodium metasilicate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sealment					
Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium hydroxide	No data available				Mobile in soil
disodium metasilicate	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting propertiesEndocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

The concentrated contents or contaminated packaging should be disposed of by a certified handler Waste from residues / unused

or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging products:

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 15* - alkalines.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1824 14.2 UN proper shipping name: Sodium hydroxide solution

14.3 Transport hazard class(es): Transport hazard class (and subsidiary risks): 8

14.4 Packing group: II 14.5 Environmental hazards: Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

ADR

Classification code: C5 Tunnel restriction code: (E) Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- · International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

5 - 15 % phosphates

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product

features and does not establish a legally binding contract

SDS code: MSDS3372 Version: 05.0 Revision: 2024-08-07

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 4, 9, 16, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
 LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level

- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic

- PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- · H335 May cause respiratory irritation.

End of Safety Data Sheet