

Clax Universal 33A1

Revision: 2025-09-24

Version: 12.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Clax Universal 33A1

UFI: 143M-S1RC-A00A-0WYV

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Laundry detergent.
For professional use only.
Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_1
AISE_SWED_PW_8b_1
AISE_SWED_PW_1_1
AISE_SWED_PW_4_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin irritation, Category 2 (H315)
Serious eye damage, Category 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone), sodium alkylbenzenesulphonate (Sodium Dodecylbenzenesulfonate), Alcohols, C12-15, ethoxylated (7-<15EO) (C12-15 Pareth 7-15)

Hazard statements:

H315 - Causes skin irritation.
H318 - Causes serious eye damage.
EUH208 - May produce an allergic reaction.

Precautionary statements:

P280 - Wear eye or face protection.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTRE, doctor or physician.

Clax Universal 33A1

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium alkylbenzenesulphonate	290-656-6	90194-45-9	[1]	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		10-20
Alcohols, C12-15, ethoxylated (7-<15EO)	[4]	68131-39-5	[4]	Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) Chronic aquatic toxicity, Category 3 (H412)		3-10
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410)		0.01-0.1

Specific concentration limits

1,2-benzisothiazol-3(2H)-one:

- EUH208 >= 0.0036%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

Causes irritation.

Eye contact:

Causes severe or permanent damage.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection. Repeated or prolonged contact: Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	0.425
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium alkylbenzenesulphonate	No data available	-	No data available	-

Clax Universal 33A1

Alcohols, C12-15, ethoxylated (7-<15EO)	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	0.0026	0.00026	-	0.055

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sodium alkylbenzenesulphonate	-	-	-	-
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available	No data available	No data available	No data available
1,2-benzisothiazol-3(2H)-one	0.0132	-	0.33	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a
Automatic transfer and dilution	AISE_SWED_PW_8b_1	PW	PROC 8b	60	ERC8b

Personal protective equipment**Eye / face protection:****Hand protection:**

Safety glasses or goggles (EN 16321).

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:**Respiratory protection:**

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Clax Universal 33A1

Recommended maximum concentration (% w/w): 0.9

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: No special requirements under normal use conditions.

Hand protection: Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

Body protection: No special requirements under normal use conditions.

Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid

Colour: Milky , Pink

Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined

See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): Not determined

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 6 (neat)

ISO 4316

Dilution pH: ≈ 7 (0.9 %)

ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Clax Universal 33A1

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium alkylbenzenesulphonate	No data available		
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		

Relative density: ≈ 1.03 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data: where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium alkylbenzenesulphonate	LD ₅₀	> 1470	Rat	OECD 401 (EU B.1)		1470
Alcohols, C12-15, ethoxylated (7-<15EO)	LD ₅₀	> 300-2000	Rat	Method not given		Not established
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat			450

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium alkylbenzenesulphonate		No data available				Not established
Alcohols, C12-15, ethoxylated (7-<15EO)	LD ₅₀	> 2000	Rabbit	Method not given		Not established
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established

Clax Universal 33A1

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate		No data available			
Alcohols, C12-15, ethoxylated (7-<15EO)		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium alkylbenzenesulphonate	Not established	Not established	Not established	Not established
Alcohols, C12-15, ethoxylated (7-<15EO)	Not established	Not established	Not established	Not established
1,2-benzisothiazol-3(2H)-one	Not established	0.21	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	Irritant	Rabbit	OECD 404 (EU B.4)	
Alcohols, C12-15, ethoxylated (7-<15EO)	Not irritant	Rabbit	Method not given	
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	Severe damage	Rabbit	OECD 405 (EU B.5)	
Alcohols, C12-15, ethoxylated (7-<15EO)	Severe damage	Rabbit	Method not given	
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
Alcohols, C12-15, ethoxylated (7-<15EO)	Not sensitising		Method not given	
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium alkylbenzenesulphonate	No data available			
Alcohols, C12-15, ethoxylated (7-<15EO)	Not sensitising		Method not given	
1,2-benzisothiazol-3(2H)-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium alkylbenzenesulphonate	No data available		No data available	
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available		No data available	
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
sodium alkylbenzenesulphonate	No data available
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value	Species	Method	Exposure	Remarks and other effects
---------------	----------	-----------------	-------	---------	--------	----------	---------------------------

Clax Universal 33A1

			(mg/kg bw/d)			time	reported
sodium alkylbenzenesulphonate			No data available				
Alcohols, C12-15, ethoxylated (7-<15EO)			No data available				
1,2-benzisothiazol-3(2H)-one			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium alkylbenzenesulphonate		No data available				
Alcohols, C12-15, ethoxylated (7-<15EO)		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium alkylbenzenesulphonate		No data available				
Alcohols, C12-15, ethoxylated (7-<15EO)		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium alkylbenzenesulphonate		No data available				
Alcohols, C12-15, ethoxylated (7-<15EO)		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium alkylbenzenesulphonate			No data available					
Alcohols, C12-15, ethoxylated (7-<15EO)			No data available					
1,2-benzisothiazol-3(2H)-one			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available
1,2-benzisothiazol-3(2H)-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium alkylbenzenesulphonate	No data available
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available
1,2-benzisothiazol-3(2H)-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

Clax Universal 33A1

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**No data is available on the mixture.Substance data, where relevant and available, are listed below:**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	LC ₅₀	1.67	<i>Lepomis macrochirus</i>	EPA-OPPTS 850.1075	96
Alcohols, C12-15, ethoxylated (7-<15EO)	LC ₅₀	1.4	<i>Pimephales promelas</i>	Method not given	96
1,2-benzisothiazol-3(2H)-one	LC ₅₀	2.18	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	EC ₅₀	1.62	<i>Daphnia magna</i> Straus		48
Alcohols, C12-15, ethoxylated (7-<15EO)	EC ₅₀	1.4	<i>Daphnia magna</i> Straus	Method not given	48
1,2-benzisothiazol-3(2H)-one	EC ₅₀	2.94	<i>Daphnia</i>	OECD 202 (EU C.2)	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	EC ₅₀	29	<i>Selenastrum capricornutum</i>		96
Alcohols, C12-15, ethoxylated (7-<15EO)	EC ₅₀	> 1-10	<i>Not specified</i>	Method not given	
1,2-benzisothiazol-3(2H)-one	E _r C ₅₀	0.11		OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium alkylbenzenesulphonate		No data available			
Alcohols, C12-15, ethoxylated (7-<15EO)		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium alkylbenzenesulphonate		No data available			
Alcohols, C12-15, ethoxylated (7-<15EO)		> 100			
1,2-benzisothiazol-3(2H)-one	EC ₂₀	3.3	<i>Activated sludge</i>	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate	NOEC	> 2.5-1		Method not given		
Alcohols, C12-15, ethoxylated (7-<15EO)	NOEC	0.66	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate		No data				

Clax Universal 33A1

		available				
Alcohols, C12-15, ethoxylated (7-<15EO)	EC ₅₀	0.51	<i>Daphnia magna</i>	Method not given	48 hour(s)	
1,2-benzisothiazol-3(2H)-one		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium alkylbenzenesulphonate		No data available				
Alcohols, C12-15, ethoxylated (7-<15EO)		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO ₂ production	85% in 29 day(s)	OECD 301B	Readily biodegradable
Alcohols, C12-15, ethoxylated (7-<15EO)					Readily biodegradable
1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO ₂ production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium alkylbenzenesulphonate	No data available			
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available			
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium alkylbenzenesulphonate	No data available				
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		

Clax Universal 33A1

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
sodium alkylbenzenesulphonate	No data available				
Alcohols, C12-15, ethoxylated (7-<15EO)	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 29* - detergents containing dangerous substances.

European Waste Catalogue:**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number or ID number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Maritime transport in bulk according to IMO instruments:** Non-dangerous goods**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.**Ingredients according to Detergents Regulation**

anionic surfactants, non-ionic surfactants

5 - 15 %

perfumes, Limonene, Citrus Dulcis, Linalool, Benzisothiazolinone, Sorbic Acid

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified**15.2 Chemical safety assessment**

Clax Universal 33A1

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS3780**Version:** 12.0**Revision:** 2025-09-24**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 2, 8, 9, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H330 - Fatal if inhaled.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H412 - Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet