

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Divodes FG VT29

Revision: 2023-04-22 **Version:** 03.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Divodes FG VT29

UFI: WVS4-E0ED-Q001-QAWN

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Surface disinfectant.

for general surface disinfection

For professional and industrial use only.

Uses advised against:

Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_11_1 AISE_SWED_PW_19_1 AISE_SWED_IS_7_5

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Tandur Hf.

Hesthálsi 12, 110 Reykjavík

Tel. 5101200, Email: tandur@tandur.is

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible).

Poison Center: (+354) 543-2222 Emergency services: 112.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Dam. 1 (H318)

2.2 Label elements



Signal word: Danger.

Contains Propan-1-ol (Propyl Alcohol), Propan-2-ol (Isopropyl Alcohol)

Hazard statements:

H225 - Highly flammable liquid and vapour.

H318 - Causes serious eye damage.

H336 - May cause drowsiness or dizziness.

Precautionary statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician. P403 + P235 - Store in a well-ventilated place. Keep cool.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
Propan-1-ol	200-746-9	71-23-8	[6]	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Dam. 1 (H318)		50-75
Propan-2-ol	200-661-7	67-63-0	[6]	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)		10-20

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Self-protection of first aider:

Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTRE, doctor or

physician if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated

clothing and wash it before reuse. If skin irritation occurs: Get medical advice or attention.

Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE,

doctor or physician.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell. Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed Inhalation:

May cause drowsiness or dizziness.

Skin contact:No known effects or symptoms in normal use.Eye contact:Causes severe or permanent damage.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Turn off all sources of ignition. Ventilate the area. Ensure adequate ventilation. Do not breathe dust or vapour. Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use explosion-proof electrical, ventilating or lighting equipment. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Take off immediately all contaminated clothing. Store used personal protective equipment separately. Avoid contact with skin and eyes. Do not breathe vapours. Do not breathe spray. Use only outdoors or in a well-ventilated area. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original packaging. Keep from freezing. Keep cool. Keep away from heat and direct sunlight. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Seveso - Lower Tier requirements (tonnes): 5000 Seveso - Upper Tier requirements (tonnes): 50000

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)
Propan-1-ol	200 ppm	
1	500 mg/m ³	
Propan-2-ol	200 ppm	
	490 mg/m ³	

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure
DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Propan-1-ol	=	-	-	61
Propan-2-ol	-	-	-	26

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Propan-1-ol	-	-	-	136
Propan-2-ol	-	-	-	888

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
Propan-1-ol	-	-	-	81
Propan-2-ol	-	-	-	319

DNEL/DMEL inhalatory exposure - Worker (mg/m3)

ſ	Ingredient(s)	Short term - Local	Short term - Systemic	Long term - Local	Long term - Systemic
		effects	effects	effects	effects

	Propan-1-ol	=	1723	=	268
ſ	Propan-2-ol	=	=	=	500

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
Propan-1-ol	-	1036	-	80
Propan-2-ol	-	-	-	89

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
Propan-1-ol	6.83	0.683	10	96
Propan-2-ol	140.9	140.9	140.9	2251

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
Propan-1-ol	27.5	2.75	1.49	-
Propan-2-ol	552	552	28	=

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls:

Provide a good standard of general ventilation.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the undiluted product:

READIT doc obcitation do this district and the district product.								
	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC			
Spray application	AISE_SWED_IS_7_5	IS	PROC 7	480	ERC4			
Trigger spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a			
Spray application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a			

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166).

Hand protection:No special requirements under normal use conditions. **Body protection:**No special requirements under normal use conditions.

Respiratory protection: Respiratory protection is not normally required. However, inhalation of vapour, spray, gas or

aerosols should be avoided. Trigger spray bottle application: No special requirements under normal use conditions. Apply technical measures to comply with the occupational exposure limits, if

available.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid
Colour: Clear , Colourless
Odour: Product specific
Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined 84

Not relevant to classification of this product

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
Propan-1-ol	97	Method not given	1013

Propan-2-ol 82 Method not given 1013

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Flammable.

Flash point (°C): ≈ 19 °C

Sustained combustion: The product sustains combustion

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

closed cup

See substance data

Substance data, flammability or explosive limits, if available:

oubotarroo data, ridi	country of expression in interpretation							
	Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)					
	Propan-1-ol	2.1	13.7					
	Propan-2-ol	2	13					

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 9 (neat) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value Method (g/l)		Temperature (°C)
Propan-1-ol	No data available		
Propan-2-ol	Soluble	Method not given	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data

Substance data, vapour pressure

Vapour pressure: Not determined

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
Propan-1-ol	2820	Method not given	25
Propan-2-ol	4200	Method not given	20

Method / remark

Relative density: ≈ 0.86 (20 °C) OECD 109 (EU A.3)

Relative vapour density: No data available. Not relevant to classification of this product

Particle characteristics: No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Vapours may form explosive mixtures with air.

Oxidising properties: Not oxidising. Not oxidising, based on substance properties

Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data:.

Acute oral toxicity

LD50 Oral ≥ 4000 **Species** Rat **Method** OECD 423 (EU B.1 tris)

Acute dermal toxicity LD50 Dermal ≥ 5000

Species Rat Method OECD 434

Acute inhalation toxicity

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

ATE - Oral (Ilig/kg). >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
Propan-1-ol	LD 50	8000	Rat	BASF test		8000
Propan-2-ol	LD 50	5840	Rat	OECD 401 (EU B.1)		5840

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
Propan-1-ol	LD 50	4032	Rabbit	Method not given	BASF SDS 2017 -Literature data.	4032
Propan-2-ol	LD 50	> 2000	Rabbit	Method not given		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-1-ol	LC 50	> 33.8 (vapour) No mortality observed	Rat	OECD 403 (EU B.2)	4
Propan-2-ol	LC 50	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
Propan-1-ol	Not established	Not established	Not established	Not established
Propan-2-ol	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Propan-1-ol	Not irritant	Rabbit	Method not given	
Propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
Propan-1-ol	Severe damage	Rabbit	Method not given	
Propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

respiratory tract initiation and corresivity				
Ingredient(s)	Result	Species	Method	Exposure time
Propan-1-ol	No data available			
Propan-2-ol	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
Propan-1-ol	Not sensitising	Guinea pig	Weight of evidence	
			OECD 406 (EU B.6) /	
			GPMT	
Propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
·	_		Buehler test	

Sensitisation by inhalation

	Ingredient(s)	Result	Species	Method	Exposure time
Ī	Propan-1-ol	No data available			
	Propan-2-ol	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
Propan-1-ol	No evidence for mutagenicity	Method not	No evidence for mutagenicity	Method not
		given		given
Propan-2-ol	No evidence for mutagenicity, negative	OECD 471 (EU	No evidence of genotoxicity, negative	OECD 474 (EU
·	test results No evidence of genotoxicity, negative test results	B.12/13)	test results	B.12)

Carcinogenicity

I	Ingredient(s)	Effect
	Propan-1-ol	No evidence for carcinogenicity, weight-of-evidence
	Propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
Propan-1-ol			No data				
			available				
Propan-2-ol			No data				
			available				

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Propan-1-ol		No data				
		available				
Propan-2-ol		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Propan-1-ol		No data				
		available				
Propan-2-ol		No data				
		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
Propan-1-ol		No data				
		available				
Propan-2-ol		No data				
		available				

Chronic toxicity

	Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
Γ	Propan-1-ol			No data					
				available					
Γ	Propan-2-ol			No data					
1		I		available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
Propan-1-ol	No data available
Propan-2-ol	Central nervous system

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
Propan-1-ol	No data available
Propan-2-ol	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-1-ol	LC 50	4555	Pimephales promelas	Method not given	96
Propan-2-ol	LC 50	> 100	Pimephales promelas	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-1-ol	EC 50	3644	Daphnia	Weight of evidence DIN	48
			magna Straus	38412, Part 11	
Propan-2-ol	EC 50	> 100	Daphnia	Method not given	48
			magna Straus		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
Propan-1-ol	NOEC	1150 (nominal)		Weight of evidence	48
Propan-2-ol	EC 50	> 100	Scenedesmus guadricauda	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
Propan-1-ol		No data available			
Propan-2-ol		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
Propan-1-ol	EC 50	> 1000	Activated sludge	Weight of evidence OECD 209	3 hour(s)
Propan-2-ol	EC 50	> 1000	Activated sludge	Method not given	

Aquatic long-term toxicity

Aquatic long-term toxicity - fish						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(ma/l)			time	

	No data available		
Propan-2-ol	No data available		
uatic long-term toxicity - crustacea	•		•

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
Propan-1-ol	NOEC	> 100	Daphnia magna	OECD 211, semi-static Read across	21 day(s)	
Propan-2-ol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
Propan-1-ol		No data available				
Propan-2-ol		No data available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Torroothar toxiony con involved atee, including						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw soil)			time (days)	
Dropon 2 al						
Propan-2-ol	l	No data				
		available				

Terrestrial toxicity - plants, if available:

refrestrationally plants, if available.						
Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		soil) No data				
		available				

Terrestrial toxicity - birds, if available:

remoderation bride, in a random.						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
Propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Terrestrial toxicity Soil bacteria, il available:						
Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
Propan-2-ol		No data				
•		available				

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
Propan-2-ol	No data available			

Abiotic degradation - hydrolysis, if available:

	Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
ſ	Propan-1-ol	No data available		Not hydrolysible	
ſ	Propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s) Type Half-life	me Method	Evaluation	Remark
------------------------------	-----------	------------	--------

Propan-2-ol	No data available		

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
Propan-1-ol	Activated sludge, aerobe	Oxygen depletion	100 % in 28 day(s)	OECD 301D	Readily biodegradable
Propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
Propan-2-ol					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

	Ingredient(s) Value		Method	Evaluation	Remark
Г	Propan-1-ol	0.2	Method not given	No bioaccumulation expected	
Г	Propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

	Ingredient(s)	Value	Species	Method	Evaluation	Remark
	Propan-1-ol	No data available			No bioaccumulation expected	
ĺ	Propan-2-ol	No data available				

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
Propan-1-ol	No data available				
Propan-2-ol	No data available				Potential for mobility in soil, soluble in water

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information



Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: 1987

14.2 UN proper shipping name:

Alcohols, n.o.s. (isopropanol, n-propanol) Alcohols, n.o.s. (isopropanol, n-propanol)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 3

14.4 Packing group: II 14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers.

Other relevant information:

Special provisions: 640D Classification code: F1 Tunnel restriction code: (D/E) Hazard identification number: 33

IMO/IMDG

EmS: F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations:

- Regulation (EC) No. 1907/2006 REACH Regulation (EC) No 1272/2008 CLP
- Regulation (EU) No 528/2012 on biocidal products
- substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- · International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Seveso - Classification: P5c - FLAMMABLE LIQUIDS

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS4068 Version: 03.5 Revision: 2023-04-22

Reason for revision:

This data sheet contains changes from the previous version in section(s):, Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, 1, 11, 14, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE The international Association for Soaps, Detergents and Maintenance Products
 ATE Acute Toxicity Estimate
 DNEL Derived No Effect Limit
 EC50 effective concentration, 50%
 ERC Environmental release categories
 EUH CLP Specific hazard statement

- LC50 Lethal Concentration, 50% / Median Lethal Concentration

- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
 NOAEL No observed adverse effect level
 NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic

- PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
 H225 Highly flammable liquid and vapour.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

End of Safety Data Sheet