



Taski Jontec Repello

Revision: 2022-11-18

Version: 06.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Taski Jontec Repello

UFI: WU35-40GF-700E-FXH4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor polish/impregnating agent.
For professional use only.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_4_1
AISE_SWED_PW_10_1
AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Aquatic Chronic 3 (H412)

2.2 Label elements

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements:

H412 - Harmful to aquatic life with long lasting effects.
EUH208 - May produce an allergic reaction.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
(2-methoxymethylethoxy)propanol	252-104-2	34590-94-8	01-2119450011-60	Not classified as hazardous		3-10
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	700-161-3	-	01-2119436357-36	Acute Tox. 1 (H330) STOT RE 2 (H373) Aquatic Chronic 1		0.1-1

Taski Jontec Repello

				M=10 (H410)	
1,2-benzisothiazol-3(2H)-one	220-120-9	2634-33-5	[6]	Acute Tox. 2 (H330) Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	0.01-0.1
2-methyl-2H-isothiazol-3-one	220-239-6	2682-20-4	[6]	Acute Tox. 2 (H330) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Aquatic Acute 1 M=10 (H400) Aquatic Chronic 1 (H410)	< 0.01

Specific concentration limits

1,2-benzisothiazol-3(2H)-one:

• Skin Sens. 1 (H317) >= 0.05%

2-methyl-2H-isothiazol-3-one:

• Skin Sens. 1 (H317) >= 0.0015%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****Inhalation:**

Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

Eye contact:

No known effects or symptoms in normal use.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Taski Jontec Repello

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
(2-methoxymethylethoxy)propanol	50 ppm 308 mg/m ³	150 ppm 924 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	36
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	-	-	-	0.006
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	0.027

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	283
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	-	-	-	1.2
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
(2-methoxymethylethoxy)propanol	No data available	-	No data available	15
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	-	-	-	0.6

Taski Jontec Repello

1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	308
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	0.3	-	0.24	0.042
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
(2-methoxymethylethoxy)propanol	-	-	-	37.2
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	-	-	-	0.0104
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
(2-methoxymethylethoxy)propanol	19	1.9	190	4168
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	0.00093	0.000093	0.0303	100
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
(2-methoxymethylethoxy)propanol	70.2	7.02	2.74	190
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	0.00493	0.000493	1	-
1,2-benzisothiazol-3(2H)-one	-	-	-	-
2-methyl-2H-isothiazol-3-one	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.
If available, please refer to the product information sheet for application and handling instructions.
Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Users are advised to consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Machine application	AISE_SWED_PW_10_1	PW	PROC 10	480	ERC8a
Manual application by brushing, wiping or mopping	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 166).
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Taski Jontec Repello

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear Not determined Clear	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
(2-methoxymethylethoxy)propanol	189.6	Method not given	1013
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	Product decomposes before boiling		
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

	Method / remark
Flammability (solid, gas): Not applicable to liquids	
Flammability (liquid): Not flammable.	
Flash point (°C): Not applicable.	
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
(2-methoxymethylethoxy)propanol	1.1	14
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	-	-

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: ≈ 7 (neat)	ISO 4316
Kinematic viscosity: Not determined	
Solubility in / Miscibility with water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	Soluble	Method not given	20
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available		
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

	Method / remark
Vapour pressure: Not determined	See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
(2-methoxymethylethoxy)propanol	5500	Method not given	20
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	≤ 1.07	OECD 104 (EU A.4)	20
1,2-benzisothiazol-3(2H)-one	No data available		
2-methyl-2H-isothiazol-3-one	No data available		

Method / remark

Taski Jontec Repello

Relative density: ≈ 1.00 (20 °C)
Relative vapour density: No data available.
Particle characteristics: No data available.

OECD 109 (EU A.3)
 Not relevant to classification of this product
 Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

Acute toxicity**Acute oral toxicity**

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
(2-methoxymethylethoxy)propanol	LD ₅₀	> 5000	Rat	OECD 401 (EU B.1)		Not established
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	LD ₅₀	> 5000	Rat	OECD 425		Not established
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat			4.3e+006
2-methyl-2H-isothiazol-3-one	LD ₅₀	120	Rat	OECD 401 (EU B.1)		3.8e+007

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
(2-methoxymethylethoxy)propanol	LD ₅₀	9510	Rabbit	Method not given		Not established
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	LD ₅₀	> 5000	Rat	OECD 402 (EU B.3)		Not established
1,2-benzisothiazol-3(2H)-one	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
2-methyl-2H-isothiazol-3-one	LD ₅₀	242	Rat	OECD 402 (EU B.3)	24 hours	1.1e+008

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
---------------	----------	-------	---------	--------	----------

Taski Jontec Repello

		(mg/l)			time (h)
(2-methoxymethylethoxy)propanol	LC ₀	> 1.667 (vapour) No mortality observed	Rat		7
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	LC ₅₀	0.0047 (dust) (mist)	Rat	Method not given	4
1,2-benzisothiazol-3(2H)-one		No data available			
2-methyl-2H-isothiazol-3-one	LC ₅₀	(mist) 0.11	Rat	OECD 403 (EU B.2)	4 hours

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
(2-methoxymethylethoxy)propanol	Not established	Not established	Not established	Not established
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	Not established	0.95	Not established	Not established
1,2-benzisothiazol-3(2H)-one	Not established	2000	Not established	Not established
2-methyl-2H-isothiazol-3-one	Not established	160000	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not irritant		Method not given	
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available			
1,2-benzisothiazol-3(2H)-one	Corrosive		Method not given	
2-methyl-2H-isothiazol-3-one	Corrosive			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	Not corrosive or irritant		Method not given	
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available			
1,2-benzisothiazol-3(2H)-one	Severe damage		Method not given	
2-methyl-2H-isothiazol-3-one	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	Not sensitising		Method not given	
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available			
1,2-benzisothiazol-3(2H)-one	Sensitising	Guinea pig		
2-methyl-2H-isothiazol-3-one	Sensitising	Guinea pig		

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
(2-methoxymethylethoxy)propanol	No data available			
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available			
1,2-benzisothiazol-3(2H)-one	No data available			
2-methyl-2H-isothiazol-3-one	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
(2-methoxymethylethoxy)propanol	No evidence for mutagenicity, negative test results	Method not given	No data available	
reaction mass of mixed	No data available		No data available	

Taski Jontec Repello

(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt				
1,2-benzisothiazol-3(2H)-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
2-methyl-2H-isothiazol-3-one	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	

Carcinogenicity

Ingredient(s)	Effect
(2-methoxymethylethoxy)propanol	No evidence for carcinogenicity, negative test results
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
(2-methoxymethylethoxy)propanol			No data available				No evidence for reproductive toxicity
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt			No data available				
1,2-benzisothiazol-3(2H)-one			No data available				
2-methyl-2H-isothiazol-3-one			No data available				

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
(2-methoxymethylethoxy)propanol		No data available				
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
(2-methoxymethylethoxy)propanol			No data available					
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt			No data available					

Taski Jontec Repello

8-tridecafluorooctyl) phosphates, ammonium salt							
1,2-benzisothiazol-3(2H)-one			No data available				
2-methyl-2H-isothiazol-3-one			No data available				

STOT-single exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
(2-methoxymethylethoxy)propanol	No data available
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available
1,2-benzisothiazol-3(2H)-one	No data available
2-methyl-2H-isothiazol-3-one	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	LC ₅₀	> 1000	<i>Poecilia reticulata</i>	Method not given	96
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	LC ₅₀	> 36.4	<i>Oncorhynchus mykiss</i>	Read across	96
1,2-benzisothiazol-3(2H)-one	LC ₅₀	2.18	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	
2-methyl-2H-isothiazol-3-one	LC ₅₀	4.77	<i>Oncorhynchus mykiss</i>	Similar to OECD 203	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
(2-methoxymethylethoxy)propanol	EC ₅₀	1919	<i>Daphnia magna</i> Straus	Method not given	48
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	EC ₅₀	> 3.24	<i>Daphnia magna</i> Straus	Read across	48
1,2-benzisothiazol-3(2H)-one	EC ₅₀	2.94	<i>Daphnia</i>	OECD 202 (EU C.2)	48
2-methyl-2H-isothiazol-3-one	LC ₅₀	0.93-1.9	<i>Daphnia magna</i> Straus	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

Taski Jontec Repello

(2-methoxymethylethoxy)propanol	EC ₅₀	> 969	<i>Selenastrum capricornutum</i>	Method not given	72
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	E _r C ₅₀	> 22.44	<i>Pseudokirchneriella subcapitata</i>	Read across	72
1,2-benzisothiazol-3(2H)-one	E _r C ₅₀	0.11		OECD 201 (EU C.3)	72
2-methyl-2H-isothiazol-3-one	EC ₅₀	0.158	<i>Selenastrum capricornutum</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
(2-methoxymethylethoxy)propanol		No data available			
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt		No data available			
1,2-benzisothiazol-3(2H)-one		No data available			
2-methyl-2H-isothiazol-3-one		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
(2-methoxymethylethoxy)propanol	EC ₁₀	4168	<i>Pseudomonas putida</i>	Method not given	
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt		No data available			
1,2-benzisothiazol-3(2H)-one	EC ₂₀	3.3	Activated sludge	OECD 209	3 hour(s)
2-methyl-2H-isothiazol-3-one	EC ₂₀	2.8	Activated sludge	OECD 209	3 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol		No data available				
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	NOEC	0.88	<i>Oncorhynchus mykiss</i>	Read across	90 day(s)	
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
(2-methoxymethylethoxy)propanol	NOEC	> 0.5	<i>Daphnia magna</i>	Method not given	22 day(s)	
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	NOEC	0.0093	<i>Daphnia magna</i>	Read across	21 day(s)	
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
(2-methoxymethylethoxy)propanol		No data available				
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt		No data available				
1,2-benzisothiazol-3(2H)-one		No data available				
2-methyl-2H-isothiazol-3-one		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Taski Jontec Repello

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	< 1 day(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
(2-methoxymethylethoxy)propanol		Oxygen depletion	75 % in 28 day(s)	OECD 301F	Readily biodegradable
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	Activated sludge, aerobe	Oxygen depletion	11.5% in 28 day(s)	OECD 301D	Not readily biodegradable.
1,2-benzisothiazol-3(2H)-one	Adapted activated sludge	CO ₂ production	62% in 4 day(s)	OECD 301C	Not readily biodegradable.
2-methyl-2H-isothiazol-3-one				Other	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
1,2-benzisothiazol-3(2H)-one	Sewage treatment plant simulation	Primary degradation	> 90%	OECD 303A	Biodegradable
2-methyl-2H-isothiazol-3-one	Surface water (fresh)	Mineralisation rate	> 50 % in 4 day(s)	OECD 309	Biodegradable

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	1.01	Method not given	Low potential for bioaccumulation	
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available			
1,2-benzisothiazol-3(2H)-one	0.7	OECD 107	No bioaccumulation expected	
2-methyl-2H-isothiazol-3-one	-0.32	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
(2-methoxymethylethoxy)propanol	No data available				
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available				
1,2-benzisothiazol-3(2H)-one	6.95		OECD 305		
2-methyl-2H-isothiazol-3-one	3.16		OECD 305		

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation

Taski Jontec Repello

(2-methoxymethylethoxy)propanol	No data available				High potential for mobility in soil
reaction mass of mixed (3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl) phosphates, ammonium salt	No data available				
1,2-benzisothiazol-3(2H)-one	No data available				
2-methyl-2H-isothiazol-3-one	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

16 03 05* - organic wastes containing dangerous substances.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

Other relevant information:**ADR**

Hazard identification number: -

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Taski Jontec Repello

SDS code: MSDS4753

Version: 06.3

Revision: 2022-11-18

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s): 3, 6, 7, 8, 9, 11, 12, 14, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H301 - Toxic if swallowed.
- H302 - Harmful if swallowed.
- H311 - Toxic in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H317 - May cause an allergic skin reaction.
- H318 - Causes serious eye damage.
- H330 - Fatal if inhaled.
- H373 - May cause damage to organs through prolonged or repeated exposure.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

End of Safety Data Sheet