

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Good Sense Power O1d

Revision: 2024-08-07

Version: 07.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Good Sense Power O1d

UFI: 23E5-T01A-900V-VTF3

1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Odor Control - Instant action.

For professional use only. Uses other than those identified are not recommended.

Uses advised against:

SWED - Sector-specific worker exposure description : AISE_SWED_PW_8a_2 AISE_SWED_PW_8b_2 AISE_SWED_PW_11_1 AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Hazard statements: H319 - Causes serious eye irritation.

2.3 Other hazards No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH	Classification	Notes	Weight
			number			percent
alkyl alcohol ethoxylate	[4]	68439-46-3		Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)		3-10

				Chronic aquatic toxicity, Category 3 (H412)	
Alcohols, C10-16, ethoxylated, sulfated,	[4]	68585-34-2	[4]	Skin irritation, Category 2 (H315)	1-3
sodium salts (3 EO)				Serious eye damage, Category 1 (H318)	
				Chronic aquatic toxicity, Category 3 (H412)	

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and e	ffects both acute and delayed

4.2 Wost important symptoms and energy	cis, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	Causes severe irritation.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Do not breathe spray. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

	Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
	alkyl alcohol ethoxylate	-	-	-	-
ſ	Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available

Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
alkyl alcohol ethoxylate	-	-	-	-
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate engineering controls: No special Appropriate organisational controls: Avoid direct

No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a
Manual transfer and dilution	AISE_SWED_PW_8b_2	PW	PROC 8b	60	ERC8b

Personal protective equipment

Eye / face protection:	Safety glasses are not normally required. However, their use is recommended in those cases where
	splashes may occur when handling the product (EN 16321 / EN 166).
Hand protection:	No special requirements under normal use conditions.
Body protection:	No special requirements under normal use conditions.
Respiratory protection:	No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls:	Provide a good standard of general ventilation.
Appropriate organisational controls:	No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration	ERC
				(min)	
Spray application	AISE_SWED_PW_11_1	PW	PROC 11	60	ERC8a
Manual application	AISE_SWED_PW_19_1	PW	PROC 19	480	ERC8a

Personal protective equipment	No special requirements under normal use conditions.
Eye / face protection:	No special requirements under normal use conditions.
Hand protection:	No special requirements under normal use conditions.
Body protection:	Trigger spray bottle application: No special requirements under normal use conditions. Apply
Respiratory protection:	technical measures to comply with the occupational exposure limits, if available.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Clear , Pale , Yellow Odour: Characteristic Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
alkyl alcohol ethoxylate	> 232		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		

Flammability (solid, gas): Not applicable to liquids Flammability (liquid): Not flammable. Flash point (°C): > 60 °C Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2) Method / remark

closed cup

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: ≈ 10 (neat)	ISO 4316
Dilution pH: \approx 7 (10 %)	ISO 4316
Kinematic viscosity: Not determined	
Solubility in / Miscibility with water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value	Method	Temperature
	(g/l)		(°C)
alkyl alcohol ethoxylate	Soluble	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Vapour pressure: Not determined

Method / remark

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyl alcohol ethoxylate	10		37
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		

Relative density: ≈ 1.01 (20 °C) Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information
9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

Not applicable to liquids.

OECD 109 (EU A.3)

Not relevant to classification of this product

Method / remark

Weight of evidence

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity		
Result: Not corrosive or irritant	Method:	Weight of evidence
Eye irritation and corrosivity		
Result: Eye irritant 2	Method:	Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
alkyl alcohol ethoxylate	LD 50	> 300-2000	Rat	Method not given		1400
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 401 (EU B.1)		Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
alkyl alcohol ethoxylate	LD 50	> 2000	Rabbit	Method not given		Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LD 50	> 2000	Rat	OECD 402 (EU B.3)		Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data			
		available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data			
		available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust	ATE - inhalation, mist	ATE - inhalation,	ATE - inhalation, gas
	(mg/l)	(mg/l)	vapour (mg/l)	(mg/l)
alkyl alcohol ethoxylate	Not established	Not established	Not established	Not established
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity				
Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritant	Rabbit	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	Not irritating to			
	respiratory tract			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			

Sensitisation

Sensitisation by skin contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Not sensitising	Guinea pig	OECD 406 (EU B.6)	

Sensitisation by inhalation

	Ingredient(s)	Result	Species	Method	Exposure time
	alkyl alcohol ethoxylate	No data available			
Alcohols	s, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method	Result (in-vivo)	Method
		(in-vitro)		(in-vivo)

Good Sense Power O1d

	No evidence for mutagenicity, negative test results	Method not given	No data available	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No evidence for carcinogenicity, negative test results
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate	NOAEL		> 250	Rat			No known significant effects or critical hazards
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available				

Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
alkyl alcohol ethoxylate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3	NOAEL	No data	Rat	OECD 408 (EU	90	
EO)		available		B.26)		

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate	NOAEL	80		OECD 411 (EU		
				B.28)		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
alkyl alcohol ethoxylate		No data				
		available				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3		No data				
EO)		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate		NOAEL	80		Method not given			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	Not applicable
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available

Aspiration hazard Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	LC 50	5 - 7	Fish	OECD 203 (EU C.1)	96
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	LC 50	> 1 - 10	Brachydanio rerio	OECD 203, flow-through	96

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
		(iiig/i)			
alkyl alcohol ethoxylate	EC 50	5.3	Daphnia	92/69/EEC	48
			magna Straus		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10	Daphnia	OECD 202, static	48
			magna Straus		

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	EC 50	1.4 - 47	Not specified	92/69/EEC	72
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 50	> 1 - 10		OECD 201, static	72

Aquatic	short-term	tovicity	marina	chocioc

Ingredient(s)	Endpoint	Value	Species	Method	Exposure
		(mg/l)			time (days)
alkyl alcohol ethoxylate		No data			
		available			
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data			
		available			

Impact on sewage plants - toxicity to bacteria					
Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate	EC 50	> 140	Bacteria	Method not given	unie
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	EC 10	> 10000	Pseudomonas		
Alconois, CTO-TO, ethoxylated, suitated, souldin saits (3 LO)	LC 10	> 10000	putida		

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate	EC 10	8983	Not specified	Method not	21 day(s)	
				given		
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3	NOEC	0.12	Oncorhynchus	Method not	28 day(s)	
EO)			mykiss	given		

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		2579	Daphnia magna	Method not given	21 day(s)	
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyl alcohol ethoxylate		No data available				

Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3	No data		
EO)	available		

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
alkyl alcohol ethoxylate			80%	Method not given	Readily biodegradable
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	Activated sludge, aerobe	CO ₂ production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	3.11 - 4.19	monrou		
Alcohols, C10-16, ethoxylated, sulfated,				
sodium salts (3 EO)				

Bioconcentration factor (BCE)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	< 500				
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				High potential for mobility in soil
Alcohols, C10-16, ethoxylated, sulfated, sodium salts (3 EO)	No data available				

12.5 Results of PBT and vPvB assessment Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:	The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
European Waste Catalogue:	20 01 29* - detergents containing dangerous substances.
Empty packaging Recommendation: Suitable cleaning agents:	Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

- 14.1 UN number or ID number: Non-dangerous goods
- 14.2 UN proper shipping name: Non-dangerous goods
- 14.3 Transport hazard class(es): Non-dangerous goods
- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations :

- Regulation (EC) 1907/2006 REACH (UK amended)
 Regulation (EC) 1272/2008 CLP (UK amended)
 Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)

· Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS5240

Version: 07.1

Revision: 2024-08-07

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 6, 7, 8, 9, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- · EC50 effective concentration, 50%
- · ERC Environmental release categories
- EUH CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose

- NOAEL No observed adverse effect level
 NOEL No observed effect level
 OECD Organisation for Economic Cooperation and Development
 PBT Persistent, Bioaccumulative and Toxic
 PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
 vPvB very Persistent and very Bioaccumulative
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H412 Harmful to aquatic life with long lasting effects.

End of Safety Data Sheet