

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# Suma Drain GTS Plus

Revision: 2024-08-08

Version: 05.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Suma Drain GTS Plus

UFI: C4M5-70C3-R00H-6Q7M

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against Product use: Drain cleaner.

Uses advised against:

Drain cleaner. For professional use only. Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description : AISE\_SWED\_PW\_8b\_1 AISE\_SWED\_PW\_4\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

#### Contact details

Tandur Hf. Hesthálsi 12, 110 Reykjavík Tel. 5101200, Email: tandur@tandur.is

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible). Poison Center: (+354) 543-2222 Emergency services: 112.

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Skin sensitisation, Category 1 (H317)

#### 2.2 Label elements



Signal word: Warning.

Contains 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements: H317 - May cause an allergic skin reaction.

**Precautionary statements:** P280 - Wear protective gloves.

**Further indications on the label:** Contains: preservative.

**2.3 Other hazards** No other hazards known.

### **SECTION 3: Composition/information on ingredients**

3.2 Mixtures

| Ingredient(s)                | EC number | CAS number | REACH<br>number | Classification   | Notes | Weight<br>percent |
|------------------------------|-----------|------------|-----------------|--|-------|-------------------|
| alkyl alcohol ethoxylate     | [4]       | 68439-46-3 | [4]             | Acute toxicity - Oral, Category 4 (H302)<br>Serious eye damage, Category 1 (H318)  |       | 1-3               |
| 1,2-benzisothiazol-3(2H)-one | 220-120-9 | 2634-33-5  | [6]             | Acute toxicity - Inhalation, Category 2 (H330)<br>Acute toxicity - Oral, Category 4 (H302)<br>Skin irritation, Category 2 (H315)<br>Serious eye damage, Category 1 (H318)<br>Skin sensitisation, Category 1 (H317)<br>Acute aquatic toxicity, Category 1 M=1 (H400)<br>Chronic aquatic toxicity, Category 1 M=1 (H410) |       | 0.01-0.1          |

#### Specific concentration limits

. ..

1.2-benzisothiazol-3(2H)-one:

Skin sensitisation, Category 1 (H317) >= 0.05%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.
 [6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.
 For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

#### SECTION 4: First aid measures

. . . . .

| 4.1 Description of first aid measure | es  |
|--------------------------------------|---|
| General Information:                 | Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.  |
| Inhalation:                          | Get medical attention or advice if you feel unwell.   |
| Skin contact:                        | Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.  |
| Eye contact:                         | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  |
| Ingestion:                           | Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.   |
| Self-protection of first aider:      | Consider personal protective equipment as indicated in subsection 8.2.  |
| 4.2 Most important symptoms and      | effects, both acute and delayed   |
|                                      | No. La successión de la s |

Inhalation: No known effects or symptoms in normal use. Skin contact: May cause an allergic skin reaction. Eye contact: No known effects or symptoms in normal use. Ingestion: No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves.

#### 6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

#### Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

#### Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Take off contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with skin. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

# DNEL/DMEL and PNEC values

#### Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s)                | Short term - Local<br>effects | Short term - Systemic<br>effects | Long term - Local<br>effects | Long term - Systemic<br>effects |
|------------------------------|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| alkyl alcohol ethoxylate     | -                             | -                                | -                            | -                               |
| 1,2-benzisothiazol-3(2H)-one | -                             | -                                | -                            | -                               |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s)                | Short term - Local<br>effects | Short term - Systemic<br>effects (mg/kg bw) | Long term - Local<br>effects | Long term - Systemic<br>effects (mg/kg bw) |
|------------------------------|-------------------------------|---|------------------------------|--|
| alkyl alcohol ethoxylate     | -                             | -   | -                            | -  |
| 1,2-benzisothiazol-3(2H)-one | -                             | -   | -                            | -  |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s)                | Short term - Local<br>effects | Short term - Systemic<br>effects (mg/kg bw) | Long term - Local<br>effects | Long term - Systemic<br>effects (mg/kg bw) |
|------------------------------|-------------------------------|---|------------------------------|--|
| alkyl alcohol ethoxylate     | -                             | -   | -                            | -  |
| 1,2-benzisothiazol-3(2H)-one | -                             | -   | -                            | -  |

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

| Ingredient(s)                | Short term - Local<br>effects | Short term - Systemic<br>effects | Long term - Local<br>effects | Long term - Systemic<br>effects |
|------------------------------|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| alkyl alcohol ethoxylate     | -                             | -                                | -                            | -                               |
| 1,2-benzisothiazol-3(2H)-one | -                             | -                                | -                            | -                               |

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

| Ingredient(s)                | Short term - Local<br>effects | Short term - Systemic<br>effects | Long term - Local<br>effects | Long term - Systemic<br>effects |
|------------------------------|-------------------------------|----------------------------------|------------------------------|---------------------------------|
| alkyl alcohol ethoxylate     | -                             | -                                | -                            | -                               |
| 1,2-benzisothiazol-3(2H)-one | -                             | -                                | -                            | -                               |

#### **Environmental exposure**

#### Suma Drain GTS Plus

#### Environmental exposure - PNEC

| Ingredient(s)                | Surface water, fresh<br>(mg/l) | Surface water, marine<br>(mg/l) | Intermittent (mg/l) | Sewage treatment<br>plant (mg/l) |
|------------------------------|--------------------------------|---------------------------------|---------------------|----------------------------------|
| alkyl alcohol ethoxylate     | -                              | -                               | -                   | -                                |
| 1,2-benzisothiazol-3(2H)-one | 0.0026                         | 0.00026                         | -                   | 0.055                            |

Environmental exposure - PNEC, continued

| Ingredient(s)                | Sediment, freshwater<br>(mg/kg) | Sediment, marine<br>(mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|------------------------------|---------------------------------|-----------------------------|--------------|-------------|
| alkyl alcohol ethoxylate     | -                               | -                           | -            | -           |
| 1,2-benzisothiazol-3(2H)-one | 0.0132                          | -                           | 0.33         | -           |

#### 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

If the product is diluted by using specific dosing systems with no risk of splashes or direct skin Appropriate engineering controls: contact, the personal protection equipment as described in this section is not required. Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

#### REACH use scenarios considered for the undiluted product:

|                                 | SWED - Sector-specific<br>worker exposure | LCS | PROC    | Duration<br>(min) | ERC   |
|---------------------------------|---|-----|---------|-------------------|-------|
|                                 | description                               |     |         |                   |       |
| Automatic transfer and dilution | AISE_SWED_PW_8b_1                         | PW  | PROC 8b | 60                | ERC8b |

#### Personal protective equipment

| Eye / face protection:           | Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product (EN 16321 / EN 166).  |
|----------------------------------|---|
| Hand protection:                 | Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.<br>Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm |
|                                  | Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min<br>Material thickness: ≥ 0.4 mm   |
|                                  | In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.   |
| Body protection:                 | No special requirements under normal use conditions.  |
| Respiratory protection:          | No special requirements under normal use conditions.  |
| Environmental exposure controls: | No special requirements under normal use conditions.  |

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.2

| Appropriate engineering controls:    | No special requirements under normal use conditions. |
|--------------------------------------|--|
| Appropriate organisational controls: | No special requirements under normal use conditions. |

#### REACH use scenarios considered for the diluted product:

|   | SWED             | LCS | PROC   | Duration | ERC   |
|---|------------------|-----|--------|----------|-------|
|   |                  |     |        | (min)    |       |
| Automatic application in a dedicated system | AISE_SWED_PW_4_1 | PW  | PROC 4 | 480      | ERC8a |

Personal protective equipment Eye / face protection:

| Eye / face protection:           | No special requirements under normal use conditions. |
|----------------------------------|--|
| Hand protection:                 | No special requirements under normal use conditions. |
| Body protection:                 | No special requirements under normal use conditions. |
| Respiratory protection:          | No special requirements under normal use conditions. |
| Environmental exposure controls: | No special requirements under normal use conditions. |

# SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

#### Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined

Not relevant to classification of this product See substance data

Substance data, boiling point

| Ingredient(s)                | Value             | Method | Atmospheric pressure |
|------------------------------|-------------------|--------|----------------------|
|                              | (°C)              |        | (hPa)                |
| alkyl alcohol ethoxylate     | > 232             |        |                      |
| 1,2-benzisothiazol-3(2H)-one | No data available |        |                      |

Flammability (solid, gas): Not applicable to liquids Flammability (liquid): Not flammable. Flash point (°C): Not determined Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined

Substance data, flammability or explosive limits, if available:

|  | Method / remark |
|--|-----------------|
| Autoignition temperature: Not determined               |                 |
| Decomposition temperature: Not applicable.             |                 |
| <b>pH:</b> ≈ 9 (neat)                                  | ISO 4316        |
| Dilution pH: $\approx 8 (0.2 \%)$                      | ISO 4316        |
| Kinematic viscosity: Not determined                    |                 |
| Solubility in / Miscibility with water: Fully miscible |                 |

Substance data, solubility in water

| Ingredient(s)                | Value<br>(g/l)    | Method           | Temperature<br>(°C) |
|------------------------------|-------------------|------------------|---------------------|
| alkyl alcohol ethoxylate     | Soluble           | Method not given |                     |
| 1,2-benzisothiazol-3(2H)-one | No data available |                  |                     |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

#### Vapour pressure: Not determined

# Method / remark

See substance data

Substance data, vapour pressure

| Ingredient(s)                | Value             | Method | Temperature |
|------------------------------|-------------------|--------|-------------|
|                              | (Pa)              |        | (°C)        |
| alkyl alcohol ethoxylate     | 10                |        | 37          |
| 1,2-benzisothiazol-3(2H)-one | No data available |        |             |

Relative density: ≈ 1.06 (20 °C) Relative vapour density: -. Particle characteristics: No data available.

9.2 Other information
9.2.1 Information with regard to physical hazard classes
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.
Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

#### Method / remark

OECD 109 (EU A.3) Not relevant to classification of this product Not applicable to liquids.

Method / remark

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### 10.5 Incompatible materials

None known under normal use conditions.

#### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

#### Eye irritation and corrosivity

Result: Not corrosive or irritant Species: Not applicable.

Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

#### Acute toxicity Acute oral toxicity

| Ingredient(s)                | Endpoint | Value<br>(mg/kg) | Species | Method           | Exposure<br>time (h) | ATE Oral<br>(mg/kg) |
|------------------------------|----------|------------------|---------|------------------|----------------------|---------------------|
| alkyl alcohol ethoxylate     | LD 50    | > 300-2000       | Rat     | Method not given |                      | 1400                |
| 1,2-benzisothiazol-3(2H)-one | LD 50    | > 2000           | Rat     |                  |                      | 450                 |

Acute dermal toxicity

| Ingredient(s)                | Endpoint | Value   | Species | Method            | Exposure | ATE Dermal      |
|------------------------------|----------|---------|---------|-------------------|----------|-----------------|
|                              |          | (mg/kg) |         |                   | time (h) | (mg/kg)         |
| alkyl alcohol ethoxylate     | LD 50    | > 2000  | Rabbit  | Method not given  |          | Not established |
| 1,2-benzisothiazol-3(2H)-one | LD 50    | > 2000  | Rat     | OECD 402 (EU B.3) |          | Not established |

#### Acute inhalative toxicity

| Ingredient(s)                | Endpoint | Value<br>(mg/l)      | Species | Method | Exposure<br>time (h) |
|------------------------------|----------|----------------------|---------|--------|----------------------|
| alkyl alcohol ethoxylate     |          | No data<br>available |         |        |                      |
| 1,2-benzisothiazol-3(2H)-one |          | No data<br>available |         |        |                      |

Acute inhalative toxicity, continued

| Ingredient(s)                | ATE - inhalation, dust | ATE - inhalation, mist | ATE - inhalation, | ATE - inhalation, gas |
|------------------------------|------------------------|------------------------|-------------------|-----------------------|
|                              | (mg/l)                 | (mg/l)                 | vapour (mg/l)     | (mg/l)                |
| alkyl alcohol ethoxylate     | Not established        | Not established        | Not established   | Not established       |
| 1,2-benzisothiazol-3(2H)-one | Not established        | 0.21                   | Not established   | Not established       |

#### Irritation and corrosivity

| Skin irritation and corrosivity |              |         |                  |               |
|---------------------------------|--------------|---------|------------------|---------------|
| Ingredient(s)                   | Result       | Species | Method           | Exposure time |
| alkyl alcohol ethoxylate        | Not irritant | Rabbit  | Method not given |               |
| 1,2-benzisothiazol-3(2H)-one    | Corrosive    |         | Method not given |               |

Eye irritation and corrosivity

| Ingredient(s)                | Result        | Species | Method           | Exposure time |
|------------------------------|---------------|---------|------------------|---------------|
| alkyl alcohol ethoxylate     | Severe damage | Rabbit  | Method not given |               |
| 1,2-benzisothiazol-3(2H)-one | Severe damage |         | Method not given |               |

Respiratory tract irritation and corrosivity

#### Suma Drain GTS Plus

| Ingredient(s)                | Result            | Species | Method | Exposure time |
|------------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate     | Not irritating to |         |        |               |
|                              | respiratory tract |         |        |               |
| 1,2-benzisothiazol-3(2H)-one | No data available |         |        |               |

#### Sensitisation Sensitisation by skin contact

| Ingredient(s)                | Result          | Species    | Method           | Exposure time (h) |
|------------------------------|-----------------|------------|------------------|-------------------|
| alkyl alcohol ethoxylate     | Not sensitising | Guinea pig | Method not given |                   |
| 1,2-benzisothiazol-3(2H)-one | Sensitising     | Guinea pig |                  |                   |

#### Sensitisation by inhalation

| Ingredient(s)                | Result            | Species | Method | Exposure time |
|------------------------------|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate     | No data available |         |        |               |
| 1,2-benzisothiazol-3(2H)-one | No data available |         |        |               |

# CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

| Ingredient(s) | Result (in-vitro)                                   | Method<br>(in-vitro)     | Result (in-vivo)  | Method<br>(in-vivo) |
|---------------|---|--------------------------|-------------------|---------------------|
| , ,           | No evidence for mutagenicity, negative test results | Method not<br>given      | No data available |                     |
|               | No evidence for mutagenicity, negative test results | OECD 471 (EU<br>B.12/13) | No data available |                     |

#### Carcinogenicity

| Ingredient(s)                | Effect   |  |  |
|------------------------------|--|--|--|
| alkyl alcohol ethoxylate     | No evidence for carcinogenicity, negative test results |  |  |
| 1,2-benzisothiazol-3(2H)-one | No data available                                      |  |  |

#### Toxicity for reproduction

| Ingredient(s)            | Endpoint | Specific effect | Value        | Species | Method | Exposure | Remarks and other effects                           |
|--------------------------|----------|-----------------|--------------|---------|--------|----------|---|
|                          |          |                 | (mg/kg bw/d) |         |        | time     | reported  |
| alkyl alcohol ethoxylate | NOAEL    |                 | > 250        | Rat     |        |          | No known significant effects or<br>critical hazards |
| 1,2-benzisothiazol-3(2H  |          |                 | No data      |         |        |          |   |
| )-one                    |          |                 | available    |         |        |          |   |

#### Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

| Ingredient(s)                | Endpoint | Value<br>(mg/kg bw/d) | Species | Method | Exposure<br>time (days) | Specific effects and organs<br>affected |
|------------------------------|----------|-----------------------|---------|--------|-------------------------|---|
| alkyl alcohol ethoxylate     |          | No data<br>available  |         |        |                         |   |
| 1,2-benzisothiazol-3(2H)-one |          | No data<br>available  |         |        |                         |   |

### Sub-chronic dermal toxicity

| Ingredient(s)                | Endpoint | Value        | Species | Method       | Exposure    | Specific effects and organs |
|------------------------------|----------|--------------|---------|--------------|-------------|-----------------------------|
|                              |          | (mg/kg bw/d) |         |              | time (days) | affected                    |
| alkyl alcohol ethoxylate     | NOAEL    | 80           |         | OECD 411 (EU |             |                             |
|                              |          |              |         | B.28)        |             |                             |
| 1,2-benzisothiazol-3(2H)-one |          | No data      |         |              |             |                             |
|                              |          | available    |         |              |             |                             |

Sub-chronic inhalation toxicity

| Ingredient(s)                | Endpoint | Value        | Species | Method | Exposure    | Specific effects and organs |
|------------------------------|----------|--------------|---------|--------|-------------|-----------------------------|
|                              |          | (mg/kg bw/d) |         |        | time (days) | affected                    |
| alkyl alcohol ethoxylate     |          | No data      |         |        |             |                             |
|                              |          | available    |         |        |             |                             |
| 1,2-benzisothiazol-3(2H)-one |          | No data      |         |        |             |                             |
|                              |          | available    |         |        |             |                             |

#### Chronic toxicity

| Ingredient(s)            | Exposure<br>route | Endpoint | Value<br>(mg/kg bw/d) | Species | Method     | Exposure<br>time | Specific effects and<br>organs affected | Remark |
|--------------------------|-------------------|----------|-----------------------|---------|------------|------------------|---|--------|
| alkyl alcohol ethoxylate |                   | NOAEL    | 80                    |         | Method not |                  |   |        |
| -                        |                   |          |                       |         | given      |                  |   |        |
| 1,2-benzisothiazol-3(2H  |                   |          | No data               |         |            |                  |   |        |
| )-one                    |                   |          | available             |         |            |                  |   |        |

STOT-single exposure

| Ingredient(s)                | Affected organ(s) |
|------------------------------|-------------------|
| alkyl alcohol ethoxylate     | Not applicable    |
| 1,2-benzisothiazol-3(2H)-one | No data available |

STOT-repeated exposure

| Ingredient(s)                | Affected organ(s) |
|------------------------------|-------------------|
| alkyl alcohol ethoxylate     | Not applicable    |
| 1,2-benzisothiazol-3(2H)-one | No data available |

#### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

#### 11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Endocrine disrupting properties - Human data, if available:

#### 11.2.2 Other information

No other relevant information available.

# **SECTION 12:** Ecological information

#### 12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

#### Aquatic short-term toxicity

| Ingredient(s)                | Endpoint | Value<br>(mg/l) | Species                | Method            | Exposure<br>time (h) |
|------------------------------|----------|-----------------|------------------------|-------------------|----------------------|
| alkyl alcohol ethoxylate     | LC 50    | 5 - 7           | Fish                   | OECD 203 (EU C.1) | 96                   |
| 1,2-benzisothiazol-3(2H)-one | LC 50    | 2.18            | Oncorhynchus<br>mykiss | OECD 203 (EU C.1) |                      |

#### Aquatic short-term toxicity - crustacea

| Ingredient(s)                | Endpoint | Value<br>(mg/l) | Species      | Method            | Exposure<br>time (h) |
|------------------------------|----------|-----------------|--------------|-------------------|----------------------|
| alkyl alcohol ethoxylate     | EC 50    | 5.3             | Daphnia      | 92/69/EEC         | 48                   |
|                              |          |                 | magna Straus |                   |                      |
| 1,2-benzisothiazol-3(2H)-one | EC 50    | 2.94            | Daphnia      | OECD 202 (EU C.2) | 48                   |

Aquatic short-term toxicity - algae

| Ingredient(s)                | Endpoint | Value<br>(mg/l) | Species       | Method            | Exposure<br>time (h) |
|------------------------------|----------|-----------------|---------------|-------------------|----------------------|
| alkyl alcohol ethoxylate     | EC 50    | 1.4 - 47        | Not specified | 92/69/EEC         | 72                   |
| 1,2-benzisothiazol-3(2H)-one | Er C 50  | 0.11            |               | OECD 201 (EU C.3) | 72                   |

| Aquatic short-term toxicity - marine species |          |           |         | -      |             |
|--|----------|-----------|---------|--------|-------------|
| Ingredient(s)                                | Endpoint | Value     | Species | Method | Exposure    |
|  | •        | (mg/l)    | •       |        | time (days) |
| alkyl alcohol ethoxylate                     |          | No data   |         |        |             |
|  |          | available |         |        |             |
| 1,2-benzisothiazol-3(2H)-one                 |          | No data   |         |        |             |
|  |          | available |         |        |             |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s)                | Endpoint | Value<br>(mg/l) | Inoculum            | Method           | Exposure<br>time |
|------------------------------|----------|-----------------|---------------------|------------------|------------------|
| alkyl alcohol ethoxylate     | EC 50    | > 140           | Bacteria            | Method not given |                  |
| 1,2-benzisothiazol-3(2H)-one | EC 20    | 3.3             | Activated<br>sludge | OECD 209         | 3 hour(s)        |

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value<br>(mg/l) | Species | Method | Exposure<br>time | Effects observed |
|---------------|----------|-----------------|---------|--------|------------------|------------------|
|---------------|----------|-----------------|---------|--------|------------------|------------------|

#### Suma Drain GTS Plus

| alkyl alcohol ethoxylate     | EC 10 | 8983                 | Not specified | Method not<br>given | 21 day(s) |  |
|------------------------------|-------|----------------------|---------------|---------------------|-----------|--|
| 1,2-benzisothiazol-3(2H)-one |       | No data<br>available |               |                     |           |  |

Aquatic long-term toxicity - crustacea

| Ingredient(s)                | Endpoint | Value<br>(mg/l)      | Species          | Method              | Exposure<br>time | Effects observed |
|------------------------------|----------|----------------------|------------------|---------------------|------------------|------------------|
| alkyl alcohol ethoxylate     |          | 2579                 | Daphnia<br>magna | Method not<br>given | 21 day(s)        |                  |
| 1,2-benzisothiazol-3(2H)-one |          | No data<br>available |                  |                     |                  |                  |

#### Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s)                | Endpoint | Value<br>(mg/kg dw<br>sediment) | Species | Method | Exposure<br>time (days) | Effects observed |
|------------------------------|----------|---------------------------------|---------|--------|-------------------------|------------------|
| alkyl alcohol ethoxylate     |          | No data                         |         |        |                         |                  |
|                              |          | available                       |         |        |                         |                  |
| 1,2-benzisothiazol-3(2H)-one |          | No data                         |         |        |                         |                  |
|                              |          | available                       |         |        |                         |                  |

#### **Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

### 12.2 Persistence and degradability

Abiotic degradation Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

#### Biodegradation

Ready biodegradability - aerobic conditions

| Ingredient(s)                | Inoculum                 | Analytical<br>method       | DT 50           | Method           | Evaluation                 |
|------------------------------|--------------------------|----------------------------|-----------------|------------------|----------------------------|
| alkyl alcohol ethoxylate     |                          |                            | 80%             | Method not given | Readily biodegradable      |
| 1,2-benzisothiazol-3(2H)-one | Adapted activated sludge | CO <sub>2</sub> production | 62% in 4 day(s) | OECD 301C        | Not readily biodegradable. |

Ready biodegradability - anaerobic and marine conditions, if available:

#### Degradation in relevant environmental compartments, if available:

| Ingredient(s)                | Medium & Type                        | Analytical<br>method | DT 50 | Method    | Evaluation    |
|------------------------------|--------------------------------------|----------------------|-------|-----------|---------------|
| 1,2-benzisothiazol-3(2H)-one | Sewage treatment<br>plant simulation |                      | > 90% | OECD 303A | Biodegradable |

# 12.3 Bioaccumulative potential

| Ingredient(s)                | Value       | Method   | Evaluation                  | Remark |
|------------------------------|-------------|----------|-----------------------------|--------|
| alkyl alcohol ethoxylate     | 3.11 - 4.19 |          |                             |        |
| 1,2-benzisothiazol-3(2H)-one | 0.7         | OECD 107 | No bioaccumulation expected |        |

Bioconcentration factor (BCF)

| Ingredient(s)                    | Value | Species | Method   | Evaluation | Remark |
|----------------------------------|-------|---------|----------|------------|--------|
| alkyl alcohol ethoxylate         | < 500 |         |          |            |        |
| 1,2-benzisothiazol-3(2H<br>)-one | 6.95  |         | OECD 305 |            |        |

#### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s)                | Adsorption<br>coefficient<br>Log Koc | Desorption<br>coefficient<br>Log Koc(des) | Method | Soil/sediment<br>type | Evaluation                             |
|------------------------------|--------------------------------------|---|--------|-----------------------|--|
| alkyl alcohol ethoxylate     | No data available                    |   |        |                       | High potential for mobility in<br>soil |
| 1,2-benzisothiazol-3(2H)-one | No data available                    |   |        |                       |  |

#### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### 12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

|                              | Log Koc           | Log Koc(des) |  |                                |
|------------------------------|-------------------|--------------|--|--------------------------------|
| alkyl alcohol ethoxylate     | No data available |              |  | High potential for mobility in |
|                              |                   |              |  | soil                           |
| 1,2-benzisothiazol-3(2H)-one | No data available |              |  |                                |
|                              |                   |              |  |                                |

| <b>12.7 Other adverse effects</b><br>No other adverse effects known. |  |
|--|--|
| SECTION 13: Disposal considerations                                  |  |

#### 13.1 Waste treatment methods Waste from residues / unused

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging** Recommendation: Suitable cleaning agents:

Dispose of observing national or local regulations. Water, if necessary with cleaning agent.

# **SECTION 14: Transport information**

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

# SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations:

- Regulation (EC) No. 1907/2006 REACH
   Regulation (EC) No 1272/2008 CLP
- Regulation (EC) No. 648/2004 Detergents regulation

• substances identified as having endocrine disrupting properties in accordance with the criteria set out in Delegated Regulation (EU) 2017/2100 or Regulation (EU) 2018/605

• Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods (IMDG) Code

#### Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to EC Detergents Regulation 648/2004 non-ionic surfactants Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso - Classification: Not classified

#### 15.2 Chemical safety assessment

< 5 %

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS5746

Version: 05.0

Revision: 2024-08-08

#### Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 2, 4, 6, 7, 8, 16

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
   EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement · LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
   LD50 Lethal Dose, 50% / Median Lethal dose

- NOAEL No observed adverse effect level
  NOEL No observed effect level
  OECD Organisation for Economic Cooperation and Development • PBT - Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction. • H318 - Causes serious eye damage.
- H330 Fatal if inhaled.
- · H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

End of Safety Data Sheet