



## Clax Microwash forte Pur-Eco 32B1

Revision: 2022-11-28

Version: 15.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Clax Microwash forte Pur-Eco 32B1

UFI: CYM5-9082-T00G-T428

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Product use:</b>	Laundry detergent. For professional use only.
<b>Uses advised against:</b>	Uses other than those identified are not recommended.

#### SWED - Sector-specific worker exposure description :

AISE\_SWED\_PW\_8a\_1

AISE\_SWED\_PW\_4\_1

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd  
Weston Favell Centre, Northampton NN3 8PD, United Kingdom  
Tel: 01604 405311, Fax: 01604 406809  
Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)  
For medical or environmental emergency only:  
call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315)  
Eye Dam. 1 (H318)

#### 2.2 Label elements



**Signal word:** Danger.

Contains C12-14 alcohols, ethoxylated (7EO) (C12-14 Pareth-7), sulphuric acid, mono-C12-18-alkyl esters, sodium salts (Sodium C12-18 Alkyl Sulfate)

#### Hazard statements:

H315 - Causes skin irritation.  
H318 - Causes serious eye damage.

#### Precautionary statements:

P280 - Wear eye or face protection.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

## Clax Microwash forte Pur-Eco 32B1

No other hazards known.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		50-75
disodium trisilicate	215-687-4	1344-09-8	01-2119448725-31	STOT SE 3 (H335) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)		10-20
C12-14 alcohols, ethoxylated (7EO)	[4]	68439-50-9	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		3-10
citric acid	201-069-1	77-92-9	01-2119457026-42	STOT SE 3 (H335) Eye Irrit. 2 (H319)		1-3
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	273-257-1	68955-19-1	01-2119490225-39	Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Aquatic Chronic 3 (H412)		1-3
C12-14 alcohols, ethoxylated (3EO)	[4]	68439-50-9	[4]	Eye Irrit. 2 (H319) Aquatic Acute 1 (H400) Aquatic Chronic 3 (H412)		1-3

#### Specific concentration limits

sulphuric acid, mono-C12-18-alkyl esters, sodium salts:

- Eye Dam. 1 (H318) >= 20% > Eye Irrit. 2 (H319) >= 10%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### Inhalation:

Get medical attention or advice if you feel unwell.

#### Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

#### Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

#### Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.

#### Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Inhalation:

No known effects or symptoms in normal use.

#### Skin contact:

Causes irritation.

#### Eye contact:

Causes severe or permanent damage.

#### Ingestion:

No known effects or symptoms in normal use.

### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

## SECTION 6: Accidental release measures

## Clax Microwash forte Pur-Eco 32B1

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear eye/face protection. Repeated or prolonged contact: Wear suitable gloves.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up**

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

**Recommended monitoring procedures, if available:****Additional exposure limits under the conditions of use, if available:****DNEL/DMEL and PNEC values****Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects</b>
sodium carbonate	-	-	-	-
disodium trisilicate	-	-	-	0.8
C12-14 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
citric acid	-	-	-	-
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	-	-	-	24
C12-14 alcohols, ethoxylated (3EO)	-	-	-	-

DNEL/DMEL dermal exposure - Worker

<b>Ingredient(s)</b>	<b>Short term - Local effects</b>	<b>Short term - Systemic effects (mg/kg bw)</b>	<b>Long term - Local effects</b>	<b>Long term - Systemic effects (mg/kg bw)</b>
sodium carbonate	-	-	No data available	-
disodium trisilicate	No data available	-	No data available	1.59
C12-14 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
citric acid	No data available	-	No data available	-
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available	-	No data available	4060
C12-14 alcohols, ethoxylated (3EO)	-	-	-	-

DNEL/DMEL dermal exposure - Consumer

<b>Ingredient(s)</b>	<b>Short term - Local</b>	<b>Short term - Systemic</b>	<b>Long term - Local</b>	<b>Long term - Systemic</b>
----------------------	---------------------------	------------------------------	--------------------------	-----------------------------

## Clax Microwash forte Pur-Eco 32B1

	effects	effects (mg/kg bw)	effects	effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
disodium trisilicate	No data available	-	No data available	0.8
C12-14 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
citric acid	No data available	-	No data available	-
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available	-	No data available	2440
C12-14 alcohols, ethoxylated (3EO)	-	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
disodium trisilicate	-	-	-	5.61
C12-14 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
citric acid	-	-	-	-
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	-	-	-	285
C12-14 alcohols, ethoxylated (3EO)	-	-	-	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
disodium trisilicate	-	-	-	1.38
C12-14 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
citric acid	-	-	-	-
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	-	-	-	85
C12-14 alcohols, ethoxylated (3EO)	-	-	-	-

## Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
disodium trisilicate	7.5	1	7.5	348
C12-14 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
citric acid	0.44	0.044	-	> 1000
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	0.098	0.0098	0.15	6.8
C12-14 alcohols, ethoxylated (3EO)	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
sodium carbonate	-	-	-	-
disodium trisilicate	-	-	-	-
C12-14 alcohols, ethoxylated (7EO)	No data available	No data available	No data available	No data available
citric acid	34.6	3.46	33.1	-
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	3.45	0.345	0.631	-
C12-14 alcohols, ethoxylated (3EO)	-	-	-	-

## 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

## REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
Manual transfer and dilution	AISE_SWED_PW_8a_1	PW	PROC 8a	60	ERC8a

## Personal protective equipment

**Eye / face protection:** Safety glasses or goggles (EN 166).

## Clax Microwash forte Pur-Eco 32B1

**Hand protection:** Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary. Repeated or prolonged contact: Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time:  $\geq 480$  min Material thickness:  $\geq 0.7$  mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time:  $\geq 30$  min Material thickness:  $\geq 0.4$  mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:** No special requirements under normal use conditions.

**Respiratory protection:** If exposure to dust cannot be avoided use: full-face mask (EN 136) with filter type HEPA (N100, Class H14) (EN 1822) or self-contained or compressed air breathing apparatus (EN 137 / EN 138) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.

**Environmental exposure controls:** No special requirements under normal use conditions.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (% w/w):** 2.7

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** No special requirements under normal use conditions.

**REACH use scenarios considered for the diluted product:**

	SWED	LCS	PROC	Duration (min)	ERC
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical state:</b> Solid	
<b>Colour:</b> White	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	Not applicable to solids or gases

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
disodium trisilicate	> 100	Method not given	
C12-14 alcohols, ethoxylated (7EO)	No data available		
citric acid	No data available		
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	208	OECD 103 (EU A.2)	
C12-14 alcohols, ethoxylated (3EO)	No data available		

**Flammability (solid, gas):** Not determined  
**Flammability (liquid):** Not applicable.  
**Flash point (°C):** Not applicable.  
**Sustained combustion:** Not applicable.  
 ( UN Manual of Tests and Criteria, section 32, L.2 )  
**Lower and upper explosion limit/flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

## Clax Microwash forte Pur-Eco 32B1

## Method / remark

**Autoignition temperature:** Not determined  
**Decomposition temperature:** Not applicable.  
**pH:** Not applicable  
**Dilution pH:**  $\approx 11$  (2.7 %)  
**Kinematic viscosity:** Not determined  
**Solubility in / Miscibility with water:** Soluble

ISO 4316  
 Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
disodium trisilicate	Soluble	Method not given	20
C12-14 alcohols, ethoxylated (7EO)	Soluble	Method not given	
citric acid	1630	Method not given	
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	Soluble		
C12-14 alcohols, ethoxylated (3EO)	Insoluble		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

## Method / remark

**Vapour pressure:** Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium carbonate	Negligible		
disodium trisilicate	No data available		
C12-14 alcohols, ethoxylated (7EO)	No data available		
citric acid	No data available		
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	< 0.1	Method not given	25
C12-14 alcohols, ethoxylated (3EO)	No data available		

## Method / remark

**Relative density:**  $\approx 1.10$  (20 °C)  
**Relative vapour density:** No data available.  
**Particle characteristics:** Not determined.

OECD 109 (EU A.3)  
 Not applicable to solids  
 Not relevant to classification of this product.

## 9.2 Other information

## 9.2.1 Information with regard to physical hazard classes

**Explosive properties:** Not explosive.  
**Oxidising properties:** Not oxidising.  
**Corrosion to metals:** Not determined

Not applicable to solids or gases

## 9.2.2 Other safety characteristics

No other relevant information available.

## SECTION 10: Stability and reactivity

## 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

## 10.2 Chemical stability

Stable under normal storage and use conditions.

## 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

## 10.4 Conditions to avoid

None known under normal storage and use conditions.

## 10.5 Incompatible materials

None known under normal use conditions.

## 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

## 11.1 Information on toxicological effects

Mixture data:.

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

#### Acute toxicity

##### Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD <sub>50</sub>	2800	Rat	OECD 401 (EU B.1)		7600
disodium trisilicate	LD <sub>50</sub>	3400	Rat	Method not given		Not established
C12-14 alcohols, ethoxylated (7EO)	LD <sub>50</sub>	> 300 - 2000	Rat	Read across		16000
citric acid	LD <sub>50</sub>	5400-11700	Rat	Method not given		Not established
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	LD <sub>50</sub>	2000 - 5000		Method not given		Not established
C12-14 alcohols, ethoxylated (3EO)	LD <sub>50</sub>	> 5000	Rat	OECD 401 (EU B.1)		Not established

##### Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
disodium trisilicate	LD <sub>50</sub>	> 5000	Rat	Method not given		Not established
C12-14 alcohols, ethoxylated (7EO)	LD <sub>50</sub>	> 2000	Rabbit	Method not given		Not established
citric acid	LD <sub>50</sub>	> 2000	Rat	Method not given		Not established
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	LD <sub>50</sub>	> 2000		Method not given		Not established
C12-14 alcohols, ethoxylated (3EO)		No data available				Not established

##### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	> 2.3 (dust)		Weight of evidence	2
disodium trisilicate		No mortality observed	Rat	Method not given Non guideline test	4
C12-14 alcohols, ethoxylated (7EO)		No data available			
citric acid		No data available			
sulphuric acid, mono-C12-18-alkyl esters, sodium salts		No data available			
C12-14 alcohols, ethoxylated (3EO)		No data available			

##### Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
disodium trisilicate	Not established	Not established	Not established	Not established
C12-14 alcohols, ethoxylated (7EO)	Not established	Not established	Not established	Not established
citric acid	Not established	Not established	Not established	Not established
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	Not established	Not established	Not established	Not established
C12-14 alcohols, ethoxylated (3EO)	Not established	Not established	Not established	Not established

#### Irritation and corrosivity

##### Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	
disodium trisilicate	Irritant		Method not given	
C12-14 alcohols, ethoxylated (7EO)	Not irritant		Read across	
citric acid	Not irritant	Rabbit	OECD 404 (EU B.4)	
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	Irritant		OECD 404 (EU B.4)	
C12-14 alcohols, ethoxylated (3EO)	Not irritant			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
disodium trisilicate	Severe damage Irritant		Method not given	
C12-14 alcohols, ethoxylated (7EO)	Severe damage	Rabbit	Read across	
citric acid	Irritant	Rabbit	OECD 405 (EU B.5)	
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	Severe damage		Read across	
C12-14 alcohols, ethoxylated (3EO)	Irritant			

## Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
disodium trisilicate	Irritating to respiratory tract		Method not given	
C12-14 alcohols, ethoxylated (7EO)	No data available			
citric acid	No data available			
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available			
C12-14 alcohols, ethoxylated (3EO)	No data available			

## Sensitisation

## Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium carbonate	Not sensitising		Method not given	
disodium trisilicate	Not sensitising		Method not given	
C12-14 alcohols, ethoxylated (7EO)	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
citric acid	Not sensitising	Guinea pig	Method not given	
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
C12-14 alcohols, ethoxylated (3EO)	No data available			

## Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
disodium trisilicate	No data available			
C12-14 alcohols, ethoxylated (7EO)	No data available			
citric acid	No data available			
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available			
C12-14 alcohols, ethoxylated (3EO)	No data available			

## CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
disodium trisilicate	No evidence for mutagenicity, negative test results		No data available	
C12-14 alcohols, ethoxylated (7EO)	No evidence for mutagenicity, negative test results	Read across	No data available	
citric acid	No data available		No evidence of genotoxicity, negative test results	Method not given
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
C12-14 alcohols, ethoxylated (3EO)	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
disodium trisilicate	No evidence for carcinogenicity, negative test results
C12-14 alcohols, ethoxylated (7EO)	No data available
citric acid	No evidence for carcinogenicity, negative test results
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No evidence for carcinogenicity, weight-of-evidence
C12-14 alcohols, ethoxylated (3EO)	No data available

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				



## Clax Microwash forte Pur-Eco 32B1

disodium trisilicate			No data available				No evidence for reproductive toxicity
C12-14 alcohols, ethoxylated (7EO)			No data available				
citric acid			No data available				No evidence for reproductive toxicity
sulphuric acid, mono-C12-18-alkyl esters, sodium salts			No data available				No evidence for reproductive toxicity
C12-14 alcohols, ethoxylated (3EO)			No data available				

**Repeated dose toxicity**

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
disodium trisilicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
C12-14 alcohols, ethoxylated (7EO)		No data available				
citric acid		No data available				
sulphuric acid, mono-C12-18-alkyl esters, sodium salts		No data available				
C12-14 alcohols, ethoxylated (3EO)		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
disodium trisilicate		No data available				
C12-14 alcohols, ethoxylated (7EO)		No data available				
citric acid		No data available				
sulphuric acid, mono-C12-18-alkyl esters, sodium salts		No data available				
C12-14 alcohols, ethoxylated (3EO)		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
disodium trisilicate		No data available				
C12-14 alcohols, ethoxylated (7EO)		No data available				
citric acid		No data available				
sulphuric acid, mono-C12-18-alkyl esters, sodium salts		No data available				
C12-14 alcohols, ethoxylated (3EO)		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbonate			No data available					
disodium trisilicate			No data available					
C12-14 alcohols, ethoxylated (7EO)			No data available					
citric acid			No data available					
sulphuric acid, mono-C12-18-alkyl esters, sodium salts			No data available					
C12-14 alcohols, ethoxylated (3EO)			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
disodium trisilicate	No data available
C12-14 alcohols, ethoxylated (7EO)	No data available
citric acid	No data available
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available
C12-14 alcohols, ethoxylated (3EO)	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	No data available
disodium trisilicate	Not applicable
C12-14 alcohols, ethoxylated (7EO)	No data available
citric acid	No data available
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available
C12-14 alcohols, ethoxylated (3EO)	No data available

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

## 11.2.2 Other information

No other relevant information available.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96
disodium trisilicate	LC <sub>50</sub>	260 - 310	<i>Brachydanio rerio</i> <i>Oncorhynchus mykiss</i>	Method not given	96
C12-14 alcohols, ethoxylated (7EO)	LC <sub>50</sub>	> 1 - 10	<i>Brachydanio rerio</i>	Read across	96
citric acid	LC <sub>50</sub>	440	<i>Leuciscus idus</i>	Method not given	48
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	LC <sub>50</sub>	10-100	<i>Fish</i>	ISO 7346	
C12-14 alcohols, ethoxylated (3EO)	LC <sub>50</sub>	> 1-<10	<i>Brachydanio rerio</i>		96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC <sub>50</sub>	200-227	<i>Ceriodaphnia dubia</i>	Method not given	96
disodium trisilicate	EC <sub>50</sub>	1700	<i>Daphnia magna</i> Straus	Method not given OECD 202, static	48
C12-14 alcohols, ethoxylated (7EO)	EC <sub>50</sub>	> 1 - 10	<i>Daphnia magna</i> Straus	Method not given	48
citric acid	EC <sub>50</sub>	1535	<i>Daphnia magna</i> Straus	Method not given	24
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	EC <sub>50</sub>	10 - 100	<i>Not specified</i>	84/449/EEC, C2	
C12-14 alcohols, ethoxylated (3EO)	EC <sub>50</sub>	> 0.1-<1	<i>Daphnia magna</i> Straus		48

## Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC <sub>50</sub>	> 800	<i>Selenastrum capricornutum</i>		72
disodium trisilicate	EC <sub>50</sub>	207	<i>Desmodesmus subspicatus</i>	DIN 38412, Part 9	72
C12-14 alcohols, ethoxylated (7EO)	NOEC	> 0.1 - 1	<i>Not specified</i>	DIN 38412, Part 9 OECD 201 (EU C.3)	
citric acid	LC <sub>50</sub>	425	<i>Scenedesmus quadricauda</i>	Method not given	168
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	EC <sub>50</sub>	10 - 100	<i>Not specified</i>	88/302/EEC, Part C, static	
C12-14 alcohols, ethoxylated (3EO)	NOEC	> 0.1-<1	<i>Desmodesmus subspicatus</i>		

## Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
disodium trisilicate		No data available			
C12-14 alcohols, ethoxylated (7EO)		No data available			
citric acid		No data available			
sulphuric acid, mono-C12-18-alkyl esters, sodium salts		No data available			
C12-14 alcohols, ethoxylated (3EO)		No data available			

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
disodium trisilicate		No data available			
C12-14 alcohols, ethoxylated (7EO)		> 1000	<i>Activated sludge</i>	DEV-L2	
citric acid	EC <sub>50</sub>	> 10000	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	EC <sub>0</sub>	> 100	<i>Bacteria</i>	DIN 38412, Part 27 OECD 209	
C12-14 alcohols, ethoxylated (3EO)	EC <sub>0</sub>	> 10000	<i>Pseudomonas putida</i>	DIN 38412 / Part 8	

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
disodium trisilicate	NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
C12-14 alcohols, ethoxylated (7EO)	EC <sub>50</sub>	10-100	<i>Not specified</i>	Method not given	96 hour(s)	
citric acid		No data available				
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	NOEC	≤ 1	<i>Not specified</i>	Method not given		
C12-14 alcohols, ethoxylated (3EO)		No data available				

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
disodium trisilicate		No data available				
C12-14 alcohols, ethoxylated (7EO)	EC <sub>50</sub>	10-100	<i>Not specified</i>	Method not given	48 hour(s)	
citric acid		No data available				
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	NOEC	≤ 1	<i>Not specified</i>	Method not given		
C12-14 alcohols, ethoxylated (3EO)		No data				

		available				
--	--	-----------	--	--	--	--

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
disodium trisilicate		No data available				
C12-14 alcohols, ethoxylated (7EO)		No data available				
citric acid		No data available				
sulphuric acid, mono-C12-18-alkyl esters, sodium salts		No data available				
C12-14 alcohols, ethoxylated (3EO)		No data available				

### Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
citric acid		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
citric acid		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
citric acid		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
citric acid		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				
citric acid		No data available				

## 12.2 Persistence and degradability

### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
citric acid	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

citric acid	No data available			
-------------	-------------------	--	--	--

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			
citric acid		No data available			

### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
disodium trisilicate					Not applicable (inorganic substance)
C12-14 alcohols, ethoxylated (7EO)		CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
citric acid			97 % in 28 day(s)	OECD 301B	Readily biodegradable
sulphuric acid, mono-C12-18-alkyl esters, sodium salts		DOC reduction	> 70%	Method not given	Readily biodegradable
C12-14 alcohols, ethoxylated (3EO)	Activated sludge, aerobe	CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available
citric acid					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
sodium carbonate					No data available
citric acid					No data available

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
disodium trisilicate	No data available		Low potential for bioaccumulation Not relevant, does not bioaccumulate	
C12-14 alcohols, ethoxylated (7EO)	No data available		No bioaccumulation expected	
citric acid	-1.72		No bioaccumulation expected	
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	-2.1	OECD 107	No bioaccumulation expected	
C12-14 alcohols, ethoxylated (3EO)	No data available			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
disodium trisilicate	No data available				
C12-14 alcohols, ethoxylated (7EO)	No data available				
citric acid	No data available				
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available				
C12-14 alcohols, ethoxylated (3EO)	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
disodium trisilicate	No data available				
C12-14 alcohols, ethoxylated (7EO)	No data available	≥ 4			Potential for adsorption to soil
citric acid	No data available				Potential for mobility in soil,

## Clax Microwash forte Pur-Eco 32B1

					soluble in water
sulphuric acid, mono-C12-18-alkyl esters, sodium salts	No data available				
C12-14 alcohols, ethoxylated (3EO)	No data available				

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Endocrine disrupting properties**

Endocrine disrupting properties - Environmental effects, if available:

**12.7 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**European Waste Catalogue:**

20 01 29\* - detergents containing dangerous substances.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

**14.1 UN number:** Non-dangerous goods

**14.2 UN proper shipping name:** Non-dangerous goods

**14.3 Transport hazard class(es):** Non-dangerous goods

**14.4 Packing group:** Non-dangerous goods

**14.5 Environmental hazards:** Non-dangerous goods

**14.6 Special precautions for user:** Non-dangerous goods

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Non-dangerous goods

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to Detergents Regulation**

phosphates

5 - 15 %

non-ionic surfactants, anionic surfactants

< 5 %

enzymes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**Comah - classification:** Not classified

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

**Clax Microwash forte Pur-Eco 32B1**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MSDS5868**Version:** 15.0**Revision:** 2022-11-28**Reason for revision:**

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 3, 4, 8, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Full text of the H and EUH phrases mentioned in section 3:**

- H302 - Harmful if swallowed.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H335 - May cause respiratory irritation.
- H400 - Very toxic to aquatic life.
- H412 - Harmful to aquatic life with long lasting effects.

**Abbreviations and acronyms:**

- AISE - The International Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

**End of Safety Data Sheet**