

# Safety Data Sheet

According to Regulation (EC) No 1907/2006

# Sun Professional All In 1 Tablets

Revision: 2025-03-10

Version: 08.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Sun Professional All In 1 Tablets Sun is a registered trade mark and is used under licence of Unilever

UFI: 6UGK-Y1QT-200X-36V4

1.2 Relevant identified uses of the substance or mixture and uses advised against					
Product use:	Dish wash product.				
Uses advised against:	Uses other than those identified are not recommended.				

SWED - Sector-specific worker exposure description : AISE\_SWED\_PW\_8a\_2 PC35-Washing and cleaning products AISE\_SWED\_PW\_1\_1 AISE\_SWED\_PW\_4\_1 PC35-Washing and cleaning products

**1.3 Details of the supplier of the safety data sheet** Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

#### Contact details

Diversey Ltd Weston Favell Centre, Northampton NN3 8PD, United Kingdom Tel: 01604 405311, Fax: 01604 406809 Regulatory Email: customerservice.uk@solenis.com

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains subtilisin (Subtilisin)

Hazard statements: H319 - Causes serious eye irritation. EUH208 - May produce an allergic reaction.

#### **Precautionary statements:**

P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children.

2.3 Other hazards

No other hazards known.

# SECTION 3: Composition/information on ingredients

# 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium carbonate	207-838-8	497-19-8	01-211948549 8-19	Eye irritation, Category 2 (H319)		30-50
sodium percarbonate	239-707-6	15630-89-4	01-211945726 8-30	Oxidising solids, Category 3 (H272) Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318)		10-20
disodium trisilicate	215-687-4	1344-09-8	01-211944872 5-31	Specific target organ toxicity - Single exposure, Category 3 (H335) Skin irritation, Category 2 (H315) Eye irritation, Category 2 (H319)		3-10
tetrasodium (1-hydroxy ethylidene)bisphosphonate	223-267-7	3794-83-0	01- 2119510382-5 2	Acute toxicity - Oral, Category 4 (H302) Eye irritation, Category 2 (H319)		1-3
calcium carbonate	207-439-9	471-34-1	01-211948679 5-18	Not classified as hazardous		1-3
subtilisin	232-752-2	9014-01-1	01-211948043 4-38	Acute toxicity - Oral, Category 4 (H302) Specific target organ toxicity - Single exposure, Category 3 (H335) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Respiratory sensitisation, Category 1 (H334) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)		0.1-1

#### Specific concentration limits

sodium percarbonate:

• Serious eye damage, Category 1 (H318) >= 25% > Eye irritation, Category 2 (H319) >= 7.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11. [4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

# SECTION 4: First aid measures

4.1 Description of first aid measures Inhalation: Skin contact:	Get medical attention or advice if you feel unwell. Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
4.2 Most important symptoms and effe	ects, both acute and delayed
Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	Causes severe irritation.

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

No known effects or symptoms in normal use.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Ingestion:

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

## 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

#### 6.3 Methods and material for containment and cleaning up

Collect mechanically. Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

# SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosions:

# No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

# Advice on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep out of reach of children.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

#### 7.3 Specific end use(s)

No specific advice for end use available.

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

# Workplace exposure limits ...

Air limit values, if available:		
Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
calcium carbonate	10 mg/m <sup>3</sup> inhalable	30 mg/m <sup>3</sup> inhalable
	dust	dust
	4 mg/m3 respirable dust	12 mg/m <sup>3</sup> respirable
		dust
subtilisin	0.00004 mg/m <sup>3</sup>	0.00012 mg/m <sup>3</sup>

Biological limit values, if available:

#### Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

#### **DNEL/DMEL and PNEC values**

#### Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
disodium trisilicate	-	-	-	0.8
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	2.4
calcium carbonate	No data available	No data available	No data available	No data available
subtilisin	-	3.6	-	1.8

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	-	-	No data available	-
sodium percarbonate	12.8 mg/cm <sup>2</sup> skin	-	12.8 mg/cm <sup>2</sup> skin	-
disodium trisilicate	No data available	-	No data available	1.59

tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available	-	No data available	48
calcium carbonate	No data available	No data available	No data available	No data available
subtilisin	0.2 %	-	-	-

|--|

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium carbonate	No data available	-	No data available	-
sodium percarbonate	6.4 mg/cm <sup>2</sup> skin	-	6.4 mg/cm <sup>2</sup> skin	-
disodium trisilicate	No data available	-	No data available	0.8
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available	-	No data available	24
calcium carbonate	No data available	No data available	No data available	No data available
subtilisin	0.2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	-	-	10	-
sodium percarbonate	-	-	5	-
disodium trisilicate	-	-	-	5.61
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	16.9
calcium carbonate	No data available	No data available	No data available	No data available
subtilisin	-	-	0.00006	-

#### DNEL/DMEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium carbonate	10	-	-	-
sodium percarbonate	-	-	-	-
disodium trisilicate	-	-	-	1.38
tetrasodium (1-hydroxy ethylidene)bisphosphonate	10	-	10	4.2
calcium carbonate	No data available	No data available	No data available	No data available
subtilisin	-	-	0.000015	-

#### Environmental exposure Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium carbonate	-	-	-	-
sodium percarbonate	0.035	0.035	0.035	16.24
disodium trisilicate	7.5	1	7.5	348
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	-
calcium carbonate	No data available	No data available	No data available	No data available
subtilisin	0.00006	0.000006	-	65

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
sodium carbonate	-	-	-	-
sodium percarbonate	-	-	-	-
disodium trisilicate	-	-	-	-
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-	-	-
calcium carbonate	No data available	No data available	No data available	No data available
subtilisin	-	-	-	-

# 8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the <u>undiluted</u> product:

Appropriate	engineering controls:
Appropriate	organisational controls:

No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel.

# REACH use scenarios considered for the undiluted product:

SWED - Sector-specific	LCS	PROC	Duration	ERC
worker exposure			(min)	

	description				
PC35-Washing and cleaning products	PC35-Washing and	С		-	ERC8a
	cleaning products				
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

#### Personal protective equipment

Eye / face protection: Hand protection: Body protection: Respiratory protection:	No special requirements under normal use conditions. No special requirements under normal use conditions. No special requirements under normal use conditions. If exposure to dust cannot be avoided use: full-face mask (EN 136) with filter type HEPA (N100, Class H14) (EN 1822) or self-contained or compressed air breathing apparatus (EN 137 / EN 138) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen.
	equipment à different type providing similar protection may be chosen.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 0.04

Appropriate engineering controls: Appropriate organisational controls:

No special requirements under normal use conditions. No special requirements under normal use conditions.

#### REACH use scenarios considered for the diluted product:

	SWED	LCS	PROC	Duration (min)	ERC
PC35-Washing and cleaning products	PC35-Washing and cleaning products	С	-	-	ERC8a
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a

Personal protective equipment	
Eye / face protection:	No special requirements under no
Hand protection:	No special requirements under no
Body protection:	No special requirements under no
Respiratory protection:	No special requirements under no

Environmental exposure controls:

Substance data boiling point

ormal use conditions. ormal use conditions. ormal use conditions. ormal use conditions.

No special requirements under normal use conditions.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties Information in this section refers to the product, unless it is specifically stated that substance data is listed

Physical state: Solid Appearance: Tablets Colour: Speckles , White Odour: Product specific Odour threshold: Not applicable Melting point/freezing point (°C): Not determined Initial boiling point and boiling range (°C): Not determined Method / remark

Method / remark

Not relevant to classification of this product Not applicable to solids or gases

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium carbonate	1600	Method not given	1013
sodium percarbonate	Product decomposes before boiling		
disodium trisilicate	> 100	Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Product decomposes before boiling		
calcium carbonate	No data available		
subtilisin	No data available		

Flammability (solid, gas): Not determined Flammability (liquid): Not applicable. Flash point (°C): Not applicable. Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

# Lower and upper explosion limit/flammability limit (%): Not determined

See substance data

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
tetrasodium (1-hydroxy ethylidene)bisphosphonate	-	-
subtilisin	-	-

Autoignition temperature: Not determined Decomposition temperature: Not applicable. pH: Not applicable Dilution pH: ≈ 11 (0.04 %) Kinematic viscosity: Not applicable to solids or gases Solubility in / Miscibility with water: Soluble

Substance data flammability or explosive limits if available

Method / remark

ISO 4316 Not applicable to solids or gases

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium carbonate	210-215	Method not given	20
sodium percarbonate	140	Method not given	20
disodium trisilicate	Soluble	Method not given	20
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Soluble		
calcium carbonate	No data available		
subtilisin	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

# Vapour pressure: Not determined

#### Method / remark See substance data

See substance data

Method / remark

OECD 109 (EU A.3)

Not applicable to solids

Not applicable to solids or gases

Not relevant to classification of this product.

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium carbonate	Negligible		
sodium percarbonate	Negligible		
disodium trisilicate	No data available		
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Negligible		
calcium carbonate	No data available		
subtilisin	Not applicable		

Relative density: ≈ 0.93 (20 °C) Relative vapour density: No data available. Particle characteristics: Not determined.

#### 9.2 Other information

9.2.1 Information with regard to physical hazard classesExplosive properties: Not explosive.Oxidising properties: Not oxidising.Corrosion to metals: Not determined

#### 9.2.2 Other safety characteristics

No other relevant information available.

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

# 10.2 Chemical stability

Stable under normal storage and use conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

#### 10.4 Conditions to avoid

None known under normal storage and use conditions.

#### **10.5 Incompatible materials**

None known under normal use conditions.

Page 6/15

**10.6 Hazardous decomposition products** None known under normal storage and use conditions.

# **SECTION 11: Toxicological information**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

# Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

# Acute toxicity

Acute oral toxicity						
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium carbonate	LD 50	2800	Rat	OECD 401 (EU B.1)		2800
sodium percarbonate	LD 50	1034	Rat	Method not given		1034
disodium trisilicate	LD 50	3400	Rat	Method not given		Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate	LD 50	940	Rat	OECD 401 (EU B.1)		940
calcium carbonate		No data available				Not established
subtilisin	LD 50	1800	Rat	OECD 401 (EU B.1)		1800

#### Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium carbonate	LD 50	> 2000	Rabbit	Method not given		Not established
sodium percarbonate	LD 50	> 2000	Rabbit	OECD 402 (EU B.3)		Not established
disodium trisilicate	LD 50	> 5000	Rat	Method not given		Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				Not established
calcium carbonate		No data available				Not established
subtilisin		No data available				Not established

#### Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	> 2.3 (dust)		Weight of evidence	2
sodium percarbonate		No data available			
disodium trisilicate		No mortality observed	Rat	Method not given Non guideline test	4
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
calcium carbonate		No data available			
subtilisin		-		Weight of evidence	

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium carbonate	Not established	Not established	Not established	Not established
sodium percarbonate	Not established	Not established	Not established	Not established
disodium trisilicate	Not established	Not established	Not established	Not established
tetrasodium (1-hydroxy ethylidene)bisphosphonate	Not established	Not established	Not established	Not established
calcium carbonate	Not established	Not established	Not established	Not established
subtilisin	Not established	Not established	Not established	Not established

#### Irritation and corrosivity

Skin irritation and corrosivity					
	Ingredient(s)	Result	Species	Method	Exposure time
	sodium carbonate	Not irritant	Rabbit	OECD 404 (EU B.4)	

sodium percarbonate	Not irritant	Rabbit	Method not given	
disodium trisilicate	Irritant		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
calcium carbonate	No data available			
subtilisin	Mild irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	Irritant	Rabbit	OECD 405 (EU B.5)	
sodium percarbonate	Severe damage	Rabbit	EPA OPP 81-4	
disodium trisilicate	Severe damage Irritant		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
calcium carbonate	No data available			
subtilisin	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5)	

#### Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	Irritating to respiratory tract	Mouse	Method not given	
disodium trisilicate	Irritating to respiratory tract		Method not given	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
calcium carbonate	No data available			
subtilisin	Irritating to respiratory tract			

# Sensitisation

Result	Species	Method	Exposure time (h)
Not sensitising		Method not given	
Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
Not sensitising		Method not given	
No data available			
No data available			
No data available			
	Not sensitising Not sensitising Not sensitising No data available No data available	Not sensitising       Not sensitising       Not sensitising       Not sensitising       No data available       No data available	Not sensitising         Method not given           Not sensitising         Guinea pig         OECD 406 (EU B.6) / Buehler test           Not sensitising         Method not given           No data available         No data available

# Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium carbonate	No data available			
sodium percarbonate	No data available			
disodium trisilicate	No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
calcium carbonate	No data available			
subtilisin	Sensitising		Weight of evidence	

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium carbonate	No data available		No data available	
sodium percarbonate	No data available		No data available	
disodium trisilicate	No evidence for mutagenicity, negative test results		No data available	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available		No data available	
calcium carbonate	No data available		No data available	
subtilisin	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473 OECD 476 (Chinese Hamster Ovary)		

Carcinogenicity	
Ingredient(s)	Effect

sodium carbonate	No evidence for carcinogenicity, weight-of-evidence
sodium percarbonate	No data available
disodium trisilicate	No evidence for carcinogenicity, negative test results
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
calcium carbonate	No data available
subtilisin	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium carbonate			No data available				
sodium percarbonate			No data available				
disodium trisilicate			No data available				No evidence for reproductive toxicity
tetrasodium (1-hydroxy ethylidene)bisphosphon ate			No data available				
calcium carbonate			No data available				
subtilisin			No data available				

#### Repeated dose toxicity Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
disodium trisilicate	NOAEL	> 159	Rat	Method not given	180	No effects observed
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
calcium carbonate		No data available				
subtilisin		No data available				

# Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method		Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
sodium carbonate		No data				
		available				
sodium percarbonate		No data				
		available				
disodium trisilicate		No data				
		available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data				
		available				
calcium carbonate		No data				
		available				
subtilisin		No data				
		available				

# Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium carbonate		No data available				
sodium percarbonate		No data available				
disodium trisilicate		No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
calcium carbonate		No data available				
subtilisin		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium carbona	e		No data					

	available			
sodium percarbonate	No data available			
disodium trisilicate	No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphon ate	No data available			
calcium carbonate	No data available			
subtilisin	No data available			

#### STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	Not applicable
sodium percarbonate	No data available
disodium trisilicate	No data available
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
calcium carbonate	No data available
subtilisin	Respiratory tract

#### STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium carbonate	Not applicable
sodium percarbonate	No data available
disodium trisilicate	Not applicable
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available
calcium carbonate	No data available
subtilisin	No data available

#### Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

#### Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

### 11.2 Information on other hazards

# **11.2.1 Endocrine disrupting properties** Endocrine disrupting properties - Human data, if available:

### 11.2.2 Other information

No other relevant information available.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

No data is available on the mixture .

<u>Substance data</u>, where relevant and available, are listed below:

# Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	LC 50	300	Lepomis macrochirus	Method not given	96
sodium percarbonate	LC 50	70.7	Pimephales promelas	Method not given	96
disodium trisilicate	LC 50	260 - 310	Brachydanio rerio Oncorhynchus mykiss	Method not given	96
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
calcium carbonate		No data available			
subtilisin	LC 50	8.2	Fish	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea					
Ingredient(s)	Endpoint	Value	Species	Method	Exposure

		(mg/l)			time (h)
sodium carbonate	EC 50	200-227	Ceriodaphnia dubia	Method not given	96
sodium percarbonate	EC 50	4.9	Daphnia pulex	Method not given	48
disodium trisilicate	EC 50	1700	Daphnia magna Straus	Method not given OECD 202, static	48
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
calcium carbonate		No data available			
subtilisin	EC 50	0.586	Daphnia	OECD 202 (EU C.2)	48

Aquatic sho	ort-term to	vicity - a	lase

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium carbonate	EC 50	> 800	Selenastrum capricornutum		72
sodium percarbonate	EC 50	2.5	Chlorella vulgaris	Read across	
disodium trisilicate	EC 50	207	Desmodesmus subspicatus	DIN 38412, Part 9	72
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
calcium carbonate		No data available			
subtilisin	Er C 50	0.830	Not specified	OECD 201 (EU C.3)	72

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium carbonate		No data available			
sodium percarbonate		No data available			
disodium trisilicate		No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
calcium carbonate		No data available			
subtilisin		No data available			

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium carbonate		No data available			
sodium percarbonate	EC 50	466	Activated sludge	OECD 209	0.5 hour(s)
disodium trisilicate		No data available			
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available			
calcium carbonate		No data available			
subtilisin		No data available			

# Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	7.4	Pimephales promelas	Method not given	96 hour(s)	
disodium trisilicate	NOEC	348	Brachydanio rerio	Method not given	96 hour(s)	
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
calcium carbonate		No data available				
subtilisin		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium carbonate		No data available				
sodium percarbonate	NOEC	2	Daphnia pulex	Method not given	48 hour(s)	
disodium trisilicate		No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data available				
calcium carbonate		No data available				
subtilisin		No data available				

# Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data				
		available				
sodium percarbonate		No data				
		available				
disodium trisilicate		No data				
		available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate		No data				
		available				
calcium carbonate		No data				
		available				
subtilisin		No data				
		available				

Terrestrial toxicity Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

#### Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/kg dw			time (days)	
		soil)				
sodium carbonate		No data				
		available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium carbonate		No data				
		available				

#### 12.2 Persistence and degradability

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium carbonate	No data available			
sodium percarbonate	NA	Method not given		

# Abiotic degradation - hydrolysis, if available:

Ingredient(s) Half-life time in fresh Method Evaluation Remark
----------------------------------------------------------------

	water			
sodium carbonate	No data available		Rapidly hydrolysible	
sodium percarbonate	< 1 day(s)	Method not given	Hydrolysible	

Abiotic degradation - other processes, if available:

Ingredient(s)	Туре	Half-life time	Method	Evaluation	Remark
sodium carbonate		No data available			

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
sodium carbonate					Not applicable (inorganic substance)
sodium percarbonate					Not applicable (inorganic substance)
disodium trisilicate					Not applicable (inorganic substance)
tetrasodium (1-hydroxy ethylidene)bisphosphonate				Weight of evidence	Not readily biodegradable.
calcium carbonate					Not applicable (inorganic substance)
subtilisin				OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium carbonate					No data available

# **12.3 Bioaccumulative potential** Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
sodium carbonate	No data available		No bioaccumulation expected	
sodium percarbonate	No data available			
disodium trisilicate	No data available		Low potential for bioaccumulation Not relevant, does not bioaccumulate	
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available			
calcium carbonate	No data available			
subtilisin	< 0			

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium carbonate	No data available			No bioaccumulation expected	
sodium percarbonate	No data available				
disodium trisilicate	No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphon ate					
calcium carbonate	No data available				
subtilisin	-			Not relevant, does not bioaccumulate	

12.4 Mobility in soil Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
sodium carbonate	No data available				Potential for mobility in soil, soluble in water
sodium percarbonate	No data available				High potential for mobility in soil
disodium trisilicate	No data available				
tetrasodium (1-hydroxy ethylidene)bisphosphonate	No data available				
calcium carbonate	No data available				
subtilisin	No data available				

### 12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

#### **12.6 Endocrine disrupting properties** Endocrine disrupting properties - Environmental effects, if available:

#### **12.7 Other adverse effects** No other adverse effects known.

# SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Waste from residues / unused	
products:	

**European Waste Catalogue:** 

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation. 20 01 29\* - detergents containing dangerous substances.

5 - 15 %

< 5 %

-

Empty packaging Recommendation:

Dispose of observing national or local regulations.

# SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

- 14.1 UN number or ID number: Non-dangerous goods
- 14.2 UN proper shipping name: Non-dangerous goods
- 14.3 Transport hazard class(es): Non-dangerous goods
- 14.4 Packing group: Non-dangerous goods
- 14.5 Environmental hazards: Non-dangerous goods
- 14.6 Special precautions for user: Non-dangerous goods
- 14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations :

- Control of Poisons and Explosives Precursors Regulations 2015
- Regulation (EC) 1907/2006 REACH (UK amended)
   Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
   Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Legated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

#### Ingredients according to Detergents Regulation

oxygen-based bleaching agents

non-ionic surfactants, phosphonates, polycarboxylates perfumes, enzymes

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Comah - classification: Not classified

#### 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

# **SECTION 16: Other information**

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code:	MSDS6574	Version:	08.0
-----------	----------	----------	------

Revision: 2025-03-10

# Reason for revision:

This data sheet contains changes from the previous version in section(s):, 1, 2, 3, 4, 8, 9, 11, 12, 16

#### **Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

#### Abbreviations and acronyms:

· AISE - The international Association for Soaps, Detergents and Maintenance Products

- ATE Acute Toxicity Estimate
   DNEL Derived No Effect Limit
   EC50 effective concentration, 50%
- · ERC Environmental release categories • EUH - CLP Specific hazard statement
- · LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
   LD50 Lethal Dose, 50% / Median Lethal dose
   NOAEL No observed adverse effect level

- NOAEL No observed adverse effect level
   OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
   PROC Process categories
- REACH number REACH registration number, without supplier specific part
  vPvB very Persistent and very Bioaccumulative
  H272 May intensify fire; oxidiser.
  H302 Harmful if swallowed.

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- · H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- · H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
   H411 Toxic to aquatic life with long lasting effects.

End of Safety Data Sheet