

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Carefree Emulsion

Revision: 2024-08-07 Version: 09.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Emulsion

UFI: Y876-308N-100V-QU60

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor polish/impregnating agent.

For professional use only.
Uses other than those identified are not recommended. Uses advised against:

\mbox{SWED} - Sector-specific worker exposure description : $\mbox{AISE_SWED_PW_10_2}$ $\mbox{AISE_SWED_PW_13_1}$

AISE_SWED_PW_19_2

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin sensitisation, Category 1 (H317) Chronic aquatic toxicity, Category 3 (H412)

2.2 Label elements



Signal word: Warning.

Contains 2-methyl-2H-isothiazol-3-one (Methylisothiazolinone), 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) (Methylchloroisothiazolinone, Methylisothiazolinone), 1,2-benzisothiazol-3(2H)-one (Benzisothiazolinone)

Hazard statements:

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements:

P280 - Wear protective gloves.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|---|------------------------|------------|----------------------|---|-------|----------------|
| (2-methoxymethylethoxy)propanol | 252-104-2 | 34590-94-8 | 01-211945001 1-60 | Not classified as hazardous | | 1-3 |
| zinc oxide | 215-222-5 | 1314-13-2 | 01-211946388 1-32 | Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) | | 0.1-1 |
| ammonia | 215-647-6 | 1336-21-6 | 01-211948887 6-14 | Skin corrosion, Category 1B (H314) Specific target organ toxicity - Single exposure, Category 3 (H335) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411) | | 0.1-1 |
| 2-methyl-2H-isothiazol-3-one | 220-239-6 | 2682-20-4 | [6] | Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 3 (H301) Acute toxicity - Dermal, Category 3 (H311) Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) | | < 0.01 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | 220-239-6 247-500-7 | 55965-84-9 | | Acute toxicity - Dermal, Category 2 (H310) Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 3 (H331) Skin corrosion, Category 1C (H314) EUH071 Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=100 (H400) Chronic aquatic toxicity, Category 1 M=100 (H410) | | < 0.01 |

Specific concentration limits

2-methyl-2H-isothiazol-3-one:

• Skin sensitisation, Category 1 (H317) >= 0.0015%

5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1):

- Skin sensitisation, Category 1 (H317) >= 0.0015%
- Serious eye damage, Category 1 (H318) >= 0.6% > Eye irritation, Category 2 (H319) >= 0.06%
- Skin corrosion, Category 1C (H314) >= 0.6% > Skin irritation, Category 2 (H315) >= 0.06%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures

4.1 Description of first aid measures

Ingestion:

General Information: Symptoms of intoxication may even occur after several hours. It is recommended to continue

medical observation for at least 48 hours after the incident.

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use.

Skin contact: May cause an allergic skin reaction.

Eye contact: No known effects or symptoms in normal use.
Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash hands before breaks and at the end of workday. Take off contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Avoid contact with skin. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

| Ingredient(s) | UK - Long term value(s) | UK - Short term value(s) |
|---------------------------------|---------------------------------|--------------------------------|
| (2-methoxymethylethoxy)propanol | 50 ppm 308 mg/m ³ | 150 ppm 924 mg/m³ |
| ammonia | 25 ppm 18 mg/m ³ | 35 ppm 25 mg/m ³ |

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

ONEL/DMEL oral exposure - Consumer (mg/kg bw)

| DIVEE/DIVICE Grait exposure - Consumer (mg/kg bw) | | | | |
|---|--------------------|-----------------------|-------------------|----------------------|
| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |

| | effects | effects | effects | effects |
|--|---------|---------|---------|---------|
| (2-methoxymethylethoxy)propanol | - | - | - | 36 |
| zinc oxide | - | - | - | 0.83 |
| ammonia | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | 0.027 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
|--|--------------------|-----------------------|-------------------|----------------------|
| | effects | effects (mg/kg bw) | effects | effects (mg/kg bw) |
| (2-methoxymethylethoxy)propanol | No data available | - | No data available | 283 |
| zinc oxide | No data available | - | No data available | 83 |
| ammonia | No data available | 6.8 | No data available | 6.8 |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|----------------------------|--|---------------------------|---|
| (2-methoxymethylethoxy)propanol | No data available | - | No data available | 15 |
| zinc oxide | No data available | - | No data available | 83 |
| ammonia | No data available | - | No data available | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| (2-methoxymethylethoxy)propanol | - | - | - | 308 |
| zinc oxide | - | - | - | 5 |
| ammonia | 36 | 47.6 | 14 | 47.6 |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| (2-methoxymethylethoxy)propanol | - | - | - | 37.2 |
| zinc oxide | - | - | - | 2.5 |
| ammonia | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

Environmental exposure Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--|-----------------------------|------------------------------|---------------------|-------------------------------|
| (2-methoxymethylethoxy)propanol | 19 | 1.9 | 190 | 4168 |
| zinc oxide | 0.0206 | 0.0061 | - | 0.052 |
| ammonia | 0.0011 | 0.011 | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--|------------------------------|-----------------------------|--------------|-------------|
| (2-methoxymethylethoxy)propanol | 70.2 | 7.02 | 2.74 | 190 |
| zinc oxide | 117.8 | 0.0565 | 0.0356 | - |
| ammonia | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:

No special requirements under normal use conditions. Avoid direct contact and/or splashes where possible. Train personnel. Users are advised to Appropriate organisational controls:

consider national Occupational Exposure Limits or other equivalent values, if available.

REACH use scenarios considered for the undiluted product:

| | SWED - Sector-specific | LCS | PROC | Duration | ERC |
|---|------------------------|-----|---------|----------|-------|
| | worker exposure | | | (min) | |
| | description | | | | |
| Manual application by brushing, wiping or mopping | AISE_SWED_PW_10_2 | PW | PROC 10 | 480 | ERC8a |
| Manual application by dipping, soaking, pouring | AISE_SWED_PW_13_1 | PW | PROC 13 | 60 | ERC8a |
| Manual application | AISE_SWED_PW_19_2 | PW | PROC 19 | 480 | ERC8a |

Personal protective equipment

Safety glasses are not normally required. However, their use is recommended in those cases where Eye / face protection:

splashes may occur when handling the product (EN 16321 / EN 166).

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and Hand protection:

breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such

as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material

thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min

Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.

No special requirements under normal use conditions. **Body protection:** Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Milky , White Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--|-------------------|------------------|----------------------------|
| (2-methoxymethylethoxy)propanol | 189.6 | Method not given | 1013 |
| zinc oxide | No data available | | |
| ammonia | 28.5 | Method not given | |
| 2-methyl-2H-isothiazol-3-one | No data available | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 100 °C Weight of evidence

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data flammability or explosive limits, if available

| bubstance data, narrinability of explosive littles, if available. | | |
|---|------------------------|------------------------|
| Ingredient(s) | Lower limit (% vol) | Upper limit (% vol) |
| (2-methoxymethylethoxy)propanol | 1.1 | 14 |
| ammonia | 15.4 | 33.6 |

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 9 (neat)

Kinematic viscosity: Not determined

ISO 4316

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|--|-------------------|------------------|---------------------|
| (2-methoxymethylethoxy)propanol | Soluble | Method not given | 20 |
| zinc oxide | Insoluble | | |
| ammonia | 100 Soluble | Method not given | 20 |
| 2-methyl-2H-isothiazol-3-one | No data available | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

See substance data

Substance data vanour pressure

Vapour pressure: Not determined

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|--|-------------------|--------------------|---------------------|
| (2-methoxymethylethoxy)propanol | 37.1 | Method not given | 20 |
| zinc oxide | No data available | | |
| ammonia | 586500 | Method not given | 20 |
| 2-methyl-2H-isothiazol-3-one | No data available | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | 2.2 | Weight of Evidence | 25 |

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

Relative density: $\approx 1.03 (20 \,^{\circ}\text{C})$

Relative vapour density: No data available. Particle characteristics: No data available.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. **Oxidising properties:** Not oxidising. **Corrosion to metals:** Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s): ATE - Oral (mg/kg): >2000

Substance data, where relevant and available, are listed below:.

Acute toxicity

| Acute oral toxicity | cute oral toxicity | | | | | | | | |
|--|--------------------|------------------|---------|-------------------|-------------------|---------------------|--|--|--|
| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Oral (mg/kg) | | | |
| (2-methoxymethylethoxy)propanol | LD 50 | > 5000 | Rat | OECD 401 (EU B.1) | | Not established | | | |
| zinc oxide | LD 50 | > 5000 | Rat | Method not given | | Not established | | | |
| ammonia | LD 50 | 350 | Rat | Method not given | | Not established | | | |
| 2-methyl-2H-isothiazol-3-one | LD 50 | 120 | Rat | OECD 401 (EU B.1) | | 120 | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 64 | Rat | Method not given | | 64 | | | |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Dermal (mg/kg) |
|--|----------|----------------------|---------|-------------------|-------------------|--------------------|
| (2-methoxymethylethoxy)propanol | LD 50 | 9510 | Rabbit | Method not given | | Not established |
| zinc oxide | | No data available | | | | Not established |
| ammonia | | No data available | | | | Not established |
| 2-methyl-2H-isothiazol-3-one | LD 50 | 242 | Rat | OECD 402 (EU B.3) | 24 hours | 242 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 87.12 | Rabbit | Method not given | | 87.12 |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|---|---------|-------------------|-------------------|
| (2-methoxymethylethoxy)propanol | LC o | > 1.667 (vapour) No mortality observed | Rat | | 7 |
| zinc oxide | | No data available | | | |
| ammonia | LC 50 | 7.035 | Rat | Method not given | 0.5 |
| 2-methyl-2H-isothiazol-3-one | LC 50 | (mist) 0.11 | Rat | OECD 403 (EU B.2) | 4 hours |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50 | 0.33 | Rat | | |

Acute inhalative toxicity, continued

| Ingredient(s) | ATE - inhalation, dust (mg/l) | ATE - inhalation, mist (mg/l) | ATE - inhalation, vapour (mg/l) | ATE - inhalation, gas (mg/l) |
|--|-------------------------------|-------------------------------|------------------------------------|------------------------------|
| (2-methoxymethylethoxy)propanol | Not established | Not established | Not established | Not established |
| zinc oxide | Not established | Not established | Not established | Not established |
| ammonia | Not established | Not established | Not established | Not established |
| 2-methyl-2H-isothiazol-3-one | Not established | 0.11 | Not established | Not established |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Not established | 0.33 | Not established | Not established |

Irritation and corrosivity

| OKIT ITITATION AND CONTOSIVITY | | | | • |
|--|-------------------|---------|------------------|---------------|
| Ingredient(s) | Result | Species | Method | Exposure time |
| (2-methoxymethylethoxy)propanol | Not irritant | | Method not given | |
| zinc oxide | No data available | | | |
| ammonia | Corrosive | | Method not given | |
| 2-methyl-2H-isothiazol-3-one | Corrosive | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Corrosive | | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---------------------------------|------------------------------|---------|------------------|---------------|
| (2-methoxymethylethoxy)propanol | Not corrosive or irritant | | Method not given | |
| zinc oxide | No data available | | | |

| ammonia | Severe damage | Method not given | |
|---|-------------------|------------------|--|
| 2-methyl-2H-isothiazol-3-one | No data available | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Severe damage | Method not given | |

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|------------------------------------|---------|------------------|---------------|
| (2-methoxymethylethoxy)propanol | No data available | | | |
| zinc oxide | No data available | | | |
| ammonia | Irritating to respiratory tract | | Method not given | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

Sensitisation Sensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-------------------|------------|---|-------------------|
| (2-methoxymethylethoxy)propanol | Not sensitising | | Method not given | |
| zinc oxide | No data available | | | |
| ammonia | Not sensitising | | Method not given | |
| 2-methyl-2H-isothiazol-3-one | Sensitising | Guinea pig | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Sensitising | Guinea pig | Method not given OECD 406 (EU B.6) / GPMT | |

Sensitisation by inhalation

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| (2-methoxymethylethoxy)propanol | No data available | | | |
| zinc oxide | No data available | | | |
| ammonia | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|--------------------------|------------------------------|---------------------|
| (2-methoxymethylethoxy)propanol | No evidence for mutagenicity, negative test results | Method not given | No data available | |
| zinc oxide | No data available | | No data available | |
| ammonia | No evidence for mutagenicity | | No evidence for mutagenicity | |
| 2-methyl-2H-isothiazol-3-one | No evidence for mutagenicity, negative test results | OECD 471 (EU B.12/13) | No data available | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for mutagenicity | Method not given | No data available | |

Carcinogenicity

| Carcinogenicity | |
|---|--|
| Ingredient(s) | Effect |
| (2-methoxymethylethoxy)propanol | No evidence for carcinogenicity, negative test results |
| zinc oxide | No data available |
| ammonia | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for carcinogenicity, negative test results |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|--|----------|-----------------|-----------------------|---------|--------|---------------|---|
| (2-methoxymethylethox y)propanol | | | No data available | | | | No evidence for reproductive toxicity |
| zinc oxide | | | No data available | | | | |
| ammonia | | | No data available | | | | No evidence for reproductive toxicity |
| 2-methyl-2H-isothiazol- 3-one | | | No data available | | | | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and | | | No data available | | | | No evidence for reproductive toxicity No evidence for teratogenic effects |

| 2-methyl-2H-isothiazol- | | | | |
|-------------------------|--|--|--|--|
| 3-one [EC No | | | | |
| 220-239-6] (3:1) | | | | |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|------------------|----------------------|--------------------------------------|
| (2-methoxymethylethoxy)propanol | | No data available | | | | |
| zinc oxide | | No data available | | | | |
| ammonia | NOAEL | 68 | | Method not given | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | |
|--|----------|-----------------------|---------|--------|----------------------|--|
| (2-methoxymethylethoxy)propanol | | No data available | | | | |
| zinc oxide | | No data available | | | | |
| ammonia | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Sub-chronic inhalation toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|--------|----------------------|--------------------------------------|
| (2-methoxymethylethoxy)propanol | | No data available | | | | |
| zinc oxide | | No data available | | | | |
| ammonia | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|-------------------------|----------------|----------|-----------------------|---------|--------|---------------|---|--------|
| (2-methoxymethylethox | | | No data | | | | | |
| y)propanol | | | available | | | | | |
| zinc oxide | | | No data available | | | | | |
| ammonia | | | No data available | | | | | |
| 2-methyl-2H-isothiazol- | | | No data | | | | | |
| 3-one | | | available | | | | | |
| 5-chloro-2-methyl-2H-is | | | No data | | | | | |
| othiazol-3-one [EC No | | | available | | | | | |
| 247-500-7] and | | | | | | | | |
| 2-methyl-2H-isothiazol- | | | | | | | | |
| 3-one [EC No | | | | | | | | |
| 220-239-6] (3:1) | | | | | | | | |

STOT-single exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| (2-methoxymethylethoxy)propanol | No data available |
| zinc oxide | No data available |
| ammonia | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|--|-------------------|
| (2-methoxymethylethoxy)propanol | No data available |
| zinc oxide | No data available |
| ammonia | No data available |
| 2-methyl-2H-isothiazol-3-one | No data available |
| | No data available |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties
Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|------------------------|---------------------|-------------------|
| (2-methoxymethylethoxy)propanol | LC 50 | > 1000 | Poecilia reticulata | Method not given | 96 |
| zinc oxide | LC 50 | 0.169 | Oncorhynchus mykiss | Read across | 96 |
| ammonia | LC 50 | 0.56 - 2.48 | Fish | Method not given | 96 |
| 2-methyl-2H-isothiazol-3-one | LC 50 | 4.77 | Oncorhynchus mykiss | Similar to OECD 203 | 96 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50 | 0.28 | Lepomis macrochirus | OECD 203 (EU C.1) | 96 |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|-----------------|-------------------------|-------------------|-------------------|
| (2-methoxymethylethoxy)propanol | EC 50 | 1919 | Daphnia magna Straus | Method not given | 48 |
| zinc oxide | EC 50 | 0.860 | Daphnia magna Straus | Read across | 48 |
| ammonia | EC 50 | 1.1 - 22.8 | Daphnia magna Straus | Method not given | |
| 2-methyl-2H-isothiazol-3-one | LC 50 | 0.93-1.9 | Daphnia magna Straus | Method not given | 48 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 50 | 0.126 | Daphnia magna Straus | OECD 202 (EU C.2) | 48 |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|--|----------|----------------------|--|-------------------|-------------------|
| (2-methoxymethylethoxy)propanol | EC 50 | > 969 | Selenastrum capricornutum | Method not given | 72 |
| zinc oxide | EC 50 | 0.17 | Desmodesmus subspicatus | Method not given | 72 |
| ammonia | | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | EC 50 | 0.158 | Selenastrum capricornutum | Method not given | 72 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 50 | 0.003 | Pseudokirchner iella subcapitata | OECD 201 (EU C.3) | 72 |

Aquatic short-term toxicity - marine species

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (days) |
|--|----------|----------------------|---------|--------|----------------------|
| (2-methoxymethylethoxy)propanol | | No data available | | | |
| zinc oxide | | No data available | | | |
| ammonia | | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | |

Impact on sewage plants - toxicity to bacteria

| Ingredient(s) | Endpoint | Value (mg/l) | Inoculum | Method | Exposure time |
|---|----------|----------------------|--------------------|------------------|---------------|
| (2-methoxymethylethoxy)propanol | EC 10 | 4168 | Pseudomonas putida | Method not given | |
| zinc oxide | | No data available | | | |
| ammonia | | No data available | | | |
| 2-methyl-2H-isothiazol-3-one | EC 20 | 2.8 | Activated sludge | OECD 209 | 3 hour(s) |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | EC 20 | 0.97 | Activated sludge | OECD 209 | 3 hour(s) |

Aquatic long-term toxicity Aquatic long-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|---|----------|----------------------|---------|--------|---------------|------------------|
| (2-methoxymethylethoxy)propanol | | No data | | | | |
| -to-contide | | available | | | | |
| zinc oxide | | No data available | | | | |
| ammonia | | No data | | | | |
| | | available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data | | | | |
| | | available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | available | | | | |

Aquatic long-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time | Effects observed |
|--|----------|----------------------|------------------|------------------|---------------|------------------|
| (2-methoxymethylethoxy)propanol | NOEC | > 0.5 | Daphnia magna | Method not given | 22 day(s) | |
| zinc oxide | NOEC | 0.4 | Daphnia magna | Method not given | 48 hour(s) | |
| ammonia | | No data available | | _ | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw sediment) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|---------------------------------|---------|--------|----------------------|------------------|
| (2-methoxymethylethoxy)propanol | | No data available | | | | |
| zinc oxide | | No data available | | | | |
| ammonia | | No data available | | | | |
| 2-methyl-2H-isothiazol-3-one | | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

| Total Control | | | | | | | |
|---|----------|-------|---------|--------|----------|------------------|---|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed | 1 |

| | (mg/kg dw soil) | | time (days) | |
|---|----------------------|--|-------------|--|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | No data available | | | |
| 220-239-6] (3:1) | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| refrestrial toxicity - birds, ii available. | | | | | | |
|---|----------|----------------------|---------|--------|----------------------|------------------|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | No data available | | | | |
| 220-239-6] (3:1) | | | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicity - soil bacteria, if available:

| errestrial toxicity - soil bacteria, il available. | | | | | | | | | |
|--|----------|-----------|---------|--------|-------------|------------------|--|--|--|
| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed | | | |
| • | • | (mg/kg dw | • | | time (days) | | | | |
| | | soil) | | | (, -, | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | | No data | | | | | | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | available | | | | | | | |
| 220-239-6] (3:1) | | | | | | | | | |

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

| Ingredient(s) | Half-life time | Method | Evaluation | Remark |
|--|-------------------|------------------|-------------------------|--------|
| (2-methoxymethylethoxy)propanol | < 1 day(s) | Method not given | Rapidly photodegradable | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

Abiotic degradation - hydrolysis, if available:

| Ingredient(s) | Half-life time in fresh water | Method | Evaluation | Remark |
|--|-------------------------------|--------|------------|--------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

Abjotic degradation - other processes, if available:

| Abiolic degradation - oth | Abiotic degradation - other processes, it available. | | | | | | | | | |
|---------------------------|--|-------------------|--------|------------|--------|--|--|--|--|--|
| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark | | | | | |
| 5-chloro-2-methyl-2H-is | | No data available | | | | | | | | |
| othiazol-3-one [EC No | | | | | | | | | | |
| 247-500-7] and | | | | | | | | | | |
| 2-methyl-2H-isothiazol- | | | | | | | | | | |
| 3-one [EC No | | | | | | | | | | |
| 220-239-6] (3:1) | | | | | ļ | | | | | |

Biodegradation Ready biodegradability - aerobic conditions

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--|----------|-------------------|-------------------|-----------|--------------------------------------|
| (2-methoxymethylethoxy)propanol | | Oxygen depletion | 75 % in 28 day(s) | OECD 301F | Readily biodegradable |
| zinc oxide | | | | | Not applicable (inorganic substance) |
| ammonia | | | | | Not applicable (inorganic substance) |
| 2-methyl-2H-isothiazol-3-one | | | | Other | Readily biodegradable |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | Oxygen depletion | > 60% | OECD 301D | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|--|---------------|-------------------|-------|--------|-------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|--|-----------------------|---------------------|--------------------|----------|-------------------|
| 2-methyl-2H-isothiazol-3-one | Surface water (fresh) | Mineralisation rate | > 50 % in 4 day(s) | OECD 309 | Biodegradable |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | | | No data available |

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|---|-------------------|------------------|-----------------------------------|--------|
| (2-methoxymethylethoxy)propanol | 1.01 | Method not given | Low potential for bioaccumulation | |
| zinc oxide | No data available | | | |
| ammonia | 0.23 | Method not given | No bioaccumulation expected | |
| 2-methyl-2H-isothiazol-3-one | -0.32 | OECD 107 | No bioaccumulation expected | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -0.71 - +0.75 | Method not given | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|---|-------------------|---------|----------|------------|--------|
| (2-methoxymethylethox y)propanol | No data available | | | | |
| zinc oxide | No data available | | | | |
| ammonia | No data available | | | | |
| 2-methyl-2H-isothiazol- 3-one | 3.16 | | OECD 305 | | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC No 220-239-6] (3:1) | | | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--|--------------------------------------|---|--------|-----------------------|-------------------------------------|
| (2-methoxymethylethoxy)propanol | No data available | | | | High potential for mobility in soil |
| zinc oxide | No data available | | | | |
| ammonia | No data available | | | | Low mobillity in soil |
| 2-methyl-2H-isothiazol-3-one | No data available | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue:

16 03 05* - organic wastes containing dangerous substances.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- · International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS6826 Version: 09.0 Revision: 2024-08-07

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2, 4, 8, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- · NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
- PROC Process categories

- REACH number REACH registration number, without supplier specific part
 VPVB very Persistent and very Bioaccumulative
 H301 Toxic if swallowed.
 H310 Fatal in contact with skin.
 H311 Toxic in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H330 Fatal if inhaled.
 H335 May cause respiratory irritation.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 EUH071 Corrosive to the respiratory tract.

End of Safety Data Sheet