

Safety Data Sheet

According to Regulation (EC) No 1907/2006

Carefree Maintainer

Revision: 2025-05-15 Version: 02.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Carefree Maintainer

UFI: TVH6-S0K3-C00A-S2F7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Floor cleaner.

For professional use only.

Uses other than those identified are not recommended. Uses advised against:

SWED - Sector-specific worker exposure description : AISE_SWED_PW_8a_2 AISE_SWED_PW_10_1

AISE_SWED_PW_19_1

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssenbroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

For medical or environmental emergency only:

call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye irritation, Category 2 (H319)

2.2 Label elements



Signal word: Warning.

Contains 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) (Methylchloroisothiazolinone, Methylisothiazolinone)

Hazard statements:

H319 - Causes serious eye irritation. EUH208 - May produce an allergic reaction.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

Do not rinse packaging before disposal.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

| Ingredient(s) | EC number | CAS number | REACH number | Classification | Notes | Weight percent |
|---|------------------------|------------|-----------------|---|-------|----------------|
| alkyl alcohol ethoxylate | [4] | 68439-46-3 | [4] | Acute toxicity - Oral, Category 4 (H302) Serious eye damage, Category 1 (H318) | | 3-10 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | 220-239-6 247-500-7 | 55965-84-9 | | Acute toxicity - Dermal, Category 2 (H310) Acute toxicity - Inhalation, Category 2 (H330) Acute toxicity - Oral, Category 3 (H301) Skin corrosion, Category 1C (H314) EUH071 Serious eye damage, Category 1 (H318) Skin sensitisation, Sub-category 1A (H317) Acute aquatic toxicity, Category 1 M=100 (H400) Chronic aquatic toxicity, Category 1 M=100 (H410) | | < 0.01 |

Specific concentration limits

5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1):

- Skin sensitisation, Category 1 (H317) >= 0.0015%
- Serious eye damage, Category 1 (H318) >= 0.6% > Eye irritation, Category 2 (H319) >= 0.06%
- Skin corrosion, Category 1C (H314) >= 0.6% > Skin irritation, Category 2 (H315) >= 0.06%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Rinse Eve contact:

cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation occurs and persists, get medical attention.

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious Ingestion:

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation: No known effects or symptoms in normal use. Skin contact: No known effects or symptoms in normal use.

Eye contact: Causes severe irritation.

Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back

into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL dermal exposure - Worker

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|----------------------------|--|---------------------------|---|
| alkyl alcohol ethoxylate | ı | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL dermal exposure - Consumer

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects (mg/kg bw) | Long term - Local effects | Long term - Systemic effects (mg/kg bw) |
|--|----------------------------|--|---------------------------|---|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

| Ingredient(s) | Short term - Local effects | Short term - Systemic effects | Long term - Local effects | Long term - Systemic effects |
|--|----------------------------|-------------------------------|---------------------------|------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

| Ditable binate of expedition of the binate o | | | | |
|--|--------------------|-----------------------|-------------------|----------------------|
| Ingredient(s) | Short term - Local | Short term - Systemic | Long term - Local | Long term - Systemic |
| | effects | effects | effects | effects |

| alkyl alcohol ethoxylate | - | - | - | - |
|---|---|---|---|---|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | - | - | - | - |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | | |

Environmental exposure

Environmental exposure - PNEC

| Ingredient(s) | Surface water, fresh (mg/l) | Surface water, marine (mg/l) | Intermittent (mg/l) | Sewage treatment plant (mg/l) |
|--|-----------------------------|------------------------------|---------------------|-------------------------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

Environmental exposure - PNEC, continued

| Ingredient(s) | Sediment, freshwater (mg/kg) | Sediment, marine (mg/kg) | Soil (mg/kg) | Air (mg/m³) |
|--|------------------------------|-----------------------------|--------------|-------------|
| alkyl alcohol ethoxylate | - | - | - | - |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | - | - | - | - |

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.

Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

| | SWED - Sector-specific | LCS | PROC | Duration | ERC |
|------------------------------|------------------------|-----|---------|----------|-------|
| | worker exposure | | | (min) | |
| | description | | | , , | |
| Manual transfer and dilution | AISE_SWED_PW_8a_2 | PW | PROC 8a | 60 | ERC8a |

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 16321).

Hand protection:

Body protection:

No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the <u>diluted</u> product:

Recommended maximum concentration (% w/w): 10

Appropriate engineering controls:

Appropriate organisational controls:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

| | SWED | LCS | PROC | Duration | ERC |
|---|-------------------|-----|---------|----------|-------|
| | | | | (min) | |
| Manual application by brushing, wiping or mopping | AISE_SWED_PW_10_1 | PW | PROC 10 | 480 | ERC8a |
| Manual application | AISE_SWED_PW_19_1 | PW | PROC 19 | 480 | ERC8a |

Personal protective equipment

Eye / face protection:
Hand protection:
Body protection:
No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Opaque , Pink Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

| Ingredient(s) | Value (°C) | Method | Atmospheric pressure (hPa) |
|--|-------------------|------------------|----------------------------|
| alkyl alcohol ethoxylate | > 232.2 | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.

Flash point (°C): > 60 °C closed cup

Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined

Decomposition temperature: Not applicable.

pH: ≈ 7 (neat) ISO 4316 **Dilution pH:** ≈ 7 (10 %) ISO 4316

Kinematic viscosity: Not determined

Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

| Ingredient(s) | Value (g/l) | Method | Temperature (°C) |
|---|-------------------|------------------|---------------------|
| alkyl alcohol ethoxylate | 100 Soluble | Method not given | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | |

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

| Ingredient(s) | Value (Pa) | Method | Temperature (°C) |
|--|---------------|--------------------|---------------------|
| alkyl alcohol ethoxylate | < 10 | Method not given | 37.8 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | 2.2 | Weight of Evidence | 25 |

Relative density: ≈ 1.00 (20 °C)

Method / remark

OECD 109 (EU A.3)

Relative vapour density: No data available. Not relevant to classification of this product **Particle characteristics:** No data available. Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive. Oxidising properties: Not oxidising. Corrosion to metals: Not corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Eye irritation and corrosivity

Result: Eye irritant 2 Species: Not applicable. Method: Weight of evidence

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Oral (mg/kg) |
|--|----------|------------------|---------|--------------------|-------------------|---------------------|
| alkyl alcohol ethoxylate | LD 50 | 1400 | Rat | Weight of evidence | | 1400 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 64 | Rat | Method not given | | 64 |

Acute dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg) | Species | Method | Exposure time (h) | ATE Dermal (mg/kg) |
|--|----------|------------------|---------|--------------------|-------------------|-----------------------|
| alkyl alcohol ethoxylate | LD 50 | 2000 - 5000 | Rat | Weight of evidence | | Not established |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LD 50 | 87.12 | Rabbit | Method not given | | 87.12 |

Acute inhalative toxicity

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|----------------------|---------|--------|-------------------|
| alkyl alcohol ethoxylate | | No data available | | | |
| oro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and -methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | LC 50 | 0.33 | Rat | | |

Acute inhalative toxicity, continued

| Ingredient(s) | , | ATE - inhalation, mist | , | ATE - inhalation, gas |
|--|-----------------|------------------------|-----------------|-----------------------|
| | (mg/l) | (mg/l) | vapour (mg/l) | (mg/l) |
| alkyl alcohol ethoxylate | Not established | Not established | Not established | Not established |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Not established | 0.33 | Not established | Not established |

Irritation and corrosivity

Skin irritation and corrosivity

| Chill illitation and correctivity | | | | | |
|-----------------------------------|--|--------------|---------|--------------------|---------------|
| | Ingredient(s) | Result | Species | Method | Exposure time |
| alkyl | alcohol ethoxylate | Not irritant | | Weight of evidence | |
| | othiazol-3-one [EC No 247-500-7] and zol-3-one [EC No 220-239-6] (3:1) | Corrosive | | Method not given | |

Eye irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|---|---------------|---------|--------------------|---------------|
| alkyl alcohol ethoxylate | Severe damage | Rabbit | Weight of evidence | |
| | | | OECD 437 | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | Severe damage | | Method not given | |

| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | |
|--|--|--|

Respiratory tract irritation and corrosivity

| Ingredient(s) | Result | Species | Method | Exposure time |
|--|-------------------|---------|--------|---------------|
| alkyl alcohol ethoxylate | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

SensitisationSensitisation by skin contact

| Ingredient(s) | Result | Species | Method | Exposure time (h) |
|--|-----------------|------------|---|-------------------|
| alkyl alcohol ethoxylate | Not sensitising | | Weight of evidence | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | Sensitising | Guinea pig | Method not given OECD 406 (EU B.6) / GPMT | |

Sensitisation by inhalation

| ochsitisation by initialation | | | | |
|---|-------------------|---------|--------|---------------|
| Ingredient(s) | Result | Species | Method | Exposure time |
| alkyl alcohol ethoxylate | No data available | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | |

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Mutagenicity

| Ingredient(s) | Result (in-vitro) | Method (in-vitro) | Result (in-vivo) | Method (in-vivo) |
|--|---|----------------------|-------------------|---------------------|
| , , | No evidence for mutagenicity, negative test results | OECD 473 | No data available | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for mutagenicity | Method not given | No data available | |

| Ingredient(s) | Effect |
|--|--|
| alkyl alcohol ethoxylate | No evidence for carcinogenicity, negative test results |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No evidence for carcinogenicity, negative test results |

Toxicity for reproduction

| Ingredient(s) | Endpoint | Specific effect | Value (mg/kg bw/d) | Species | Method | Exposure time | Remarks and other effects reported |
|---|----------|-----------------|-----------------------|---------|-----------|---------------|---|
| alkyl alcohol ethoxylate | NOAEL | | > 250 | Rat | Not known | | No effects on fertility No developmental toxicity |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC No 220-239-6] (3:1) | | | No data available | | | | No evidence for reproductive toxicity No evidence for teratogenic effects |

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|-----------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | NOAEL | 80 - 400 | | OECD 408 (EU B.26) | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Sub-chronic dermal toxicity

| Ingredient(s) | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time (days) | Specific effects and organs affected |
|--|----------|-----------------------|---------|-----------------------|----------------------|--------------------------------------|
| alkyl alcohol ethoxylate | NOAEL | 80 | | OECD 411 (EU B.28) | 90 | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Sub-chronic inhalation toxicity

| Sub-cirroriic irrialation toxicity | | | | | | |
|------------------------------------|----------|--------------|---------|--------|-------------|-----------------------------|
| Ingredient(s) | Endpoint | Value | Species | Method | | Specific effects and organs |
| | | (mg/kg bw/d) | | | time (days) | affected |
| alkyl alcohol ethoxylate | | No data | | | | |

| | available | | |
|--|-----------|--|--|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | No data | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | available | | |
| 220-239-6] (3:1) | | | |

Chronic toxicity

| Ingredient(s) | Exposure route | Endpoint | Value (mg/kg bw/d) | Species | Method | Exposure time | Specific effects and organs affected | Remark |
|---|----------------|----------|-----------------------|---------|--------|---------------|---|--------|
| alkyl alcohol ethoxylate | | | No data available | | | | | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol- 3-one [EC No 220-239-6] (3:1) | | | No data available | | | | | |

STOT-single exposure

| | Ingredient(s) | Affected organ(s) |
|---|---|-------------------|
| | alkyl alcohol ethoxylate | No data available |
| Ī | 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | No data available |
| | 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | |

STOT-repeated exposure

| Ingredient(s) | Affected organ(s) |
|---|---------------------|
| alkyl alcohol ethoxylate | No data available |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | d No data available |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | |

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|-------------|-------------------|-------------------|
| alkyl alcohol ethoxylate | LC 50 | 5 - 7 | Fish | 92/69/EEC, C1, | 96 |
| | | | | semi-static | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | LC 50 | 0.28 | Lepomis | OECD 203 (EU C.1) | 96 |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | macrochirus | | |

Aquatic short-term toxicity - crustacea

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure |
|---|----------|--------|--------------|-------------------|----------|
| | | (mg/l) | | | time (h) |
| alkyl alcohol ethoxylate | EC 50 | 5.3 | Daphnia | 92/69/EEC | 48 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | EC 50 | 0.126 | Daphnia | OECD 202 (EU C.2) | 48 |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | magna Straus | | |

Aquatic short-term toxicity - algae

| Ingredient(s) | Endpoint | Value (mg/l) | Species | Method | Exposure time (h) |
|---|----------|-----------------|----------------|-------------------|-------------------|
| alkyl alcohol ethoxylate | EC 50 | 1.4 - 47 | Not specified | 92/69/EEC | 72 |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and | EC 50 | 0.003 | Pseudokirchner | OECD 201 (EU C.3) | 72 |
| 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | iella | | |

| quatic short-term toxicity - marine species | | | | | | | | | | | |
|--|---------------------------|--------------------------|------------|--------------|----------------|-----------------|----------------|--------------------|-----|--------------------------------------|--------------|
| Ingredient(s) | | | Endpoir | | alue ig/l) | ; | Spec | ies | | Method | Exposure |
| alkyl alcohol ethoxylate | | | | No | data ilable | | | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 2 2-methyl-2H-isothiazol-3-one [EC No 220-2 | | d | | | data ilable | | | | | | |
| mpact on sewage plants - toxicity to bacteria | | | | | | | | | | | |
| Ingredient(s) | | | Endpoir | | alue ig/l) | lı | nocu | lum | | Method | Exposur time |
| alkyl alcohol ethoxylate | | | EC 50 | > | 140 | | Bacte | eria | 81 | IN EN ISO 192-OECD -88/302/EEC | 3 hour(s |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 2 2-methyl-2H-isothiazol-3-one [EC No 220-2 | | d | EC 20 | С | .97 | · | Activa slud | | С | DECD 209 | 3 hour(s |
| Aquatic long-term toxicity Aquatic long-term toxicity - fish | | | | | | | | | | | |
| Ingredient(s) | Endpoint | Valu (mg/l | - | Species | | Metho | d | Exposi | ire | Effects ob | served |
| alkyl alcohol ethoxylate | EC 10 | 8.98 | | lot specifie | d | Method giver | | 21 day | s) | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No da availal | | | | | | | | | |
| Aquatic long-term toxicity - crustacea | | | | | | | | | | | |
| Ingredient(s) | Endpoint | Valu (mg/l | | Species | | Metho | d | Exposu | ire | Effects ob | served |
| alkyl alcohol ethoxylate | EC 10 | 2.57 | 9 <i>L</i> | Daphnia sp | | Method giver | | 21 day | s) | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No da availal | | | | 9.70. | | | | | |
| Aquatic toxicity to other aquatic benthic organisms, inclu | ding sediment | | | | le: | | | | | | |
| Ingredient(s) | Endpoint | Valu (mg/kg sedime | dw ent) | Species | | Metho | d | Exposu time (da | | Effects ob | served |
| alkyl alcohol ethoxylate | | No da availal | | <u> </u> | | | | | T | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No da availal | | | | | | | | | |
| Ferrestrial toxicity | | ı. | | | | | | | | | |
| Ferrestrial toxicity - soil invertebrates, including earthwor Ingredient(s) | ms, if available Endpoint | e: Valu | e l | Species | | Metho | d | Exposi | ire | Effects ob | served |

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicity - plants, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|--|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | No data available | | | | |

Terrestrial toxicity - birds, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure time (days) | Effects observed |
|---|----------|----------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | No data available | | | | |
| 220-239-6] (3:1) | | | | | | |

Terrestrial toxicity - beneficial insects, if available:

| Ingredient(s) | Endpoint | Value | Species | Method | Exposure | Effects observed |
|---------------|----------|-----------|---------|--------|-------------|------------------|
| | | (ma/ka dw | | | time (days) | |

| | soil) | | |
|--|-----------|--|--|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | No data | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | available | | |
| 220-239-6] (3:1) | | | |

Terrestrial toxicity - soil bacteria, if available:

| Ingredient(s) | Endpoint | Value (mg/kg dw soil) | Species | Method | Exposure time (days) | Effects observed |
|---|----------|-----------------------------|---------|--------|----------------------|------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC N 220-239-6] (3:1) | 0 | No data available | | | | |

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

| Abiolic degradation - priotodegradation in all, if a | biolic degradation - priotodegradation in an, it available. | | | | | | | | | |
|--|---|--------|------------|--------|--|--|--|--|--|--|
| Ingredient(s) | Half-life time | Method | Evaluation | Remark | | | | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one | No data available | | | | | | | | | |
| [EC No 220-239-6] (3:1) | | | | | | | | | | |

Abiotic degradation - hydrolysis, if available:

| Abiotic degradation - Hydrolysis, il avallable. | | | | |
|---|-------------------------|--------|------------|--------|
| Ingredient(s) | Half-life time in fresh | Method | Evaluation | Remark |
| | water | | | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No | No data available | | | |
| 247-500-7] and 2-methyl-2H-isothiazol-3-one | | | | |
| [EC No 220-239-6] (3:1) | | | | |

Abiotic degradation - other processes, if available:

| Ingredient(s) | Type | Half-life time | Method | Evaluation | Remark |
|-------------------------|------|--------------------|--------|------------|-------------|
| 5-chloro-2-methyl-2H-is | | No data available | | | 7.011.01.11 |
| othiazol-3-one [EC No | | 140 data available | | | |
| 247-500-7] and | | | | | |
| 2-methyl-2H-isothiazol- | | | | | |
| 3-one [EC No | | | | | |
| | | | | | |
| 220-239-6] (3:1) | | | | | |

Biodegradation

| Ingredient(s) | Inoculum | Analytical method | DT 50 | Method | Evaluation |
|--|----------|-------------------|-------|-----------|-----------------------|
| alkyl alcohol ethoxylate | | | | OECD 301B | Readily biodegradable |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | Oxygen depletion | > 60% | OECD 301D | Readily biodegradable |

Ready biodegradability - anaerobic and marine conditions, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|--|---------------|-------------------|-------|--------|-------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | | | | | No data available |

Degradation in relevant environmental compartments, if available:

| Ingredient(s) | Medium & Type | Analytical method | DT 50 | Method | Evaluation |
|---|---------------|-------------------|-------|--------|-------------------|
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No | | | | | No data available |
| 220-239-6] (3:1) | | | | | |

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log Kow)

| Ingredient(s) | Value | Method | Evaluation | Remark |
|---|---------------|------------------|------------------------------------|--------|
| alkyl alcohol ethoxylate | 3.11 - 4.19 | Method not given | High potential for bioaccumulation | |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | -0.71 - +0.75 | Method not given | No bioaccumulation expected | |

Bioconcentration factor (BCF)

| Ingredient(s) | Value | Species | Method | Evaluation | Remark |
|--|-------|---------|------------------|------------------------------------|--------|
| alkyl alcohol ethoxylate | < 500 | | Method not given | High potential for bioaccumulation | |
| 5-chloro-2-methyl-2H-is othiazol-3-one [EC No 247-500-7] and | | | | | |

| 2-methyl-2H-isothiazol- | | | |
|-------------------------|--|--|--|
| 3-one [EC No | | | |
| 220-239-6] (3:1) | | | |

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

| Ingredient(s) | Adsorption coefficient Log Koc | Desorption coefficient Log Koc(des) | Method | Soil/sediment type | Evaluation |
|--|--------------------------------------|---|--------|-----------------------|--|
| alkyl alcohol ethoxylate | No data available | | | | Potential for mobility in soil, soluble in water |
| 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1) | No data available | | | | |

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused

European Waste Catalogue:

products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

20 01 29* - detergents containing dangerous substances.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number: Non-dangerous goods 14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods
14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants

5 - 15 %

perfumes, Dimethylol Glycol, Amyl Cinnamal, Hexyl Cinnamal, Methylchloroisothiazolinone, Methylisothiazolinone, Benzyl Alcohol, Methylisothiazolinone, Benzisothiazolinone

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made

available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS7243 Version: 02.6 Revision: 2025-05-15

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 2

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories
- EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
- LD50 Lethal Dose, 50% / Median Lethal dose
- NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic

- PNEC Predicted No Effect Concentration
 PROC Process categories
 REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
 EUH071 Corrosive to the respiratory tract.

End of Safety Data Sheet